

Assignment 02 CCN Theory



Spring 2025

Submitted by: **Mohsin Sajjad**

Registration No: **22pwsce2149**

Class Section: **A**

“On my honor, as student of University of Engineering and Technology, I have neither given nor received unauthorized assistance on this academic work.”

A handwritten signature in black ink that reads "Mohsin Sajjad".

Student Signature: _____

Submitted to:

Engr. Ihsan ul haq

Month Day, Year (11 04, 2025)

Department of Computer Systems Engineering
University of Engineering and Technology, Peshawar

Question 1

Which three acronyms/initializes represent standards organizations? (Choose three.)

- i. **IANA**
- ii. TCP/IP
- iii. **IEEE**
- iv. **IETF**
- v. OSI
- vi. MAC

Question 2

What type of communication will send a message to all devices on a local area network?

- i. **Broadcast**
- ii. Multicast
- iii. Unicast
- iv. Allcast

Question 3

In computer communication, what is the purpose of message encoding?

- i. **To convert information to the appropriate form for transmission**
- ii. To interpret information
- iii. To break large messages into smaller frames
- iv. To negotiate correct timing for successful communication

Question 4

Which message delivery option is used when all devices need to receive the same message simultaneously?

- i. Duplex
- ii. Unicast
- iii. Multicast
- iv. **Broadcast**

Question 5

What are two benefits of using a layered network model? (Choose two.)

- i. **It assists in protocol design.**
- ii. It speeds up packet delivery.
- iii. It prevents designers from creating their own model.
- iv. **It prevents technology in one layer from affecting other layers.**
- v. It ensures a device at one layer can function at the next higher layer.

Question 6

What is the purpose of protocols in data communications?

- i. Specifying the bandwidth of the channel or medium for each type of communication
- ii. Specifying the device operating systems that will support the communication
- iii. Providing the rules required for a specific type of communication to occur**
- iv. Dictating the content of the message sent during communication

Question 7

- i. Which logical address is used for delivery of data to a remote network?
- ii. Destination MAC address
- iii. Destination IP address**
- iv. Destination port number
- v. Source MAC address
- vi. Source IP address

Question 8

What is the general term that is used to describe a piece of data at any layer of a networking model?

- i. Frame
- ii. Packet
- iii. Protocol data unit**
- iv. Segment

Question 9

Which two protocols function at the internet layer? (Choose two.)

- i. POP
- ii. BOOTP
- iii. ICMP**
- iv. IP**
- v. PPP

Question 10

Which layer of the OSI model defines services to segment and reassemble data for individual communications between end devices?

- i. Application
- ii. Presentation
- iii. Session
- iv. Transport**
- v. Network

Question 11

Which type of communication will send a message to a group of host destinations simultaneously?

- i. Broadcast
- ii. Multicast**
- iii. Unicast
- iv. Anycast

Question 12

What process is used to receive transmitted data and convert it into a readable message?

- i. Access control
- ii. Decoding**
- iii. Encapsulation
- iv. Flow control

Question 13

What is done to an IP packet before it is transmitted over the physical medium?

- i. It is tagged with information guaranteeing reliable delivery.
- ii. It is segmented into smaller individual pieces.
- iii. It is encapsulated into a TCP segment.
- iv. It is encapsulated in a Layer 2 frame.**

Question 14

What process is used to place one message inside another message for transfer from the source to the destination?

- i. Access control
- ii. Decoding
- iii. Encapsulation**
- iv. Flow control

Question 15

A web client is sending a request for a webpage to a web server. From the perspective of the client, what is the correct order of the protocol stack that is used to prepare the request for transmission?

- i. HTTP, IP, TCP, Ethernet
- ii. HTTP, TCP, IP, Ethernet**
- iii. Ethernet, TCP, IP, HTTP
- iv. Ethernet, IP, TCP, HTTP