

Research Methodology in CS (CSEG3060_3)

Lecture 5: Patent Information and Databases - patent literature, classification systems (IPC, CPC), and online patent databases (WIPO, USPTO, EPO, Indian Patent Database)

Unit 6: Patent Rights and New Developments in IPR • Mapped Course Outcome: CO4

Lecture 5: Patent Information and Databases

Patent Literature, Classification Systems (IPC, CPC), and Online Patent Databases (WIPO, USPTO, EPO, Indian Patent Database)

Course: Research Methodology in Computer Science (CSEG3060_3) **Program:** B.Tech (Computer Science) **Semester:** 5 **Unit:** 6 — Patent Rights and New Developments in IPR **Mapped Course Outcome:** CO4

Learning Objectives

By the end of this lecture, students should be able to:

1. Define patent literature and identify its principal components and significance in research and innovation.
 2. Explain the architecture and purpose of the International Patent Classification (IPC) and the Cooperative Patent Classification (CPC) systems.
 3. Navigate the major online patent databases — WIPO PATENTSCOPE, USPTO, Espacenet (EPO), and the Indian Patent Database — to retrieve, filter, and interpret patent records.
 4. Formulate effective patent search strategies using classification codes, keywords, and applicant/inventor data.
 5. Appreciate the role of patent databases as a strategic resource for computer science researchers, particularly in software, AI, and cybersecurity domains.
 6. Critically evaluate the strengths and limitations of national versus international patent databases.
-

1. Introduction

Patent information constitutes one of the largest and most structured bodies of technical literature in the world. With over **150 million patent documents** published globally to date, patents represent an unparalleled repository of technological knowledge — much of which never appears in academic journals. For a researcher in computer science, patent literature offers several distinct advantages:

- **Disclosure of technical implementations** that are often not published in conferences or journals.
- **Time-stamped proof of invention** (priority dates), which is essential for novelty assessment.
- **Geographic and legal intelligence** about where technologies are protected.
- **Competitive intelligence** — who is innovating in a domain, at what pace, and with what scope.

Unlike conventional scientific literature, patent literature follows a rigid documentary structure (front page, description, claims, abstract, drawings) and is organized through standardized classification systems. The lecture proceeds in three parts: (a) the nature of patent literature, (b) classification systems used to organize it, and (c) the principal online databases through which it is accessed.

2. Patent Literature

2.1 Definition and Scope

Patent literature refers to the entire corpus of published patent documents and related materials generated by national and regional patent offices. According to the World Intellectual Property Organization (WIPO), patent literature is the world's most comprehensive source of technical information, with approximately **70 percent of all technical information disclosed only in patent documents** and never published elsewhere.

A **patent document** is a legally published instrument that describes an invention and defines the scope of the protection sought or granted. The principal components of a patent document are:

Component	Purpose
Bibliographic data	Identification of the patent (number, date, country, applicant, inventor, classification codes)
Abstract	Concise technical summary of the invention
Description (Specification)	Detailed technical disclosure enabling a person skilled in the art to reproduce the invention
Claims	Legally enforceable statements defining the scope of protection
Drawings	Diagrams, flowcharts, or schematics supporting the disclosure

2.2 Types of Patent Literature

Patent literature can be classified into two broad categories:

1. **Primary literature** — patent applications and granted patents published by national and regional patent offices.
2. **Secondary literature** — search reports, examination opinions, patent gazettes, patent classifications, abstracting services, and analytical reviews.

Additionally, the following document types frequently appear in databases:

- **A1 documents** — patent applications published with a search report.
- **A2 documents** — patent applications published without a prior search report.
- **B1 documents** — granted patents (without prior application publication).
- **B2 documents** — granted patents published after the application was already published.
- **Utility models** — shorter-term protection for incremental innovations, common in Germany and China.

2.3 Importance of Patent Literature in Computer Science Research

For computer science researchers, patent literature is invaluable in several contexts:

- **Prior-art search:** Determining whether an algorithm, software architecture, or system has already been patented before filing.
- **Freedom-to-operate (FTO) analysis:** Identifying patents that might be infringed by a planned commercial product.
- **Technology landscape studies:** Mapping innovation trends in fields like machine learning, blockchain, quantum computing, and cybersecurity.

- **Citation analysis:** Tracking how patented technologies build upon earlier scientific work.
- **Licensing opportunities:** Identifying patent holders open to licensing arrangements.

2.4 Structure of a Typical Patent Front Page

A typical patent front page (e.g., as standardized by the World Intellectual Property Organization's **ST.36** standard) contains standardized bibliographic fields:

- (10) **Document identification:** Patent number, kind code.
- (20) **Application data:** Application number, filing date.
- (30) **Priority data:** Earlier filed applications under the Paris Convention.
- (40) **Publication date.**
- (50) **Technical information:** IPC/CPC classification, title, abstract.
- (60) **References:** Related applications.
- (70) **Identification of parties:** Applicant, inventor, assignee, agent.

Understanding these INID codes (Internationally agreed Numbers for the Identification of bibliographic Data) is essential for efficient patent retrieval.

3. Classification Systems

Patent offices use hierarchical classification systems to organize documents by technical subject matter. Two systems dominate global practice today: the **International Patent Classification (IPC)** and the **Cooperative Patent Classification (CPC)**.

3.1 The International Patent Classification (IPC)

The IPC, established under the Strasbourg Agreement (1971) and administered by WIPO, is the international standard for classifying patents and utility models. It is revised periodically and updated to accommodate emerging technologies.

3.1.1 Hierarchical Structure

The IPC has a five-level hierarchical structure:

Section → Class → Subclass → Group → Subgroup

Section → Class → Subclass → Group → Subgroup

For example, consider the IPC code **G06F 21/62**:

- **G** — Section: *Physics*

- **G06** — Class: *Computing; Calculating; Counting*
- **G06F** — Subclass: *Electric Digital Data Processing*
- **G06F 21** — Group: *Security Arrangements for Protecting Computers, Components Thereof, Programs or Data Against Unauthorized Activity*
- **G06F 21/62** — Subgroup: *Protecting access to data via a platform, e.g. using keys or access control rules*

3.1.2 The Eight Sections of the IPC

Section	Title	Domain
A	Human Necessities	Agriculture, food, health, personal items
B	Performing Operations; Transporting	Industrial processes, transport
C	Chemistry; Metallurgy	Chemical engineering
D	Textiles; Paper	Textile and paper industries
E	Fixed Constructions	Buildings, mining
F	Mechanical Engineering	Engines, pumps, lighting, heating
G	Physics	Instruments, computing, optics, nuclear engineering
H	Electricity	Electric power, electronics, communication

3.1.3 Encoding Rules

The IPC version number (e.g., IPC 2025.01) is appended to the classification code to indicate the edition used. Most computer science patents fall within Section G (Physics) and Section H (Electricity).

3.2 The Cooperative Patent Classification (CPC)

The CPC was jointly developed by the European Patent Office (EPO) and the United States Patent and Trademark Office (USPTO) and entered into force on 1 January 2013. It is built upon the IPC backbone but extends it with finer subdivisions.

3.2.1 Differences from IPC

- **Depth of classification:** CPC adds approximately **200,000 additional codes** beyond the IPC's ~70,000.
- **Tagging:** CPC uses tagging schemes for cross-cutting technologies (e.g., **Y10S** for cross-sectional tagging in older schemes).
- **Updated continuously:** CPC is revised every three months, while the IPC is updated annually.
- **Used by both EPO and USPTO**, ensuring harmonization between the two largest patent-granting authorities.

3.2.2 CPC for Computer Science Examples

CPC Code	Subject Matter
G06N 3/04	Neural network architectures
G06N 3/08	Learning methods for neural networks
H04L 9/00	Cryptographic mechanisms
H04L 9/06	Block cipher systems
G06F 16/00	Information retrieval; Database structures
G06Q 50/18	Legal services (relevant to IPR itself)
G06T 7/00	Image analysis
G10L 15/22	Speech recognition procedures

3.2.3 Why Both Systems Matter

Researchers should be conversant in both IPC and CPC because:

- WIPO and many national offices (including IP India) still index primarily by IPC.
- EPO and USPTO use CPC extensively.
- The additional granularity of CPC allows more precise searches in cutting-edge technologies.

3.3 Other Classification Systems

While IPC and CPC dominate, regional and historical systems are worth noting:

- **USPC (United States Patent Classification):** Used by USPTO until 2015, when CPC fully replaced it.
- **FI (File Index) and F-term (File Forming Term):** Japanese classification systems offering very fine subdivisions.
- **DE (German classification):** National scheme used by DPMA.

For comprehensive searches, researchers often cross-reference multiple systems.

4. Online Patent Databases

4.1 WIPO PATENTSCOPE

PATENTSCOPE (<https://patentscope.wipo.int>) is WIPO's flagship patent search service. It provides access to:

- **PCT (Patent Cooperation Treaty) international applications** — published 18 months after the priority date.
- **National and regional patent collections** from over 100 participating offices.
- **Non-patent literature (NPL)** — supporting scientific publications cited in search reports.

Key features:

- **Cross-lingual Information Retrieval (CLIR):** Allows searching in multiple languages simultaneously using semantic translation.
- **Boolean, phrase, and proximity search** syntax.
- **Citation extraction and chemical structure search** through integration with CAS.
- **Machine translation** of full-text patent documents via the TAPTA system and the Global Brand Database translator.
- **RSS feeds and alerts** for newly published applications.

Strengths: Unmatched coverage of PCT applications and developing-country filings; powerful translation features. **Limitations:** Variable quality of OCR on older documents; some national collections lag in publication.

4.2 USPTO (United States Patent and Trademark Office)

The USPTO provides multiple complementary search tools:

Tool	URL	Purpose
Patent Full-Text and Image Database (PatFT)	patft.uspto.gov	Full-text search of US granted patents from 1976 onward
Patent Application Full-Text and Image Database (AppFT)	appft.uspto.gov	Published US patent applications
Patent Center	patentcenter.uspto.gov	Unified portal replacing legacy systems (PAIR, EFOAS)
Trademark Search (TSDR)	tmsearch.uspto.gov	Trademark records (outside patent scope)

Search fields available:

- **Quick search:** Two-field combined query.
- **Advanced search:** Boolean operators across fields such as title, abstract, claims, inventor, assignee, and classification.
- **Classification search:** Browse or query CPC codes.

Strengths: Authoritative source for US filings; rich bibliographic and legal-status data; PAIR/Patent Center provides prosecution histories (office actions, responses). **Limitations:** Limited to US jurisdiction; older pre-1976 patents are image-only.

4.3 EPO Espacenet

Espacenet (<https://worldwide.espacenet.com>) is operated by the European Patent Office and offers free access to over **140 million patent documents** from more than 100 countries.

Distinctive features:

- **Smart search** — natural language queries.
- **Advanced search** — supports IPC, CPC, applicant, inventor, date range, and priority number.
- **CPC and IPC browser** — interactive tree navigation.
- **Citation graph and INPADOC legal events** — visualize family relationships and prosecution history across jurisdictions.
- **Machine Translation (Patent Translate)** — supports 32+ languages.
- **Open Patent Services (OPS)** — REST API for bulk data retrieval (used heavily in patent analytics).

Strengths: Best-in-class coverage of European and global filings; rich family and legal-event data; excellent search UI. **Limitations:** Some advanced bulk-data features require a free EPO account.

4.4 Indian Patent Database (IP India / IPAIRS)

The **Office of the Controller General of Patents, Designs & Trade Marks (CGPDTM)** provides the Indian Patent Information Retrieval System (**IPAIRS**) at <https://ipindiaservices.gov.in/> and the public-facing search portal at <https://iprsearch.ipindia.gov.in/>.

Search capabilities:

- **Application number search.**
- **Patent number search.**
- **Title, abstract, claims, and full-text search.**
- **Inventor and applicant search.**
- **CPC-based search.**
- **Indian Patent Classification (IPC) compatibility.**

Notable characteristics:

- Covers patent applications filed in India under the Patents Act, 1970.
- Includes international applications entering the Indian national phase via PCT.
- Public examination and hearing notices are published via the patent journal.
- Status tracking: *Filed, Published, Under Examination, Granted, Withdrawn, Abandoned, or Revoked.*

Strengths: Authoritative source for Indian filings; legal status is reliable and current. **Limitations:** User interface is less polished than WIPO or Espacenet; OCR quality on scanned older documents is variable; English-only interface (despite India accepting applications in Hindi and other scheduled languages).

4.5 Comparative Summary of Major Databases

Feature	WIPO PATENTSCOPE	USPTO PatFT/AppFT	EPO Espacenet	IP India (IPAIRS)
Geographic scope	Global (PCT + national)	USA only	Global	India only
Document count	100+ million	12+ million	140+ million	~700,000 published
Classification systems	IPC, CPC	CPC (formerly USPC)	CPC, IPC	IPC, CPC
Full-text search	Yes	Yes (1976+)	Yes	Yes
Machine translation	Yes (TAPTA, external)	Limited	Yes (Patent Translate)	No
API access	Limited	Yes (PAIR/Patent Center)	Yes (OPS, Open Patent Services)	No
Legal status data	Partial	Comprehensive	Excellent (INPADOC)	Authoritative
Best for	PCT filings, global coverage	US prosecution history	Comprehensive prior-art searches	Indian filings

5. Practical Search Strategies

5.1 The Anatomy of a Patent Search

A robust patent search typically involves three steps:

1. **Topic identification:** Define the technical subject with precision.
2. **Query formulation:** Combine keywords, classification codes, and applicant filters.
3. **Result refinement:** Apply date ranges, jurisdictions, and citation analysis.

5.2 Keyword vs. Classification-Based Searching

Strategy	Strengths	Weaknesses
Keyword search	Discovers synonyms and emerging terminology; intuitive	Misses translations and unusual phrasings; subject to noise
Classification search	Reliable across languages and synonyms; precise	Requires familiarity with IPC/CPC; may miss innovative cross-domain applications

The most effective searches combine both — using classification codes to narrow the field and keywords to refine within it.

5.3 Boolean Operators and Search Syntax

Patent databases support extended Boolean logic:

- **AND** , **OR** , **NOT** — standard operators.
- Quotation marks — exact phrase.
- Parentheses — nested grouping.
- Wildcards — typically ***** (zero or more characters) or **?** (single character).

Example (Espacenet syntax):

```
(cla = ("machine learning" OR "neural network")) AND ap = ("Google")
```

This searches claims mentioning machine learning or neural networks in patents assigned to Google.

5.4 Working Example: Searching for AI-Based Intrusion Detection Patents

Suppose a student wishes to map patenting activity in AI-based cybersecurity:

1. Identify relevant CPC codes:

- G06N 3/04, G06N 3/08 (neural networks)
- H04L 63/00, H04L 63/14 (network security)
- G06F 21/55 (malware detection)

2. Construct a query on Espacenet:

- Field: **CPC**

- Value: (G06N3/04 OR G06N3/08) AND (H04L63/00 OR G06F21/55)
- Date range: last five years
- Jurisdiction: US, EP, WO

3. **Refine with applicant data:** Add keywords such as "intrusion detection" or "anomaly detection" in title and abstract.

4. **Analyze results:** Export bibliographic data, generate citation graphs, identify top assignees (Cisco, IBM, Palo Alto Networks, etc.), and observe temporal trends.

5.5 Citation and Family Analysis

- **Backward citations:** References cited by the patent — useful for finding earlier art.
- **Forward citations:** Patents that later cite the patent — useful for assessing influence and mapping downstream innovation.
- **Patent families:** Identical inventions filed in multiple jurisdictions — useful for understanding global protection strategies and identifying all relevant legal events.

6. Case Study: Patent Landscape Analysis of Transformer Architectures in NLP

Context: Since the publication of Vaswani et al.'s "Attention Is All You Need" (2017), transformer architectures have revolutionized natural language processing. A patent landscape study can reveal the commercial and strategic dimensions of this academic breakthrough.

Methodology:

1. **Search databases:** Espacenet and PATENTSCOPE.
2. **Query:** CPC = (G06N3/045 OR G06N3/0464 OR G06N3/0455) AND title/abstract = "attention mechanism" OR "transformer" OR "self-attention" .
3. **Time window:** 2017–present.
4. **Output:** Bibliographic dataset of ~5,000 patent families.

Findings (illustrative):

- Major assignees: Google, Microsoft, IBM, Samsung, Tencent, Baidu.
- Rapid year-on-year growth in filings (2018 → 2024).
- Geographic concentration: US, China, South Korea.
- Convergence between academic architectures (BERT, GPT) and patented implementations.

Implications for researchers:

- Identify white spaces for academic contribution.
 - Avoid infringement in commercial applications.
 - Locate licensing opportunities.
-

7. IPR in Educational Institutes: The Indian Context

The lecture syllabus also calls attention to **IPR in educational institutes**. Universities and research institutions are increasingly active in:

- **Filing patents** through Technology Transfer Offices (TTOs) or Intellectual Property Facilitation Centres (IPFCs).
- **Managing inventor ownership** via institutional IP policies that distinguish between academic and commercial contributions.
- **Supporting start-ups** through patent licensing and assignment.
- **Educating researchers** on prior-art search as part of responsible research practice.

The **National Intellectual Property Rights (IPR) Policy of India (2016)** explicitly emphasizes awareness and capacity-building in academic institutions. Patent databases are foundational tools in such educational initiatives, since students and faculty must be able to retrieve and interpret existing patents before filing their own.

8. Summary

This lecture has examined patent information as a critical resource for computer science research. The key takeaways are:

1. Patent literature is a vast, structured, and legally significant body of technical disclosure that complements traditional academic publishing.
2. The **International Patent Classification (IPC)** and the **Cooperative Patent Classification (CPC)** provide the conceptual scaffolding through which patents are organized. The IPC has a hierarchical Section > Class > Subclass > Group > Subgroup structure, while the CPC extends the IPC with finer subdivisions and continuous updates.
3. The four major online databases — **WIPO PATENTSCOPE**, **USPTO**, **EPO Espacenet**, and **IP India (IPAIRS)** — together provide comprehensive global access to patent literature, each with distinctive strengths in scope, search functionality, and legal-event data.
4. Effective patent searching combines **keyword and classification-based queries**, exploits **Boolean and proximity operators**, and leverages **citation and family analysis** for comprehensive results.

5. For computer science researchers, patent databases are indispensable for **prior-art searches**, **freedom-to-operate analyses**, **technology landscape studies**, and **competitive intelligence**, particularly in fast-moving fields like AI, cybersecurity, and quantum computing.
-

9. Exam Preparation Tips

1. **Memorize the IPC hierarchy:** Section > Class > Subclass > Group > Subgroup. Be able to construct an IPC code and identify its components.
 2. **Distinguish IPC from CPC clearly:** IPC is administered by WIPO under the Strasbourg Agreement; CPC is a joint EPO-USPTO system with greater granularity and more frequent updates.
 3. **Know the major databases cold:** Be ready to compare WIPO PATENTSCOPE, USPTO, Espacenet, and IP India on dimensions such as geographic scope, classification system, and distinctive features.
 4. **Practice constructing search queries:** Be prepared to write Boolean queries combining CPC codes and keywords for given technical scenarios (e.g., blockchain consensus, IoT security, federated learning).
 5. **Understand INID codes:** Bibliographic data fields such as (71) for applicant, (72) for inventor, and (54) for title are frequently asked.
 6. **Connect to software IP:** Be ready to discuss how these databases apply specifically to computer software patents, including the Indian exclusion under Section 3(k) of the Patents Act, 1970.
 7. **Use the case study logic:** When asked about patent landscape analysis, structure your answer around the four-step methodology: define scope, formulate queries, execute across databases, and synthesize trends.
-

10. Practice Questions

Short-Answer Questions (2–3 marks each)

1. Define patent literature and list its principal components.
2. State the hierarchy of the International Patent Classification (IPC).
3. Name the five classification levels of the IPC and briefly explain each.
4. Differentiate between IPC and CPC along two dimensions.
5. List two distinguishing features of WIPO PATENTSCOPE.
6. What does the INID code (72) represent in a patent document?

7. Mention two strengths and two limitations of the Indian Patent Database (IPAIRS).

Long-Answer Questions (5–10 marks each)

1. Explain the architecture and importance of the International Patent Classification system. How is it used to organize computer science patents?
2. Compare the Cooperative Patent Classification (CPC) with the International Patent Classification (IPC). Why is CPC considered more granular?
3. Describe the features, strengths, and limitations of WIPO PATENTSCOPE, USPTO PatFT, Espacenet, and IP India. When would you prefer one over the others?
4. Discuss the role of patent databases in supporting computer science research. Provide examples of how prior-art searches and patent landscape analyses are conducted.
5. Construct a Boolean patent search query for the topic "federated learning for privacy-preserving healthcare analytics." Identify the relevant CPC codes, keywords, and search operators.
6. Explain the concept of a patent family. How does it assist in freedom-to-operate analysis? Illustrate with an example from the software domain.

Numerical / Applied Questions

1. Decode the IPC code **H04L 9/008** and identify each hierarchical component.
2. Given the CPC code **G06N 20/00**, identify the section, class, subclass, and group, and explain the technical domain it covers.
3. A researcher needs to identify all granted US patents on "homomorphic encryption" filed by IBM between 2018 and 2024. Construct the appropriate Espacenet query and explain each element.

11. Key Terms and Glossary

- **Patent literature:** The entire body of patent documents and related materials published by patent offices worldwide.
- **IPC:** International Patent Classification, administered by WIPO under the Strasbourg Agreement, 1971.
- **CPC:** Cooperative Patent Classification, jointly administered by EPO and USPTO from 2013.
- **PCT:** Patent Cooperation Treaty, an international patent filing system administered by WIPO.
- **INID codes:** Internationally agreed Numbers for the Identification of bibliographic Data in patent documents.

- **Patent family:** A collection of patent applications and grants in multiple jurisdictions that relate to the same invention.
 - **Prior art:** Any evidence that the invention was already known before the priority date.
 - **Freedom to operate (FTO):** An analysis ensuring that a product or process does not infringe existing patents.
 - **Office action:** A written communication from a patent examiner to the applicant, often containing objections or rejections.
 - **INPADOC:** International Patent Documentation Center database, now integrated into Espacenet.
-

12. Further Reading and References

1. World Intellectual Property Organization. *International Patent Classification (IPC)*.
<https://www.wipo.int/classifications/ipc>
 2. World Intellectual Property Organization. *PATENTSCOPE User Guide*.
<https://patentscope.wipo.int>
 3. European Patent Office. *Espacenet Help*. <https://worldwide.espacenet.com>
 4. United States Patent and Trademark Office. *Patent Search Resources*.
<https://www.uspto.gov/patents>
 5. Controller General of Patents, Designs & Trade Marks, India. *IP India Patent Search*.
<https://iprsearch.ipindia.gov.in>
 6. Office of the Controller General of Patents, Designs & Trade Marks. *Manual of Patent Office Practice and Procedure (2019)*.
 7. Government of India. *National Intellectual Property Rights Policy (2016)*.
 8. Adams, S. R. *Information Sources in Patents*. K.G. Saur, 2nd edition.
 9. WIPO. *Patent Landscape Reports* (various titles on AI, blockchain, quantum computing).
-

End of Lecture 5 Notes.