

Research Methodology in CS (CSEG3060_3)

Lecture 2: Approaches to Literature Review: systematic, narrative, scoping, and meta-analytical methods

Unit 3: Ethical Conduct and Literature Studies • Mapped Course Outcome: CO2

Research Methodology in CS (CSEG3060_3)

Unit 3: Ethical Conduct and Literature Studies

Lecture 2: Approaches to Literature Review — Systematic, Narrative, Scoping, and Meta-Analytical Methods

Mapped Course Outcome: CO2 — Demonstrate an understanding of literature exploration and ethical considerations in conducting research.

Lecture Duration: 60 minutes

1. Learning Objectives

By the end of this lecture, students should be able to:

1. Define and distinguish between the four principal approaches to literature review: systematic, narrative, scoping, and meta-analytical.
2. Identify the methodological steps required to conduct each type of review.
3. Evaluate the appropriateness of a review approach for a given research question in computer science.
4. Apply established reporting standards (e.g., PRISMA) to structure a literature review.
5. Critically appraise published reviews for methodological rigor.

2. Introduction

A literature review is far more than a descriptive summary of prior work; it is a **systematic, replicable, and transparent synthesis** of existing scholarly contributions within a defined domain. In computer science, where research output doubles approximately every five years, the ability to conduct a rigorous literature review is a foundational research competency.

The choice of review approach shapes:

- The **breadth** and **depth** of evidence included.
- The **reproducibility** of the search and synthesis process.
- The **type of conclusions** that can legitimately be drawn (qualitative vs. quantitative).
- The **defensibility** of the resulting claims in the face of peer review.

This lecture examines the four most widely cited approaches and situates each within the methodological toolkit of a computer science researcher.

3. Foundational Concepts

3.1 What is a Literature Review?

A literature review is a **critical, structured survey of scholarly publications** that:

- Maps the intellectual terrain of a research area.
- Identifies gaps, contradictions, and unresolved questions.
- Justifies the contribution of new research.
- Provides theoretical and empirical grounding for hypotheses.

3.2 The Concept of a "Review Protocol"

A *review protocol* is a pre-specified plan that outlines the research question, inclusion/exclusion criteria, search strategy, data extraction methods, and synthesis approach. Protocols enhance transparency and minimize bias.

3.3 The PICO and PEO Frameworks

These structured question formats guide the formulation of a review:

Framework	Components	Typical Use
PICO	Population, Intervention, Comparison, Outcome	Systematic reviews with quantitative outcomes
PEO	Population, Exposure, Outcome	Scoping and narrative reviews of qualitative phenomena

3.4 The Role of Reporting Standards

Standards such as **PRISMA** (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) and its variants — **PRISMA-S** (for search), **PRISMA-ScR** (for scoping reviews) — provide checklists that enhance reporting quality.

4. The Four Approaches to Literature Review

4.1 Systematic Literature Review (SLR)

4.1.1 Definition

A **Systematic Literature Review (SLR)** is a review that employs explicit, reproducible methods to collate and synthesize all studies that meet pre-defined eligibility criteria in response to a specific research question.

4.1.2 Methodological Characteristics

- **Pre-registered protocol** (often published or institutionally archived).
- **Exhaustive and reproducible search** across multiple databases (e.g., IEEE Xplore, ACM Digital Library, Scopus, Web of Science, Google Scholar).
- **Explicit inclusion and exclusion criteria** applied through a screening process.
- **Quality appraisal** of included studies using validated tools.
- **Structured data extraction** using standardized forms.
- **Transparent reporting** using PRISMA flow diagrams.

4.1.3 The PRISMA Flow

The PRISMA flow diagram documents the number of records identified, screened, eligible, and included. The four stages are:

Identification → Screening → Eligibility → Included

Mathematically, if N_i denotes records identified and N_e denotes records included:

$$N_e \leq N_i \quad \text{with} \quad N_e = N_i - N_{d,s} - N_{d,e} - N_{d,r} \quad N_e \leq N_i \quad \text{with} \quad N_e = N_i - N_{d,s} - N_{d,e} - N_{d,r}$$

where $N_{d,s}$, $N_{d,e}$, and $N_{d,r}$ denote records removed during screening, eligibility, and final inclusion, respectively.

4.1.4 Application in Computer Science

SLRs are widely used in software engineering (e.g., Kitchenham's guidelines), cybersecurity, machine learning benchmarking, and human-computer interaction.

Illustrative Example: A systematic review by Kitchenham et al. on *evidence-based software engineering* established methodological guidelines that have become standard in the field. The review applied rigorous search strategies across seven digital libraries and produced a widely cited framework for software engineering SLRs.

4.1.5 Strengths and Limitations

Strengths	Limitations
Reproducible and transparent	Time- and resource-intensive
Reduces selection bias	May exclude contextually relevant grey literature
Enables evidence-based conclusions	Quality appraisal in CS is often contested due to methodological heterogeneity

4.2 Narrative Literature Review

4.2.1 Definition

A **Narrative Review** (also called a traditional or qualitative review) provides a comprehensive, discursive synthesis of the literature on a topic without rigidly defined search protocols. It is *interpretive* rather than aggregative.

4.2.2 Methodological Characteristics

- Selection of sources is **based on the author's expertise and judgment**.
- No formal protocol is typically registered.
- Synthesis follows a **thematic or chronological organization**.
- Quality appraisal is informal or absent.
- Aims at **breadth, contextualization, and theoretical framing**.

4.2.3 Variants of Narrative Review

1. **Editorial review** — short, opinion-driven summaries.
2. **Critical review** — evaluates and synthesizes with critical perspective.
3. **State-of-the-art review** — assesses current developments and future directions.

4.2.4 Application in Computer Science

Narrative reviews appear frequently in:

- Survey articles in journals such as *ACM Computing Surveys*.
- Tutorials in *IEEE Transactions* introducing emerging sub-fields.
- Thesis chapters framing the problem statement.

Illustrative Example: A narrative review on *federated learning* published in *ACM Computing Surveys* synthesized developments across multiple algorithmic and systems-oriented works without strictly applying systematic search protocols, instead leveraging expert judgment to highlight seminal contributions.

4.2.5 Strengths and Limitations

Strengths	Limitations
Flexible and adaptable	Susceptible to selection bias
Allows theoretical depth	Difficult to replicate
Useful for emerging topics	May lack methodological transparency

4.3 Scoping Review

4.3.1 Definition

A **Scoping Review** aims to map the key concepts, types of evidence, and gaps in a research area, particularly when the topic has not been extensively reviewed or is complex and heterogeneous.

The framework was formalized by Arksey and O'Malley (2005) and refined by the Joanna Briggs Institute (JBI).

4.3.2 Methodological Characteristics

The Arksey and O'Malley framework specifies five stages:

1. **Identifying the research question** — broad and often iterative.
2. **Identifying relevant studies** — comprehensive but not exhaustive.
3. **Study selection** — using post-hoc inclusion criteria.
4. **Charting the data** — extracting key information in tabular form.
5. **Collating, summarizing, and reporting results** — descriptive and thematic.

An optional sixth stage — **consultation with stakeholders** — may add interpretive value.

4.3.3 The PCC Framework

For scoping reviews, the **PCC** mnemonic guides question formulation:

- **P**opulation / Participants
- **C**oncept
- **C**ontext

4.3.4 Application in Computer Science

Scoping reviews are particularly suited to:

- Mapping AI applications in healthcare.
- Identifying privacy-preserving techniques in IoT.
- Exploring trends in quantum computing research.

Illustrative Example: A scoping review titled *"Machine Learning in Cybersecurity: A Scoping Review"* mapped the breadth of ML applications across intrusion detection, malware classification, and threat intelligence, identifying underexplored subdomains such as adversarial robustness in real-world deployments.

4.3.5 Strengths and Limitations

Strengths	Limitations
Useful for broad, exploratory questions	Does not assess methodological quality of included studies
Maps heterogeneity in a field	Findings may be less definitive
Identifies gaps for future SLRs	May overlap conceptually with narrative reviews

4.4 Meta-Analysis

4.4.1 Definition

A **Meta-Analysis** is a quantitative synthesis that statistically combines the results of multiple independent studies addressing the same question, producing a pooled effect estimate.

4.4.2 Statistical Foundations

The core statistic of a meta-analysis is the **pooled effect size**. For continuous outcomes, the **standardized mean difference (SMD)** is commonly used:

$$SMD = \frac{X_1 - X_2}{s_{pooled}} \quad SMD = \text{spooled} \times \sqrt{1 - X^2}$$

where s_{pooled} spooled is the pooled standard deviation:

$$s_{pooled} = \sqrt{\frac{(n_1 - 1)s_1^2 + (n_2 - 1)s_2^2}{n_1 + n_2 - 2}} \quad \text{spooled} = \sqrt{\frac{n_1 + n_2 - 2}{n_1 - 1} s_1^2 + \frac{n_1 + n_2 - 2}{n_2 - 1} s_2^2}$$

For binary outcomes, the **odds ratio (OR)** is preferred:

$$OR = \frac{a \cdot d}{b \cdot c} \quad OR = b \cdot c \cdot a \cdot d$$

where a, b, c, d , a, b, c, d are cell counts from a 2×2 contingency table.

4.4.3 Fixed-Effect vs. Random-Effects Models

- **Fixed-effect model:** assumes a single true effect size across studies.

$$\hat{\theta}_{FE} = \frac{\sum_{i=1}^k w_i \hat{\theta}_i}{\sum_{i=1}^k w_i}, \quad w_i = \frac{1}{\text{Var}(\hat{\theta}_i)} \quad \theta^{FE} = \sum_{i=1}^k w_i \hat{\theta}_i, \quad w_i = \text{Var}(\hat{\theta}_i)^{-1}$$

- **Random-effects model:** assumes effect sizes vary across studies; incorporates between-study variance τ^2

$$w_i^{RE} = \frac{1}{\text{Var}(\hat{\theta}_i) + \tau^2} \quad w_i^{RE} = \text{Var}(\hat{\theta}_i)^{-1} + \tau^2$$

The between-study variance is often estimated using DerSimonian and Laird's method:

$$\hat{\tau}^2 = \max \left(0, \frac{Q - (k-1)}{C} \right) \quad \tau^2 = \max(0, CQ - (k-1))$$

where Q is Cochran's heterogeneity statistic:

$$Q = \sum_{i=1}^k w_i (\hat{\theta}_i - \hat{\theta}_{FE})^2 \quad Q = \sum_{i=1}^k w_i (\hat{\theta}_i - \theta^{FE})^2$$

$$\text{and } C = \sum w_i - \frac{\sum w_i^2}{\sum w_i} \quad C = \sum w_i - \frac{\sum w_i^2}{\sum w_i}$$

4.4.4 Heterogeneity Assessment

Heterogeneity is quantified using:

$$I^2 = \max \left(0, \frac{Q - (k-1)}{Q} \right) \times 100\% \quad I^2 = \max(0, Q - (k-1)) \times 100\%$$

Interpretation:

- $I^2 < 25\%$: low heterogeneity
- $25\% \leq I^2 < 75\%$: moderate heterogeneity
- $I^2 \geq 75\%$: high heterogeneity

4.4.5 Publication Bias

Funnel plots and **Egger's regression test** assess publication bias — the tendency for studies with statistically significant results to be published preferentially.

$$\text{Egger's test statistic: } t = \frac{b}{SE(b)} \quad \text{Egger's test statistic: } t = SE(b)b$$

where b is the regression coefficient of standard normal deviate on precision.

4.4.6 Application in Computer Science

Although traditionally associated with medical research, meta-analysis is increasingly applied to:

- **Empirical software engineering** (e.g., effect of pair programming on defect density).
- **Educational data mining** (e.g., effect of intelligent tutoring systems).
- **Human-computer interaction** (e.g., effect of interface design on task completion time).

Illustrative Example: A meta-analysis by Hannay et al. examined the effectiveness of various software development practices, pooling effect sizes from dozens of empirical studies to estimate the magnitude of improvement attributable to practices like code reviews and test-driven development.

4.4.7 Strengths and Limitations

Strengths	Limitations
Produces precise, quantitative estimates	Sensitive to methodological heterogeneity across studies
Enables formal hypothesis testing	Not always feasible due to incompatible reporting of outcomes
Detects publication bias	Requires statistical expertise

5. Comparative Synthesis

The following table summarizes the four approaches across key dimensions:

Dimension	Systematic	Narrative	Scoping	Meta-Analysis
Research question	Specific, focused	Broad, contextual	Broad, exploratory	Specific, quantitative
Protocol	Pre-specified	Optional	Optional	Pre-specified
Search strategy	Exhaustive	Selective	Comprehensive but iterative	Exhaustive
Quality appraisal	Mandatory	Informal	Not required	Mandatory
Synthesis	Qualitative or quantitative	Qualitative (thematic)	Descriptive mapping	Quantitative (statistical pooling)
Reproducibility	High	Low	Moderate	High
Output	Evidence-based conclusions	Conceptual synthesis	Conceptual map	Pooled effect size
Typical duration	6–24 months	2–8 weeks	3–6 months	3–12 months

Decision Heuristic for Selecting an Approach

A simple decision rule:

Approach = $\begin{cases} \text{Meta-Analysis,} & \text{if quantitative pooling is feasible and studies report compatible metrics} \\ \text{Systematic Review,} & \text{if a precise question demands exhaustive, reproducible synthesis} \\ \text{Scoping Review,} & \text{if the goal is to map an emerging or heterogeneous field} \\ \text{Narrative Review,} & \text{if the goal is conceptual or theoretical framing without formal synthesis} \end{cases}$

Approach = $\begin{cases} \text{Meta-Analysis,} \\ \text{Systematic Review,} \\ \text{Scoping Review,} \\ \text{Narrative Review,} \end{cases}$

if quantitative pooling is feasible and studies report compatible metricsif a precise question demands exhaustive, reproducible synthesisif the goal is to map

6. Practical Workflow: Conducting a Systematic Literature Review in CS

The following workflow is adapted from Kitchenham's guidelines for evidence-based software engineering:

- Step 1 — Define the research question** using PICO or PEO.
- Step 2 — Develop the review protocol** including search strings, databases, inclusion/exclusion criteria, and quality assessment instruments.
- Step 3 — Conduct the search** across IEEE Xplore, ACM Digital Library, Scopus, ScienceDirect, and Google Scholar. Use Boolean operators:
- Search string = (term₁ ∨ term₂) ∧ (term₃) ∧ NOT(exclusion term)Search string = (term1 ∨ term2) ∧ (term3) ∧ NOT(exclusion term)
- Step 4 — Screen records** in two phases: title/abstract screening followed by full-text screening.
- Step 5 — Extract data** using a standardized form capturing study metadata, methodology, and findings.
- Step 6 — Assess quality** using validated checklists (e.g., JBI Critical Appraisal Tools, CASP).
- Step 7 — Synthesize findings** thematically, and where possible, quantitatively via meta-analysis.
- Step 8 — Report** following PRISMA 2020 guidelines.

7. Case Study: Literature Review Approaches in Cybersecurity Research

Consider a research question: "What is the effectiveness of deep learning models in detecting zero-day network intrusions?"

Approach	Application	Outcome
Narrative	Synthesize seminal works on deep learning for intrusion detection	Conceptual framing and identification of dominant architectures
Systematic	Conduct exhaustive search across CS databases using PRISMA	Reproducible evidence on model effectiveness across 47 primary studies
Scoping	Map all ML applications in cybersecurity	Identification of underexplored areas like adversarial robustness
Meta-Analysis	Pool F1-scores and detection rates across studies	Quantitative estimate of average performance improvement

Each approach yields a different but complementary contribution. A rigorous research program may use multiple reviews sequentially — for instance, a scoping review to identify gaps, followed by a systematic review and meta-analysis to address a specific gap.

8. Common Pitfalls in Literature Reviews

1. **Conflating a literature review with an annotated bibliography.** A review synthesizes; a bibliography lists.
2. **Absence of a clear research question.** Without focus, the review becomes unfocused and difficult to replicate.
3. **Search bias.** Relying on a single database or using overly restrictive search terms.
4. **Failure to appraise quality.** Including weak or methodologically flawed studies without acknowledging their limitations.
5. **Selective citation.** Citing only studies that support the researcher's hypothesis.
6. **Misclassification of the review type.** Applying systematic methods but reporting them as narrative reviews (or vice versa).
7. **Ignoring the temporal dimension.** Failing to specify the publication window and justify it.

9. Summary

This lecture surveyed the four principal approaches to literature review:

- **Systematic Reviews** offer reproducible, protocol-driven synthesis with strong evidentiary claims. They are the gold standard when the research question is specific and bounded.
- **Narrative Reviews** allow flexibility, theoretical depth, and contextualization, particularly suited to emerging or interdisciplinary topics.
- **Scoping Reviews** map heterogeneous literatures to identify conceptual boundaries, definitions, and gaps.
- **Meta-Analyses** statistically combine quantitative results to produce pooled estimates and assess heterogeneity and bias.

The choice among these approaches should be guided by the **research question, the available evidence, and the intended inferences**. In computer science, where research evolves rapidly and methodologies vary widely, researchers frequently combine approaches to maximize both breadth and depth of synthesis.

10. Exam Preparation Tips

1. **Distinguish the four review types clearly** using the comparative table as a reference. Examiners commonly test for the ability to differentiate methodological characteristics.
2. **Memorize the PRISMA stages** and the Arksey and O'Malley scoping review framework.
3. **Understand basic meta-analytic statistics** — especially the fixed-effect and random-effects models and the I^2 statistic. Even if not tested numerically, conceptual understanding is essential.
4. **Apply the frameworks** to example research questions. Practicing with hypothetical research topics reinforces the decision heuristic.
5. **Know the reporting standards** (PRISMA, PRISMA-ScR) and their purposes.
6. **Review at least one published SLR and one meta-analysis** in computer science (e.g., Kitchenham's work) to internalize real-world applications.
7. **Practice critiquing** literature reviews for methodological rigor — identify selection bias, missing quality appraisal, or inappropriate synthesis methods.

11. Practice Questions

Short Answer Questions

1. Differentiate between a systematic review and a narrative review. Under what circumstances would each be most appropriate?
2. List the five stages of the Arksey and O'Malley scoping review framework. Why is the optional sixth stage (consultation) valuable?
3. What is the role of PRISMA in literature reviews? Identify two differences between PRISMA and PRISMA-ScR.
4. Define the I^2 statistic. What does an I^2 value of 80% suggest about heterogeneity in a meta-analysis?

Long Answer Questions

5. You are conducting research on *federated learning for healthcare applications*. Compare and contrast the suitability of a scoping review versus a systematic review for this topic. Justify your choice with reference to the research question, expected evidence base, and review objectives.
6. Explain the difference between fixed-effect and random-effects meta-analytic models. Under what conditions is each model preferred, and how does between-study variance (τ^2) influence the choice?
7. Critically evaluate the following statement: "A systematic review is always superior to a narrative review." Use examples from computer science to support your argument.
8. Describe the methodological steps required to conduct a systematic literature review in software engineering, citing Kitchenham's guidelines. What are the major sources of bias at each step?

Numerical / Quantitative Question

9. Suppose three studies report the following effect sizes (Cohen's d) and standard errors:

Study	Effect Size (d)	Standard Error (SE)
A	0.45	0.10
B	0.62	0.15
C	0.38	0.08

(a) Compute the weight of each study under a fixed-effect model. (b) Calculate the pooled effect size. (c) Compute Cochran's Q statistic and the I^2 value. (d) Interpret the heterogeneity.

12. Further Reading

1. Kitchenham, B., & Charters, S. (2007). *Guidelines for performing Systematic Literature Reviews in Software Engineering*. EBSE Technical Report.
2. Arksey, H., & O'Malley, L. (2005). Scoping studies: Towards a methodological framework. *International Journal of Social Research Methodology*, 8(1), 19–32.
3. Moher, D., Liberati, A., Tetzlaff, J., Altman, D. G., & The PRISMA Group. (2009). Preferred Reporting Items for Systematic Reviews and Meta-Analyses. *PLOS Medicine*, 6(7).
4. Tricco, A. C., et al. (2018). PRISMA Extension for Scoping Reviews (PRISMA-ScR). *Annals of Internal Medicine*, 169(7), 467–473.
5. Borenstein, M., Hedges, L. V., Higgins, J. P. T., & Rothstein, H. R. (2009). *Introduction to Meta-Analysis*. Wiley.
6. Page, M. J., et al. (2021). The PRISMA 2020 statement: An updated guideline for reporting systematic reviews. *BMJ*, 372, n71.

End of Lecture 2 Notes