

Authentication

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
POST	/api/auth/register	Registers a new user account. Default role is Participant.	None	{ email, password, firstName, lastName, role?, phone?, dateOfBirth? }	201 Created – user profile (no password). 400 validation error 409 email already exists
POST	/api/auth/login	Authenticates a user and returns a JWT token.	None	{ email, password }	200 OK – { token, user } 401 invalid credentials

User Profile

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
GET	/api/users/me	Returns the profile of the currently logged-in user.	Any	None	200 OK – user profile 401 unauthenticated
PUT	/api/users/me	Updates the current user's profile information.	Any	{ firstName?, lastName?, phone?, dateOfBirth? }	200 OK – updated profile 400 validation error
GET	/api/users/{id}	Returns a limited public profile of a user.	Any	None	200 OK – limited profile 404 not found

Events

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
GET	/api/events	Lists all published events. Supports optional filters.	None	None	200 OK – list of events
GET	/api/events/{id}	Gets full details of a single event (including categories).	None	None	200 OK – event details 404 not found
POST	/api/events	Creates a new event.	Organiser	{ name, description, location, eventDate, registrationDeadline, status? }	201 Created – new event 400 validation error 403 forbidden
PUT	/api/events/{id}	Updates an existing event (only the owner).	Organiser	{ name?, description?, location?, eventDate?, registrationDeadline?, status? }	200 OK – updated event 403 not owner 404 not found
DELETE	/api/events/{id}	Deletes an event (only the owner).	Organiser	None	204 No Content 403 not owner 404 not found
GET	/api/events/organiser/me	Lists all events created by the current Organiser.	Organiser	None	200 OK – list of events

Categories

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
GET	/api/events/{eventId}/categories	Lists all categories of a specific event.	None	None	200 OK – list of categories 404 event not found
POST	/api/events/{eventId}/categories	Adds a new category to an event.	Organiser	{ name, distanceKm, maxParticipants?, entryFee, startTime? }	201 Created – new category 403 not owner
PUT	/api/categories/{id}	Updates a category.	Organiser	{ name?, distanceKm?, maxParticipants?, entryFee?, startTime? }	200 OK – updated category 403 / 404
DELETE	/api/categories/{id}	Deletes a category (only if no enrolments exist).	Organiser	None	204 No Content 409 has enrolments

Event Enrolments

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
POST	/api/categories/{categoryId}/enrolments	Participant enrolls in a specific category of an event.	Participant	{ emergencyContact?, medicalNotes? }	201 Created – enrolment 409 already enrolled
GET	/api/enrolments/me	Returns all enrolments of the current Participant.	Participant	None	200 OK – list of enrolments
GET	/api/events/{eventId}/enrolments	Organiser views all enrolments for their event.	Organiser	None	200 OK – list of enrolments 403 not owner
GET	/api/enrolments/{id}	Gets details of a single enrolment.	Any (owner)	None	200 OK 403 / 404
PUT	/api/enrolments/{id}	Updates enrolment details or status / assigns bib number.	Any (owner)	{ status?, bibNumber?, emergencyContact?, medicalNotes? }	200 OK
DELETE	/api/enrolments/{id}	Cancels or removes an enrolment.	Any (owner)	None	204 No Content

Results

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
POST	/api/enrolments/{enrolmentId}/results	Organiser captures a result for an enrolment.	Organiser	{ finishTime?, positionOverall?, positionCategory?, status, notes? }	201 Created – result already exists 409 result already exists
GET	/api/results/me	Participant views their own results history.	Participant	None	200 OK – list of results
GET	/api/events/{eventId}/results	Views all results for an event.	Any	None	200 OK – list of results
GET	/api/results/{id}	Gets a single result.	Any	None	200 OK 404
PUT	/api/results/{id}	Organiser updates a result.	Organiser	{ finishTime?, positionOverall?, positionCategory?, status?, notes? }	200 OK
DELETE	/api/results/{id}	Organiser deletes a result.	Organiser	None	204 No Content