



Design Title : Coasters.scene
Revision Level :
Approved by :
Designer :
Company :
Address :
E-Mail :
Phone :
Date : 2025-06-19




Bill of materials (Number of kits: 1)

Pos	Article-No	Description	Units	Qty
1	1.11.020010.14LP-A00A00/90	Profile 20x10, 1F, light, plain	MM	2
2	1.11.020010.14LP-A00A00/200	Profile 20x10, 1F, light, plain	MM	2
3	1.41.F14.1	Combination profile PP, F, 1-4.5, grey (bar 2.5 m)	EA	1
		Frame weight:	0.22 kg (0.49 lbs)	
4	2.87.1571-99	Polycarbonat 4mm, SIZE: 100.00MM x 190.00MM **PER DRAWING 1**	SM	1
		Panels weight:	0.07 kg (0.16 lbs)	
		Total Weight:	0.29 kg (0.65 lbs)	

Isometric view
Some accessories may not be shown




Multiview



Design Title : Coasters.scene
Customer Name :
Date : 2025-06-19


FRONT VIEW




Design Title : Coasters.scene
Customer Name :
Date : 2025-06-19

LEFT VIEW






Exploded view



Assembly List


Pos	Article-No	Description	Related parts	Qty
-----	------------	-------------	---------------	-----

Panels





DRAWING 1, Pos 4
Shape measurements

Suggested profile cuts (incl. kerf: 3.5 mm)

Article-No	Cuts	Waste (mm)
1.11.020010.14LP		5406.0 mm

Assembly hints

None	1.41.F14.1	Combination profile PP, F, 1-4.5, grey (bar 2.5 m)
 Use as reduction profile  Use as slot-cover profile		Application Combination profiles for use as reduction or cover profiles Technical data bar length: 2.5 m material: PP • oil and water resistant Colours: grey black orange red blue green These profiles fill the space between the panel and the walls of the T-slot.