# Pre Senior Secondary test MATHEMATICS Compulsory Part Question-Answer Book

#### Instructions

- 1. This paper must be answered in English.
- 2. Unless otherwise specified, all working must be clearly shown.
- 3. Unless otherwise specified, numerical answers must be exact.
- 4. This paper is for **internal use** only.
- 5. All questions are collected from AL/CE/DSE past papers, reference site: https://www.dse.life/ppindex/m2/

## Number and algebra

## Question 1.

Let i be some number satisfying the condition  $i^2 = -1$ . I know it is strange, but we may call it the imaginary number. You will learn more about it in the future, for future I mean in S.4.

Now, see i as any algebraic expressions or variables as you have seen before. Just remember that  $i^2 = -1$  is applicable. Answer the following question.

- 1. Compute (7+4i) (3+24i).
- 2. Compute (6+8i)(6-8i).
- 3. If  $x^2 = -4$ , find x in terms of i.

end of question.

Pre Senior Secondary test	

end of question

Pre Senior Secondary test	

# Measurement


Question	1
Question	Ι.


We know that we have to use a ruler to measure lengths of different objects. As	
that we have a ruler of length 20cm with 198 evenly distributed lines on it throughout	
the ruler.	
Some researchers find that factories might make a small error on the length of a ruler,	
which is at most 0.01 cm.	
Find the relative error of the measurement by this kind of ruler, if the object is	
measured as 20 cmend of question.	

Pre Senior Secondary test

## Question 2.

Refer to the following figures:





Given a big square of side length c and a small square of side length a, and every lines in the left figures are straight lines.

- 1. Ignoring the left figure, prove that every triangles in the right figure are all right-angled triangles. Prove also that all 4 triangles are identical (i.e. they are all congruent to each other). [You should name the vertices by yourself when needed.]
- 2. Consider the right figure as details of each triangle, prove the Pythagoras theorem:

$$a^2 + b^2 = c^2$$

- 3. Prove from above result, that
  - (a)  $\sin^2 \theta + \cos^2 \theta = 1$ ;
  - (b)  $\tan^2 \theta + 1 = \frac{1}{\cos^2 \theta}.$

 $\dots end \ of \ question.$ 

Pre Senior Secondary test	

Pre Senior Secondary test

## **Data Handling**

## Question 1.

Given 3 fair dice.

1. If luckily, every sums from these 3 dice is obtained once. (We mean the sum from 3 dice by getting the result of each dice by rolling them in once, and adding the results up to obtain a sum.) Find the mean and median of the distribution.

2. Find the probability of getting the median sum.	
	end of question.

Pre Senior Secondary test