BCP / DR Plan & DR Test Report

Ref: 5.5
Product: iConnect Plus
Organisation: Cache Digitech
Classification: Internal — Confidential
Version: 2.0
Date: 2026-11-03
Deployment model: On-premises (Cache Digitech premises) · VPN for remote access
Audience: Business continuity owner, IT, platform engineering, management

---

1. Purpose

Document **business continuity** and **disaster recovery** for iConnect Plus when primary on-premises infrastructure at Cache Digitech premises is unavailable. **Primary DR strategy is on-premises** (secondary host, cold/warm standby, or DR site) — not AWS RDS/S3 failover as default.

---

2. Critical business functions

Function	Max tolerable downtime (design)	Priority
Admin ERP (finance, HR, ops)	**Template / Pending sign-off**	P1
Employee self-service (ESS)	**Template / Pending sign-off**	P2
Async notifications	Degraded acceptable 24h	P3
Reporting / batch	Next business day	P4

---

3. DR architecture (on-prem)

Component	Primary	DR (target)
App host	SRV-ERP-01	SRV-ERP-02 or spare hardware — **Template / Pending sign-off**
PostgreSQL	Volume `erp_pgdata`	Restored dump on DR host
MinIO	`erp_minio_data`	Mirrored backup restore
Secrets	Primary `.env`	Encrypted copy in IT vault
DNS / URL	Internal IP or hostname	Same IP on DR or manual DNS update
VPN	Users reach LAN	Unchanged — must reach DR IP

Cloud DR standby: Optional — **not primary** in v2.0 model.

---

4. RTO / RPO (aligned with 4.4)

Metric	Design target	Validated in test
RPO	≤ 24 h	**Template / Pending sign-off**
RTO	≤ 8 h	**Template / Pending sign-off**

5. Activation criteria

Condition	DR decision
Primary host hardware failure	Activate DR restore
Site unavailable (fire, flood)	DR site + backups offsite on-prem
Ransomware on primary	Clean DR rebuild from pre-incident backup
Corrupted database	Point-in-time restore if WAL available — else last good dump

Authority to declare DR: Template / Pending sign-off (role).

6. DR procedure summary

Step	Action	Ref
1	Declare DR; notify stakeholders	5.4
2	Provision DR host / start standby	5.6
3	Restore PostgreSQL from latest clean backup	4.4
4	Restore MinIO mirror	4.4
5	Deploy Compose stack with DR `.env`	5.6
6	Run Alembic if needed	Platform
7	Smoke test; redirect users (DNS/IP comms)	
8	Monitor; plan failback	

7. Failback

Step	Action
1	Rebuild primary to known-good state
2	Sync delta from DR if DR served live traffic — **Template / Pending sign-off** strategy
3	Cutover maintenance window
4	Decommission temporary DR writes

8. BCP — people & process

Item	Plan
On-call roster	**Template / Pending sign-off**
Alternate workspace	Office LAN or VPN from home
Manual procedures	**Template / Pending sign-off** (paper exports if ERP down)
Vendor support	Internal only for app; hardware vendor **Template / Pending sign-off**

9. DR test report (template — pending execution)

Field	Value
Test ID	DR-TEST-**Template / Pending sign-off**

Planned date	
Executed date	**Not yet executed — template**
Scope	Full stack / DB only / tabletop
Backup used	
RTO measured	
RPO measured	
Issues found	
CAPA tickets	
Participants	IT, Platform, Business rep
Result	Pass / Fail / Partial

9.1 Test steps checklist

#	Step	Pass
1	Notify stakeholders of test	
2	Restore DB to isolated DR host	
3	Restore MinIO sample objects	
4	Start Docker Compose stack	
5	Login + create/read test record	
6	Document RTO/RPO	
7	Tear down or retain DR env per policy	

Last DR test: Template / Pending sign-off
Next scheduled test: Template / Pending sign-off (recommend annual minimum)

---

10. Related documents

Ref	Document
4.4	Backup & Restore Procedure
5.4	Incident Response Plan
5.6	Operations Runbook
1.5	Asset & Component Inventory

---

11. Change log

Date	Change	By
2026-11-03	v2.0 on-prem DR plan + pending test template	Platform

BCP owner sign-off: Template / Pending sign-off