Administrator Manual

Ref: 6.2
Product: iConnect Plus
Organisation: Cache Digitech
Classification: Internal — Confidential
Version: 2.0
Date: 2026-11-03
Deployment model: On-premises (Cache Digitech premises) · VPN for remote access
Audience: Tenant administrators, IT operators, platform admins

---

1. Purpose

Guide **administrators** operating iConnect Plus on Cache Digitech **on-premises** infrastructure: user lifecycle, RBAC, tenant settings, and coordination with IT for VPN/LAN access.

2. Administrator types

Role	Scope
Tenant Admin	Users, roles, settings within one tenant
Super Admin	Cross-tenant platform operations (restricted)
IT Admin	Host, VPN, backups, Docker — not daily business data

3. Access requirements

Task	Network
Admin UI	LAN or **VPN** → internal HTTPS URL
Server SSH	IT break-glass only
Database	No routine direct access — use API and approved tools

Production URLs are **internal** — do not publish to public DNS.

4. User management

Action	Steps
Create user	Foundation → Users → invite/create; assign email
Assign roles	Map user to `TENANT_ADMIN` or module roles per **3.1 RBAC Matrix**
Enable MFA	User profile → enable TOTP; user scans QR in authenticator app
Disable user	Deactivate account; sessions invalidated on next request cycle
Unlock after lockout	Wait 15 minutes or admin reset per policy — **Template / Pending sign-off**
Password reset	Trigger reset flow; never set or email cleartext production passwords

Lockout defaults: **5** failures, **15** minute lock (`ACCOUNT_LOCKOUT_THRESHOLD` / `ACCOUNT_LOCKOUT_MINUTES`).

5. Role & permission management

- Permissions follow `{module}.{resource}:{action}` codes.
- UI routes must match API permissions (CI gate in development).
- Deny-by-default: missing permission blocks API calls.
- System roles: `SUPER_ADMIN`, `TENANT_ADMIN` — assign sparingly.

See **3.1 RBAC Matrix** for module role patterns.

6. Security configuration (tenant-level)

Setting	Guidance
Demo login	Must be **disabled** in production (`ALLOW_DEMO_LOGIN=false`)
API documentation	Disabled in production (`ENABLE_API_DOCS=false`)
SSO (Entra)	Optional — configure OAuth only if approved (4.5 processors)
Session duration	JWT access/refresh lifetimes via environment — IT + Platform

7. Data classification (admin awareness)

Class	Admin handling
public	Standard
internal	Share only inside organisation
confidential	Need-to-know; customer/HR data
restricted	Payroll, bank, tokens — minimal export

Encrypted fields (PAN, bank, etc.) are not visible in logs — do not attempt to export via unsupported tools.

8. Soft delete & retention

Business records use **soft delete** — deleted records remain for retention periods (**3y** operational default, **10y** audit class, etc.). Purges are automated platform jobs — see **4.3**. Legal hold process: **Template / Pending sign-off**.

9. Incident handling (admin)

Event	Action
Suspected account compromise	Disable user; notify IT / platform (5.4 PB-01)
Data leak suspicion	Preserve audit logs; escalate to DPO
Application outage	Check status with IT; reference **5.6 Runbook**

CERT-In reporting is handled by designated Cache Digitech PoC — **Template / Pending sign-off**.

10. Backup & restore (coordination)

Administrators do **not** run production restores. Request IT using **4.4** after approval. UAT refresh requires **4.6** masking.

11. Deployment & releases

Platform team deploys via Docker Compose on internal host (**5.6**). Tenant admins receive maintenance notices — **Template / Pending sign-off** communication template.

12. Related documents

Ref	Document
3.1	RBAC Matrix
4.3	Data Retention & Deletion
5.6	Operations Runbook
6.1	User Manual
2.3	Environment Separation

13. Change log

Date	Change	By
2026-11-03	v2.0 admin manual on-prem	Platform