


Q 1:

```
1  #include <stdio.h>
2  int main ()
3  {
4      int num1;
5      int num2;
6      int sum;
7
8      printf("enter the num1\n");
9      scanf("%d", &num1);
10
11     printf("enter the num2\n");
12     scanf("%d", &num2);
13
14     sum =(num1+num2);
15
16     printf("sum is %d", sum);
17
18     return 0;
19
20
21
22 }
```

```
C:\Users\Student26\Documents\Untitled1.exe
enter the num1
3
enter the num2
4
sum is 7
-----
Process exited after 2.098 seconds with return value 0
Press any key to continue . . .
```

Q2:



```
C:\Users\Student26\Documents\Untitled1.exe
enter the obtainedmarks
50.0
enter the totalmarks
100.0
percentage is 50.000000
-----
Process exited after 6.38 seconds with return value 0
Press any key to continue . . .
```

```
#include <stdio.h>
int main ()
{
    float obtainedmarks;

    float totalmarks;

    printf("enter the obtainedmarks\n");
    scanf("%f", &obtainedmarks);

    printf("enter the totalmarks\n");
    scanf("%f", &totalmarks);

    float percentage=(obtainedmarks/totalmarks)*100;
    printf("percentage is %f", percentage);

    return 0;
}
```

Q3:

```
#include <stdio.h>
int main ()
{
    int num;
    printf("enter the num\n");
    scanf("%d", &num);

    if(num %2 == 0)
        printf("even num");

    else
        printf("odd num");

    return 0;
}
```

```
C:\Users\Student26\Documents\Untitled1.exe
enter the num
5
odd num
-----
Process exited after 1.216 seconds with return value 0
Press any key to continue . . .
```

Q4:

```
#include <stdio.h>
int main ()
{
    int age;

    printf("enter the age\n");
    scanf("%d", &age);

    if (age >= 18)
        printf("valid for vote");
    else
        printf("not valid for vote");
}

public int __cdecl printf (const char * __restrict __Format, ...)
```

 C:\Users\Student26\Documents\Untitled1.exe

enter the age

8

not valid for vote

Process exited after 0.9576 seconds with return value 0

Press any key to continue . . . 