Pf lab intask—

```c
#include <stdio.h>

// Function 1: Display welcome message
void welcome() {
    printf("===== Welcome to ATM Management System =====\n");
}

// Function 2: Display withdrawal amount
void displayWithdrawal(int amount) {
    printf("Withdrawal Amount: Rs. %d\n", amount);
}

// Function 3: Return maximum withdrawal limit
int getWithdrawalLimit() {
    return 50000;
}

// Function 4: Calculate remaining balance
int calculateBalance(int balance, int amount) {
    return balance - amount;
}

// Function 5: Check whether withdrawal is valid
int checkWithdrawal(int balance, int amount, int limit) {
    if (amount > 0 && amount <= balance && amount <= limit) {
        return 1;
    } else {
        return 0;
    }
}

int main() {
    int balance = 100000;
    int amount;
    int limit;

    welcome();

    limit = getWithdrawalLimit();

    printf("Current Account Balance: Rs. %d\n", balance);
    printf("Maximum Withdrawal Limit: Rs. %d\n", limit);
```

```c
    printf("Enter withdrawal amount: Rs. ");
    scanf("%d", &amount);

    if (checkWithdrawal(balance, amount, limit)) {
        displayWithdrawal(amount);

        balance = calculateBalance(balance, amount);

        printf("Withdrawal Successful!\n");
        printf("Remaining Balance: Rs. %d\n", balance);
    } else {
        printf("Withdrawal Failed!\n");
        printf("Invalid amount or insufficient balance.\n");
        printf("Balance remains: Rs. %d\n", balance);
    }

    return 0;
}
```