



SCREEN SHOTS :

PRODUCTION ENVIRONMENT:



JOB (SCHEDULED FOR PRODUCTION TABLES)

Deploy job

Job settings

Job name:

Environment:

Execution settings

Commands:


Triggers

Schedule

☒ Run on schedule

Job completion

☒ Run when another job finishes



SCHEMA STRUCTURE IN SNOWFLAKE:

- CT_MOKSHAGNA_MALINENI_DB
 - BRONZE_23615
 - GOLD_23615
 - INFORMATION_SCHEMA
 - MM_23615_CAPSTONE
 - PROD_
 - PROD_BRONZE_23615
 - PROD_GOLD_23615
 - PROD_REPORT_VIEWS
 - PROD_SILVER_23615
 - REPORT_VIEWS
 - SILVER_23615
 - SNAPSHOTS

- BRONZE_23615 – Stores raw data exactly as received from the external tables.
- SILVER_23615 – Stores cleaned, validated, and standardized data.
- GOLD_23615 – Stores business-ready data for analytics and reporting.
- REPORT_VIEWS
- MM_23615_CAPSTONE – contains RAW stage data and all the external tables
- SNAPSHOTS – Stores historical versions of data using dbt snapshots
- INFORMATION_SCHEMA – Snowflake's system schema containing metadata about database objects.
- PROD_BRONZE_23615 – Production version of the Bronze layer.
- PROD_SILVER_23615 – Production version of the Silver layer.
- PROD_GOLD_23615 – Production version of the Gold layer.
- PROD_REPORT_VIEWS – Production reporting views for dashboards and end users.
- PROD_ – General production schema (often used for production objects or as a placeholder, depending on the project setup).

DBT BUILD

