```
begin
    using Pkg; Pkg.activate(".")
    using Images, FileIO, PlutoUI
end
```

Table of Contents

Abstract

1. Introduction

2. Method

2.1 - Simulation

2.1.1 - Motion Blurring

2.2 - Physical Phantom

2.3 - Agatston Scoring

2.4 Integrated Calcium Mass

2.4.1 - Calibration

2.5 - Volume Fraction Mass

2.6 - Statistical Analysis

3. Results

3.1 - Stationary

3.1.1 - Accuracy

3.1.2 - Reproducibility

3.1.3 - Sensitivity and Specificity

3.2 - Motion

3.2.1 - Accuracy

3.1.2 - Reproducibility

3.1.3 - Sensitivity and Specificity

3.2 - Physical Phantom

3.1.1 - Accuracy

3.1.2 - Reproducibility

3.1.3 - Sensitivity and Specificity

4. Discussion

5. Conclusion

Acknowledgements

References

- `TableOfContents()`

Abstract

1. Introduction

2. Method

2.1 - Simulation

2.1.1 - Motion Blurring

2.2 - Physical Phantom

2.3 - Agatston Scoring

2.4 Integrated Calcium Mass

2.4.1 - Calibration

2.5 - Volume Fraction Mass

2.6 - Statistical Analysis

3. Results

3.1 - Stationary

3.1.1 - Accuracy





3.1.2 - Reproducibility



3.1.3 - Sensitivity and Specificity


False-Negative Scores (CAC=0)
% False-Negative Zero CAC Scores
100
75
50
25
0
5.556
5.093
14.352
36.111
Integrated
Volume Fraction
Spatially Weighted
Agatston



3.2 - Motion

3.2.1 - Accuracy


A
Integrated (Normal-Density)
RMSE: 1.61
RMSD: 1.399
Calculated Mass (mg)
Known Mass (mg)
B
Volume Fraction (Normal-Density)
RMSE: 1.379
RMSD: 1.315
Calculated Mass (mg)
Known Mass (mg)
C
Agatston (Normal-Density)
RMSE: 3.396
RMSD: 1.814
Calculated Mass (mg)
Known Mass (mg)
0
50
100
150
200
Large Inserts
Medium Inserts
Small Inserts
Unity
Fitted Line



3.1.2 - Reproducibility



3.1.3 - Sensitivity and Specificity


False-Negative Scores (CAC=0)
% False-Negative Zero CAC Scores
100
75
50
25
0
6.481
6.944
17.13
37.5
Integrated
Volume Fraction
Spatially Weighted
Agatston



3.2 - Physical Phantom

3.1.1 - Accuracy



3.1.2 - Reproducibility



3.1.3 - Sensitivity and Specificity


False-Negative Scores (CAC=0)
% False-Negative Zero CAC Scores
100
75
50
25
0
8.333
2.778
0.0
19.444
Integrated
Volume Fraction
Spatially Weighted
Agatston



4. Discussion

5. Conclusion

Acknowledgements

References