Contents

0.1 Modify record table 3

0.2 Authorization letter for certification representative 4

0.3 Quality policy and objectives 5

0.3.1 Quality Policy 5

0.3.2 Meaning of quality policy 5

0.3.3 Quality goals 5

1 Organization 6

1.1 Company policies and objectives 6

1.2 Senior General Manager's Commitment to the System 6

1.3 Allocation of responsibilities 8

1.4 Employee Capabilities 9

2 Management Process 10

2.1 Approval Management Process 10

2.1.1 Review Input 10

2.1.2 Review Output 11

2.1.3 Approval management process 12

2.2 The design process 16

2.3 Procurement Process 19

2.4 Subcontracting Process 20

2.5 Equipment Management Process 22

2.6 Complaints, Non-conformities and Corrective Action Management Process 22

2.7 Manufacturing process 24

2.8 Communication Processes with the Competent Authority 26

2.9 E-SIM Card Management Processes 28

2.10 Production Compliance Control Management Process 29

3 Resources 31

3.1Control of documents 31

3.2Register Control 32

3.3Infrastructure Management 33

Control changes: Quality manager

Verification: General manager

Review date: January 22, 2025, version 0, initial version of the document

0.1 Modify record table

Modified Date	Modify content	Current version status
2025.01.22	New version released	Version 0 Initial release of the document
2025.02.27	QP-11: Added new content on packaging design and labeling management	QP-11/Version 1
2025.02.27	Quality Manual: Modify chapter 1.1 and add new content	Version 1
2025.02.28	QP-16: Modify the content of the non-conforming product control procedure	QP-16/Version 1
2025.03.01	QP-01: Supplement Certification files related to V16	QP-01/Version 1
2025.08.02	Updates to the organizational structure	Vsersion 1

0.2 Authorization letter for certification representative

In order to implement Royal Decree No. 2822/1998 - V-16 (V-16. DISPOSITIVO DE PRESEÑALIZACIÓN DE PELIGRO), strengthen the leadership of the operation of the company's system.

Juan Jose Duran Lopez is appointed as the quality manager and certification manager of our company. In addition to doing his job well, the quality manager should also have the following responsibilities and powers:

① Ensure that the requirements of this document are effectively established, implemented and maintained in the company;

② Responsible for product production compliance control;

③ Correctly use V-16 certification certificates and marks to ensure that the certificate status of products with certification marks remains valid.

④ Participate in the redesign of products or equipment to evaluate the possible impact on the granted certification;

⑤ Responsible for managing and maintaining the communication and connection service agreement between the two parties.

⑥ Responsible for V-16 certified product consistency control, certified product design changes, certified product regulatory updates, communication with the certificate issuing authority, ensuring the quality and safety release of products, managing the discontinuation and recall of certified product series, and checking product production consistency.

General Manager's Office (Signature):



January 22, 2025

0.3 Quality policy and objectives

0.3.1 Quality Policy

Quality first, customer first, continuous improvement, and excellence.

0.3.2 Meaning of quality policy

Quality first: Quality is the cornerstone of the entire enterprise and the direction of our efforts.

Customer first: Customer satisfaction is the ultimate goal of all my work.

Continuous improvement: Through effective performance monitoring, management review, continuous improvement and other means, continuously improve the suitability and effectiveness of the quality management system.

Excellence: It is already very good but we need to do better.

0.3.3 Quality goals

Customer satisfaction: ≥90 points.

Customer complaints: ≤2 times.

On-time delivery rate: ≥98%.

The above goals are assessed as a measure of the performance of the quality management system, and the results of the assessment are submitted to the management review.

Each functional department should conduct assessments in accordance with the requirements of the quality target assessment regulations as a measure of the completion of the company's quality targets.

1 Organization

1.1 Company policies and objectives

The company should align itself with the policy that is compatible with the company's objectives when it is disseminated throughout the organization. The objectives should be achieved by providing targets for the different processes of the organization, with the control of certification as the primary goal, adapting to legislative changes and the manufacturing and marketing of the said product or device.

The company identifies the stakeholders related to the management system, and also identifies the requirements and expectations of these stakeholders.

Understanding the needs and expectations of stakeholders can help the company better establish clear policies and goals and have a clear direction.

In order to meet the company's objectives, it is a priority to establish strict attention and protection of the quality of the products produced and the processes produced, approval control, updating and adapting to legislative changes, as well as ensuring the quality of the marketing and distribution of products, such as assisting and responding to possible problems on the market, considering strict monitoring and control of non-conformities found in all these processes. These objectives will be defined and described throughout the register.

After analyzing the level of compliance, the company regularly monitors and reviews the relevant parties and their requirements.

1.2 Senior General Manager’s Commitment to the System

The company develops and implements measures to promote and motivate the management system in all areas of the company's activities.

The company's senior management should actively participate in the deployment of the quality management system, develop communication and awareness plans for center employees, understand and motivate the work of people and teams, and value the efforts and results. Senior management must provide the organization with the necessary resources (human and material) to be able to comply with regulatory requirements for the approval and manufacture of products.

In order to fulfill the top management's commitment to customers and stakeholders and achieve management policies and objectives, the company's general manager and each department make the following commitments.

General manager

In terms of system management, we follow the business philosophy of "customer and stakeholder-oriented" and apply it in all aspects of our management work. Through the following activities, we provide evidence of our commitment to establish, implement and improve the quality management system and continuously improve its effectiveness:

① Communicate the importance of meeting customer and legal requirements within the company.

② Develop a quality policy.

③ Ensure the establishment of quality objectives.

④ Conduct management reviews.

⑤ Ensure the allocation and acquisition of resources required for the quality management system.

In business activities, we strictly abide by the laws, regulations and other requirements of local governments, and always adhere to the business philosophy of "people-oriented, scientific development".

1.3 Allocation of responsibilities

The company defines an appropriate organizational structure to ensure control over the defined processes and assigns responsibilities to organizational representatives with appropriate authority to control approvals. It must be a formal, nominal and documented task.

The supervision of different parts of different processes is performed by PRESIDENT-CEO, who report regularly to management and report new events or situations to ensure and guarantee the correct achievement of goals.

The following responsibilities are defined for each process:

① Supervision and verification of quality updates and manual modifications: Management

② Drafting of manual quality: PRODUCTION MANAGER

③ Purchasing components: CEO-CTO

④ Approval and legislative updates: PRESIDENT-CEO

⑤ Communication with approval authorities: PRESIDENT-CEO

⑥ Production: PRODUCTION MANAGER

⑦ Qualified control production: PRODUCTION MANAGER

⑧ Production inspection: INDUSTRIAL MANAGER

⑨ Inventory control: CEO-CTO

⑩ Release units to the market and after-sales service: PRESIDENT & OPERATIONS

⑪ Non-conformities: PRODUCTION MANAGER

⑫ Purpose and projects of the management series: PRESIDENT & OPERATIONS

Therefore, the company is registered and the list is updated, for which the above-mentioned registration date and authorization are given. The following managers are appointed:

① PRODUCTION MANAGER：CHEN HONG BO

② PRESIDENT-CEO：Juan Jose Duran Lopez

③ INDUSTRIAL MANAGER：LIU YU

④ CEO-CTO：Juan Jose Duran Lopez

⑤ PRESIDENT & OPERATIONS:LIU QIU PING

⑥ CFO: LU JING YA

⑦ HUMAN RESOURCES:WANG HONG

⑧ RESOURCES MANAGER: KOU QIUSHUANG

⑨ LOGISTICS MANAGER: XU HUI

⑩ Responsible of Financial and legal: Adrian Fernandez Hernandez

⑪ Responsible of Sales in Europe: David Yustas

The appointment and allocation of functions must be recorded by the company.

1.4 Employee Capabilities

The company ensures the competence level of personnel in relation to their assigned functions according to the defined functional structure and process controls.

Ensure that all personnel who perform work for or on behalf of the company that affects (directly or indirectly) the quality and environmental performance of the quality management system and the fulfillment of compliance obligations, or the effectiveness of the system, have the appropriate competence based on appropriate education, training, skills and experience.

The Administration Department selects and trains personnel based on "job responsibilities and job requirements" to ensure that personnel in each position have the required capabilities, and assesses the job capabilities of personnel in each position to ensure that personnel in each position recognize the relevance and importance of the work they are doing, and how to contribute to achieving quality goals.

The Administration Department shall evaluate the capabilities of personnel and retain appropriate documents or records as evidence that the relevant personnel have the corresponding capabilities.

When it is evaluated that an employee is not competent for the job and does not have the corresponding ability and awareness, the company will take the following measures:

Through training, employees are equipped with the necessary skills for the job and re-employed.

If employees cannot be equipped with the required competencies through training, they will be transferred to suitable positions or leave the job.

The Administration Department maintains records of all evaluations.

2 Management Process

2.1 Approval Management Process

The general manager shall hold a management review meeting at least once a year (with an interval of no more than 12 months) to review the quality management system to ensure its continued suitability, adequacy and effectiveness. The management review shall evaluate and review the suitability and degree of achievement of the quality policy and objectives to determine whether the company's quality management system needs to be revised or improved.

2.1.1 Review Input

The input to the management review should include the current system operation and the need for improvement:

a) Implementation of measures taken in previous management reviews.

b) Changes in internal and external issues and factors related to the quality management system.

c) Information on the performance and effectiveness of the quality management system, including the following trend information.

Customer satisfaction and feedback from interested parties;

Needs and expectations of interested parties, including compliance obligations;

Identification of risks and opportunities, and responses;

Achievement of management objectives;

Process performance and conformity of products and services;

Non-conformities and corrective actions;

Monitoring and measurement results;

Fulfillment of its compliance obligations;

Audit results;

Performance of external suppliers.

d) Adequacy of resources.

e) Effectiveness of actions taken to address risks and opportunities.

f) Exchange of relevant information from interested parties, including complaints;

g) Opportunities for continual improvement.

2.1.2 Review Output

The output of management review should include actions related to the following activities:

a) Conclusions on the evaluation of the suitability, adequacy and effectiveness of the quality management system;

b) Decisions on improvements to the effectiveness of the quality management system and its processes;

c) Decisions on any need for changes to the quality management system, including resources;

d) Actions to be taken when management objectives are not achieved;

f) Decisions on measures to improve product and service requirements to meet legal and regulatory requirements and customer needs.

g) Opportunities to improve the integration of the quality management system with other business processes, if necessary;

h) Any conclusions related to the strategic direction of the organization.

All matters and decisions made during the management review should be documented. The management review records shall be kept by the Administration Department.

The management representative shall be responsible for tracking the effectiveness of the corrective and preventive measures proposed in the management review meeting decisions and record them.

2.1.3 Approval management process

A procedure has been established to ensure approval control, covering the following stages:

1. Additions, including changes in company name, manufacturer or production assembly plant, brand trademark changes, product modifications, legislative changes.
2. Modifications or extensions to existing approval documents.
3. Revocation; If violations are found or the certification is outdated and the action does not include renewal through modification (if applicable), the organization must cancel the certification for all purposes. For example, the applicable situation is:

   When the necessary updates of certification documents are not met.

   a. When the certification is no longer valid, by applying new mandatory requirements to the product or equipment.

   b. If the verification carried out concludes that all applicable requirements of the certification type are not met.

c. Upon expiration of the certificate, if it is found that the certification was based on false statements or falsified test results, or if the certification has been revoked by the certification body.

4. Applicable testing and periodicity.

Therefore, the company must take appropriate actions to control the process, including communication with the certificate authority.

The approval stages and procedures are defined as follows:

① New content

a. Request IDIADA's opening and budget for new approval.

b. Confirm the request and quotation to IDIADA.

c. Send samples as requested by IDIADA.

d. Send technical files requested by IDIADA.

e. Obtain approval from IDIADA.

f. Archive on the approval server and related tests.

g. Register the approval by marking in the control file. Includes definition of activation date and approved products. The file should reflect the different existing processes, product types, affected legislation and expected sales markets.

h. Report all achievements to management.

② Modification or expansion

a. Ask IDIADA about the feasibility of the modification or extension.

b. Obtain confirmation from IDIADA.

c. IDIADA's modification application procedure and budget.

d. Confirmation of acceptance of the application and budget.

e. Ship samples according to IDIADA's request (if required by IDIADA).

f. Submit technical documents required by IDIADA (if required by IDIADA).

g. Obtain IDIADA's approval for the modification or extension.

h. Register the approval in the control document by defining the modification date and a complete description in the control document, or register the reason

for the modification, legislation, meaning of the modification, and the type of modification:

1) Market requirements (defined only for V16 certificates).

2) Functional requirements or improvements.

3) Aesthetic changes.

4) Company name changes.

5) Company changes.

6) Brand changes.

7) Legislative changes.

8) Technological changes.

9) Each modification process should be communicated to the General Manager.

10) Reflect changes in the product, packaging or manual.

11) Inform management about the completion of all these stages.

③ Revocation

Product removal will continue in the following cases:

1) Detection of non-conformities

2) Expired approvals

3) Incomplete verification of all regulated activities

4) Cessation of production of the product

5) If the approval has an expiration date and is not renewable or renewable.

6) In this case, the procedure for cancelling the application shall be:

a. Register the approval end and cancellation in the approval control document, specifying the approval date and the reason for cancellation.

b. Communicate with the person responsible for each cancellation process and inform each relevant department of the required procedures.

c. Report the completion of all these stages to the general manager.

④ Applicable tests and periodicity:

1) List of tests

a. Restrictions regarding dangerous substances electronic equipment:

Directive: RoHs II

b. Photometry:

Intensity: according to Royal Decree 1030/2022 of 20 December extending the intensity threshold specified in Real Decree 159/2021 of March 16 for V16 beacons, remaining now delimited within the limits set out in UNECE/UN Regulation 65.

Frequency: According to the Royal Decree 159/2021 March 16, but with a ignition time "ON" beacon as defined in UN/ECE regulation 65 and shall be as maximum of 0.4/flash frequency as indicated in Real Decree 1030/2022 of 20 December.

CE RED: Directive 2014/53/EU (transposition RD 188/2016):

EMC: Standard EN 301 489-1

RF: Standard EN 301 908-1/

Health (Sar): EN 62479:2010

Connectivity: DGT 3.0

Operator: **Orange Operator Certification**

Periodicity: Given the product profile, electronic device, the following periodicities for each test:

Restriction of hazardous substances: testing is required for any change of components, model of components or change of supplier regarding these.

Photometry: a new test required for:

① Light conformity test for intensity conformity.

② Light, frequency and chromaticity every one year, maximum, if the product has not been subject to any modification.

③ Change of model / manufacturer of LED diodes.

④ Modification of the housing or reflector mirror.

CE RED: test required in cases of:

① Modification of the electronic schema of the device.

② Modification of the device housing.

Connectivity: DGT 3.0: Requires connectivity testing in cases of:

① Modification or redesign of any related component with radio communications from the device.

② Microcontroller firmware modification by upgrade or legislative or operator requirement.

Operator: Tests subject to operator's own requirement or when this requires it.

Similarly, the periodicity of tests on any of the different test fields may be interposed by:

UCA

Legislation

Bodies chosen for approval.

Product, quality or technical managers.

2.2 The design process

Company has established procedures to guarantee the control of the devices or components at the design stage ensuring the requirements in the relevant technical file of the product, which will be reflected in the own approval issued by the IDIADA in those contents that the body itself or the issuer of the approval deemed necessary under the legislation in force.

The guidelines for the design process will be the following, which must be filed in the product control dossier:

The company shall establish in writing guidelines for taking into account the applicable legal requirements starting from the initial definition of the product or equipment based on the requirements specified by the customer or the organization

itself. The company shall plan for certification based on its product proposal and the applicable type definition so that appropriate measures can be taken if necessary.

The final verification of the design must consider whether it complies with the applicable legislative requirements and whether there is a corresponding certification, or if not, take measures to adjust it. The verification must be carried out by an authorized and qualified person, and his registration must be ensured.

In the event of design changes, the company should have a documented design and development system in place to ensure that legal and regulatory requirements applicable to the changes made are taken into account. Likewise, it must be assessed by a competent person whether these changes will affect any certifications granted.

① Compilation and archiving of technical specifications and requirements laid down by the rules or legislation.

② Exposure and processing of information collected with the engineering selected for the product design phase.

③ Exposure to engineering of the commercial and aesthetic objectives of the product within the aestablished regulatory and legislative framework.

④ Radio communications electronics engineering will be developed in Spain by strict requirement of knowledge of Spanish legislation and networks.

⑤ Photometry engineering will be developed entirely in China.

⑥ Both engineering will be coordinated by the product manager for the correct intersection of both developments.

⑦ Engineering budget for the budget and prototyping phase.

⑧ Agreement or contract for the process

⑨ Obtaining a first design sketch or draft covering the following points:

a. Aesthetic appearance, preferably 3D.

b. Electrical diagram if the product has an electrical/electronic design.

c. PCB board design, track routing and layering.

d. Detailed list of necessary electronic components

e. Unit production budget.

① Assembly of functional operational prototype for test bench.

② Adjustments of the prototype until the completion of its functionality in accordance with technical specifications established.

③ Fully finished prototype assembly according to design.

④ Acquisition of components for final prototypes fully completed for the design of the product.

⑤ Manufacture of prototypes.

⑥ Verification and functional measurements of the finished final prototype and according to technical specifications requirements.

⑦ Production of fully finished products for various purposes, which shall be tested by engineering to ensure compliance with design requirements, as well as compliance with the technical specifications established by the standard or legislation required for the product. Master samples will be invested in the following purposes for:

⑧ Sample/s for approval authority (IDIADA) who will determine the units required by the body for approvals which are required.

⑨ Master sample for factory.

⑩ Master sample for back office and archiving it.

Amendments:

If design modifications are necessary, manufacture establishes a procedure to ensure that the modified product complies with legal and regulatory requirements, the following procedure is established:

① Need analysis, explanatory statement:

a. Commercial

b. Aesthetic

c. Functional or operational

d. Technical or economic optimization

e. Legislative change

② Exposure of needs and objectives to engineering.

③ Request for redesign budget if necessary or Approval of the budget if any.

④ Confirmation by engineering of feasibility of modification within the framework, both objective and legislative.

⑤ Prototype construction if necessary for such a change.

⑥ Development Testing and measurements of the prototype for legislative and objectives if necessary.

⑦ If the changes affect any of the approvals granted, the approval (IDIADA) will monitor the proposed changes and, if required, provide samples of modified and finished product for testing and confirmation of approval if required.

⑧ Management approval of requested changes already approved by engineering and approval authority.

⑨ Approval of factory changes.

⑩ Archiving and recording of approved changes.

2.3 Procurement Process

The company defines, documents and implements guidelines for supplier evaluation, selection and monitoring, as well as procurement processes and methods for verification of purchased products, ensuring that all supply of components that affect the safety or certification of products or equipment is carried out in a controlled manner. The applicant should ensure that the components purchased for installation in the product or equipment are the components declared in the certification obtained.

This procedure is designed to ensure that components are purchased in a controlled manner and are properly approved and establishes the following guidelines:

There are two components in the purchase:

① Regular components.

② Specific components that require specific approval as a requirement for overall approval of the final product.

Regular parts should be specified by the engineering department at the time of design. For electronic components, the engineering design should indicate the manufacturer's market position.

2.4 Subcontracting Process

Companies must define and implement measures to plan, control and verify subcontracted processes that impact critical processes such as the management of certification and the manufacture and placement of products or devices on the market, ensuring compliance with their legislative requirements.

1) Purchase regular components:

① Contract/agreement with subcontracting companies to purchase regular parts.

② Establish suppliers for various regular parts.

③ Select and set up the components purchased from suppliers with references to the suppliers. These parts will be approved by the engineering design department.

④ Each purchase of these components will be matched with each company order placed by the distributor and transferred to the production stage.

⑤ Subcontracting companies should justify the purchase by providing the parts purchased from the supplier as a guarantee to purchase the parts specified in the design.

2）Assembly (manufacturing) of products

① Contract/agreement with subcontracting companies during assembly and delivery of finished products.

② The contract should specify the address of the premises where assembly activities will be carried out.

③ The production area must be determined, as well as the available means.

④ Establish and define the different stages of product assembly in the following main stages:：

a. Assembly of components.

b. PCB electronic assembly.

c. Mechanical assembly of the product.

d. Testing.

e. Packaging process.

3）Production inspection

① Contract/agreement with subcontracting companies on finished product quality inspection.

② There is a quality assessment procedure.

③ Assessment points for checking conformity are determined.。

④ Determine the methods available for such assessment.

Given that the responsibility for compliance with current legislation lies with the assigned department, as the audit holder, the following outsourcing control guidelines are established:

① Each production process ordered shall be fully controlled through compliance of each subcontract involved in each production process.

② This control shall be based on obtaining the consistency of each guide and process established for each subcontract.

③ A written document will be generated for each product to reflect the consistency that has been referenced in each subcontract.

Subcontracting of production compliance control is considered a critical process and the company must ensure the technical capability to perform the control. To this end, minimum trust criteria must be established, such as:

① Become a technical certification service body designated by the Spanish certification body (IDIADA or LCOE).

② Obtain ISO 17025 certification from ENAC or a signatory to the mutual recognition agreement.

③ Carry out in laboratory facilities that meet the requirements specified in the ISO 17025 standard.

④ The company should define, document and implement guidelines for the evaluation, selection and monitoring of key subcontracts, as well as methods to ensure process control, and record and archive them.

2.5 Equipment Management Process

The company must establish measures to ensure that the equipment used to measure the key measures required for approval and to perform planned production control is in the correct condition. Therefore, the company has established the following equipment control and management guidelines.

① Identified, calibrated and kept up to date to ensure traceability of measurements.

② All equipment used during production conformity control must be controlled.

③ Ensure that it is in proper metrological condition and suitable for its intended use.

④ Carry out calibration control, the frequency of control and the serial number of the calibration equipment, and keep evidence of its calibration and/or metrological verification.

2.6 Complaints, Non-conformities and Corrective Action Management Process

The company defines, documents and implements guidelines for identifying and recording non-conformities and claims raised by customers and must ensure that written procedures are developed and disseminated to establish corrective actions to eliminate the causes of non-conformities and/or claims. Likewise, the corrective actions identified are monitored by the appropriate functional departments to ensure their implementation and verify their effectiveness.

Substandard management can be divided into two groups:

① Non-conforming items detected in the production chain.

② Customer complaints.

1) Guidelines for the overall process of handling non-conformities, depending on their scope:

① In the design, production and logistics chain：

a. The generation of non-conformities.

b. Analyze the root cause of the problem.

c. Determine the type of non-conformity:

One-time risk problem.

There is a risk of recurrence.

② Suggestions for corrective measures

a. Approval of corrective actions by the relevant department committee (consensus).

b. Application of corrective actions.

c. Timely exposure of non-conformities and their corrective actions.

2) Customer Complaints:

After-sales department claims opened.

① Analyze based on the nature of the claim：

a. Business or service.

b. Product or technology.

Determine the significance, extent and risk of future recurrence.

② Guidelines based on importance：

a. Mild, no risk of recurrence.

b. After-sales service can implement corrective measures independently.

c. After-sales service is recorded in the registry and solutions are provided.

d. This type of claim does not require escalation.

e. Severe or with risk of recurrence.

By claim type:

③ Service or Commercial:

a. Communicate with the heads of relevant departments.

b. Proposal for corrective actions.

c. Corrective actions approved by management.

d. Application of corrective actions.

e. Records of non-conformities and their corrective actions provided by the product manager.

f. Monitor their implementation.

④ Technology or product：

a. Communicate with product managers.

A conjoint analysis was performed by a team consisting of:

Engineers

Product managers

Manufacturing companies

Management

a. Determination of corrective actions.

b. Implementation of measures.

c. Registration of non-conformities and remedial measures.

d. Subsequent corrective actions.

Submit follow-up report to the analysis team.

2.7 Manufacturing process

The Company defines and implements measures to plan, develop, complete and improve the manufacturing process of products, document key stages and ensure traceability systems applicable to manufactured products.

Company must have minimum records in order to identify manufactured products or equipment and their traceability, some of which (if applicable) :

① Initial plan.

② Control.

③ Evidence of product release shall be provided by qualified personnel.

④ If different from the applicant, an agreement is reached with the manufacturer.

⑤ Suitable for product certification.

The guidelines for this control of the quality of the product manufactured, as well as compliance with the granted approvals which are defined in the following due compliance procedures for conformity of production:

① Preparation of the product dossier:

a. Electronic device schema.

b. PCB Design.

c. PCB Component List.

d. CAD Design and housing disassembly.

e. Technical specification sheet.

f. Device packaging design.

g. Device user instruction manual design.

h. Master box design.

i. Logistic product sheet.

j. Certificates for the product.

k. Trials for those certificates with confirmed technical specifications for the product.

l. Approvals of discrete or individual components included in the product.

② Manufacture Order:

a. Production Order Justification.

b. Manufacture order.

c. Order confirmation proforma, duly stamped including production deadline.

③ Purchases: Verification of components acquired for production.

a. Purchase invoices for purchasing directly from suppliers, components with required homologation.

b. Conventional factory component purchase invoice.

④ Controls in production

c. Production report.

d. Selected control points.

e. Assessment report.

f. Non-conformity report.

g. Corrective actions.

h. Post production report.

i. Selected control points during the inspection.

j. Inspection report.

k. Non-conformity report.

l. Corrective actions.

m. Traceability list.

n. No Lot (allocated by proforma No).

o. Serial list.

p. List No. identification e-SIM.

q. List of serial modules modem.

r. Date of manufacture and expiry.

s. Verified marking packaging and/or product:

It will be marked with No certificate V16 according to Royal Decrees 159/2021 and 1030/2022

t. Expiration date.

u. No. Series.

Marking R65: If you choose to obtain R65 certification for your equipment, the certification should be marked on the product, clearly visible and indelible. This marking requirement is defined in standard ECE R65 paragraph 3 and its Annex 2, which contains information on the arrangement and size of the marking symbol.

2.8 Communication Processes with the Competent Authority

defines and implements measures to ensure relevant communication to the Approval Authority necessary for the maintenance of up to date approvals and the communication of non-conformities affecting the quality of products placed on the market.

1) Reasons for communication:

① Administrative registration updates:

a. Change of name.
b. Change of manufacturing point address.
c. Change of management approvals.
d. Permanent or temporary cancellation of production.
e. Certificate No.
f. Amendment of signatures registered in the National Register of Manufacturers and Representatives.

② Updates for commercial reasons:

a. Rebrand.
b. Change of product reference.
c. Housing color change.

③ Updates for technical reasons:

a. Change of housing design.
b. Change of PCB design.
c. Change of PCB components.
d. Change of batteries/device batteries.
e. Modification of points for quality control production.

④ Recall products to the market for non-conformities detected at any point of the processes defined in the manual that so require.

2) Means of communication with the Approval Authority:

① Company will use the communication channel established by the Approval Authority using e-mail as means of communication for any necessary communication at both addresses.

② Communications with approval authorities are managed through the Connected Vehicle Platform (DGT) of the General Directorate of Transport.

③ Established as an electronic address for communication with the Approval by the product manager's own address as the person responsible for approvals as assigned in point 2.1. This address is the following:

ceo@dctinvent.com

2.9 E-SIM Card Management Processes

Company defines and implements procedures for the correct management of serial numbers of the E-Sim telecommunications cards included in the products produced given the importance of ensuring their operational time as defined by the legislation. That defines the following guidelines and control from the acquisition of these to the placing on the market of fully finished products:

① E-Sim serial listing provided by the operator.

② Allocation of E-Sim serial numbers to production batch/s.

③ Registration of the date of activation of the E-Sim and expiration dates of these.

④ Entry in stock of products by allocation of heading No lot.

⑤ Definition of expiry dates and operational deadlines by lot.

⑥ Control FIFO warehouse management for lots.

⑦ Notice to warehouse manager of lots with an expiry period of less than legislation.

⑧ Output control of batches established according to FIFO.

2.10 Production Compliance Control Management Process

Company defines and implements measures to ensure the control of Conformity as a requirement of the applicable Regulatory Acts. Guidelines which are established, documented for means, responsibility and acceptance criteria of planned controls.

The records generated by the checks carried out must ensure the repeatability and the checks carried out. The conformity check shall be carried out by periodic tests every two years by a laboratory accredited to UNE EN-ISO 17025 for UNECE/UN 65.

The following guidelines are thus established:

1) Samples

① Reference master units shall be kept both in factory and on plant.

② Random samples shall be taken at each production for verification of the following control points:

2) Light controls

① Intensity: according to Royal Decree 1030/2022 of 20 December extends the intensity threshold specified in the Royal Decree 159/2021 of March 16 for V16 beacons, remaining now within the limits laid down in the Regulation ECE/UN 65.

② Frequency: According to the Royal Decree 159/2021 March 16, but with a time ignition "ON" beacon as defined in UN/ECE regulation 65 and shall be as maximum of 0.4/flash frequency as indicated in Real Decree 1030/2022 of 20 December,

3) Radio communication test

① Carrier check

② String transmission

③ GPS verification

④ Verification reception GPS signal

⑤ Verification calculation position

⑥ ON/OFF test

⑦ Check Firmware loaded and version

Certified V16 engraved verification in housing CE, Rohs and recycled screen printing

Check Silkscreen Make and Model

Verification marked expiry date and serial number

4) Verification of individual packaging

① Packaging marking

② Verification of batteries (number, make/model approved)

③ Manual verification

5) Environmental conditions:

Measurements shall be sufficient to be carried out in a normal environment to conventional human working conditions of temperature, humidity and except for the luminosity test that was carried out in an environment with natural or artificial light sources.

Person responsible for sample checks: MOMENTUM SYSTEMS, S.L.

Procedure for conformity of production: Huizhou lidafeng technology Co. ltd.

The person responsible for taking samples and measurements shall draw up a dossier for production where you must report to the product manager for compliance on samples and revised production, this dossier shall satisfy the following requirements:

① No of production lot.

② Date of start of production.

③ Place of assessment and verification.

④ Environmental conditions for reference.

⑤ Date of acquisition of samples.

⑥ Results of measurements, values.

⑦ Actual testing of measurements, linking sample and assessment.

⑧ Annotations on relevant gauge assessments or comments.

3 Resources

3.1Control of documents

Company has a control system for the documentary structure appropriate to the size and needs of the quality management system. Its aim is to document and implement a systematic or procedure for the control and archiving of all documentation generated in the production process.

① Structure: With the aim of harmonising the documentation and folders in which they are stored the various documents which are implemented in an archiving structure of the documentation according to the following structure:

② Dossier Name: The Dossier name will be named with the reference of the own product, preceded by the opening date of the dossier in numerical inverse, example: 12032022-"ref product", to locate and sort different projects that can be generated over time.

③ Labelling of dossier subfolders: According to the nature of the documentation generated and archived will be sorted into different folders contained within the root folder with the project name defined according to the previous point. To the definition of the labelling of the various folders contained shall be in the same order used in the index of this quality manual to ensure a quick location in the folder of any necessary document.

④ Regular review of current regulations: With the aim of keeping the regulation in force, the procedure for reviewing by means of consulting official sources issuing such regulations. This consultation shall be carried out periodically and shall involve the archiving of the last review existing. The following are the reference links for the following regulations:

DGT - Dispositivos de preseñalización V16

3.2Register Control

The Company has approved, disseminated and implemented systems for the identification, encoding, access, archiving, retrieval and disposal of system records and ensures that all system records are properly archived and available for the specified function within the shortest time required by applicable law.

Data collection tables completed during testing and production compliance controls are considered relevant primary data and are therefore system records and must therefore be properly archived and available for the defined functions during the above-mentioned time.

The company must be able to provide all such information and documents in a paper or electronic format (at least in Spanish) at the reasonable request of the market supervisory authority, the customs authority or the certification body itself.

The implementation of records generated during the operation of the system, from the management system itself, and the execution of production compliance. Test and inspection records for production conformance are considered the primary data relevant, so system records should be properly archived.

In accordance with the requirements of the Escrito Directriz MOV 2024/06: Procedimiento de verificación periódica del control de la producción para las señales V-16, and the requirements of the Spanish authorities, the applicant is required to keep the technical documentation of the product on file for a period of 13 years or more.

During a period of 13 years or more, when DGT requires the applicant to provide documents and information related to certification, the applicant shall provide them to DGT in Spanish.

Keep relevant technical documents on file in china office，and the address is the following:

Workshop Building II, Shunju Industry Zone Chayuan Village, Qiuchang Town, Huiyang District, Huizhou.

3.3Infrastructure Management

Company ensures the availability of the necessary infrastructure planning, operation, control and improvement of product manufacturing processes, as well as implementing actions to ensure its maintenance to ensure its effectiveness throughout the product life-cycle. The following infrastructures of compulsory maintenance are defined depending on the stage of production:

① Design: Engineering Department, external department defined and contracted for each project, with our own facilities for the correct fulfillment of this phase, as well as prototyping.

② Measuring equipment: depending on the stage of use:

a. or Design

b. or Production

c. or Control of production samples

③ Software: Depending on the type of purpose is defined:

a. Design software

b. Testing software (if required)

c. Administrative management software

d. Software development documentation

④ Support Services:

a. Transport logistics services:

Transport – Imported from Asia by sea and air

Customs clearance

National and customs warehousing

Domestic transport.

a. Computer maintenance services

b. Instrument calibration services

c. Financing services

d. Basic maintenance and supply services

e. Industrial protection and intellectual property services

f. Consulting and judicial protection services.

g. Internet access services

h. Platform and gateway services

⑤ Planning, operation and control:

Head office in Spain: CALLE AVIADOR ZORITA, NUM 13PLANTA 2, PUERTA 05 28020 MADRID-(MADRID)

Office in China: Rm.708, Innovation Building, Science and Technology Zone, No.1 Keji Road, Xiqu Street,Dayawan District, Huizhou

Production: Workshop Building II, Shunju Industry Zone Chayuan Village, Qiuchang Town, Huiyang District, Huizhou

⑥ Improvement centre: various laboratories which may be arranged for improvement or those components or target product specifications.

⑦ The detection of deficiencies in that infrastructure shall lead to non-compliance with its corrective action as set out in point 2.6.