| | | | | |
|---|---|---|---|---|
| **Prüfbericht-Nr.:** *Test report no.*: | **CN23RCT9 002** | **Auftrags-Nr.:** *Order no.*: | 180270222 |  |
| **Kunden-Referenz-Nr.:** *Client reference no.*: | N/A | **Auftragsdatum:** *Order date:* | 2023-12-13 | |
| **Auftraggeber:** *Client*: | Huizhou Duran Creative Technology CO.,LTD.<br>Room 708, Innovation Building, No.1, Keji Road, Science and Technology Innovation Park, West Area of Daya Bay, Huizhou | | | |
| **Prüfgegenstand:** *Test item*: | Portable Light | | | |
| **Bezeichnung / Typ-Nr.:** *Identification / Type no.*: | INSTAFLASH V16 G-001 | | | |
| **Auftrags-Inhalt:** *Order content*: | Test report | | | |
| **Prüfgrundlage:** *Test specification*: | EN IEC 60598-1:2021+A11<br>EN 60598-2-4:2018<br>EN 62471:2008<br>EN 62493:2015 | | | |

| | |
|---|---|
| **Wareneingangsdatum:** *Date of sample receipt*: | 2023-12-13 |
| **Prüfmuster-Nr.:** *Test sample no:* | A003548920 |
| **Prüfzeitraum:** *Testing period*: | 2023-12-13 - 2023-12-18 |
| **Ort der Prüfung:** *Place of testing*: | TÜV Rheinland/CCIC (Ningbo)Co.,Ltd. |
| **Prüflaboratorium:** *Testing laboratory:* | TÜV Rheinland/CCIC (Ningbo)Co.,Ltd. |
| **Prüfergebnis*:** *Test result**: | Pass |



| | | | |
|---|---|---|---|
| **geprüft von:** tested by: | X Kitty Cheng | **genehmigt von:** *authorized by*: | X Zeen Xu |
| **Datum:** *Date:* | 2023-12-21 | **Ausstellungsdatum:** *Issue date:* | 2023-12-21 |
| **Stellung** / Position: | Project Engineer | **Stellung** / Position: | Reviewer |

| | |
|---|---|
| **Sonstiges /** *Other*: | This report was based on CN23RCT9 001, just revise address of applicant and manufacturer and revise model name, details see "Modification" in page 8. |

| | |
|---|---|
| **Zustand des Prüfgegenstandes bei Anlieferung:** *Condition of the test item at delivery*: | Prüfmuster vollständig und unbeschädigt<br>*Test item complete and undamaged* |

| | | | | |
|---|---|---|---|---|
| * Legende: | P(ass) = entspricht o.g. Prüfgrundlage(n) | F(ail) = entspricht nicht o.g. Prüfgrundlage(n) | N/A = nicht anwendbar | N/T = nicht getestet |
| * *Legend:* | *P(ass) = passed a.m. test specification(s)* | *F(ail) = failed a.m. test specification(s)* | *N/A = not applicable* | *N/T = not tested* |

**Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens.**
*This test report only relates to the above mentioned test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any test mark.*
V05

## Anmerkungen
*Remarks*

| | |
|---|---|
| **1** | Alle eingesetzten Prüfmittel waren zum angegebenen Prüfzeitraum gemäß eines festgelegten Kalibrierungsprogramms unseres Prüfhauses kalibriert. Sie entsprechen den in den Prüfprogrammen hinterlegten Anforderungen. Die Rückverfolgbarkeit der eingesetzten Prüfmittel ist durch die Einhaltung der Regelungen unseres Managementsystems gegeben.<br>Detaillierte Informationen bezüglich Prüfkonditionen, Prüfequipment und Messunsicherheiten sind im Prüflabor vorhanden und können auf Wunsch bereitgestellt werden.<br><br>*The equipment used during the specified testing period was calibrated according to our test laboratory calibration program. The equipment fulfils the requirements included in the relevant standards. The traceability of the test equipment used is ensured by compliance with the regulations of our management system. Detailed information regarding test conditions, equipment and measurement uncertainty is available in the test laboratory and could be provided on request.* |
| **2** | Wie vertraglich vereinbart, wurde dieses Dokument nur digital unterzeichnet. Der TÜV Rheinland hat nicht überprüft, welche rechtlichen oder sonstigen diesbezüglichen Anforderungen für dieses Dokument gelten. Diese Überprüfung liegt in der Verantwortung des Benutzers dieses Dokuments. Auf Verlangen des Kunden kann der TÜV Rheinland die Gültigkeit der digitalen Signatur durch ein gesondertes Dokument bestätigen. Diese Anfrage ist an unseren Vertrieb zu richten. Eine Umweltgebühr für einen solchen zusätzlichen Service wird erhoben.<br><br>*As contractually agreed, this document has been signed digitally only. TUV Rheinland has not verified and unable to verify which legal or other pertaining requirements are applicable for this document. Such verification is within the responsibility of the user of this document. Upon request by its client, TUV Rheinland can confirm the validity of the digital signature by a separate document. Such request shall be addressed to our Sales department. An environmental fee for such additional service will be charged.* |
| **3** | Prüfklausel mit der Note * wurden an qualifizierte Unterauftragnehmer vergeben und sind unter der jeweiligen Prüfklausel des Berichts beschrieben.<br>Abweichungen von Prüfspezifikation(en) oder Kundenanforderungen sind in der jeweiligen Prüfklausel im Bericht aufgeführt.<br><br>*Test clauses with remark of * are subcontracted to qualified subcontractors and descripted under the respective test clause in the report.*<br>*Deviations of testing specification(s) or customer requirements are listed in specific test clause in the report.* |
| **4** | Die Entscheidungsregel für Konformitätserklärungen basierend auf numerischen Messergebnisen in diesem Prüfbericht basiert auf der "Null-Grenzwert-Regel" und der "Einfachen Akzeptanz" gemäß ILAC G8:2019 und IEC Guide 115:2021, es sei denn, in der auf Seite 1 dieses Berichts genannten angewandten Norm ist etwas anderes festgelegt oder vom Kunden gewünscht. Dies bedeutet, dass die Messunsicherheit nicht berücksichtigt wird und daher auch nicht im Prüfbericht angegeben wird. Zu weiteren Informationen bezueglich des Risikos durch diese Entscheidungsregel siehe ILAC G8:2019.<br><br>The decision rule for statements of conformity, based on numerical measurement results, in this test report is based on the “Zero Guard Band Rule” and “Simple Acceptance” in accordance with ILAC G8:2019 and IEC Guide 115:2021, unless otherwise specified in the applied standard mentioned on Page 1 of this report or requested by the customer. This means that measurement uncertainty is not taken in account and hence also not declared in the test report. For additional information to the resulting risk based of this decision rule please refer to ILAC G8:2019. |

www.tuv.com

**Test Report issued under the responsibility of:**

TÜVRheinland®

# TEST REPORT
# IEC 60598-2-4
# Luminaires
# Luminaires, Part 2: Particular requirements
# Section 4: Portable general purpose luminaires

| | |
|---|---|
| **Report Number..... :** | CN23RCT9 002 |
| **Date of issue..... :** | See cover page |
| **Total number of pages..... :** | See cover page |
| **Name of Testing Laboratory preparing the Report ..... :** | TÜV Rheinland / CCIC (Ningbo) Co., Ltd.<br>3F, Building C13, R&D Park, No.32 Lane 299 Guanghua Road, Na-tional Hi-Tech Zone, Ningbo 315048, P.R. China. |
| **Applicant's name..... :** | Huizhou Duran Creative Technology CO.,LTD. |
| **Address..... :** | Room 708, Innovation Building, No.1, Keji Road, Science and Technology Innovation Park, West Area of Daya Bay, Huizhou |
| **Test specification:** | |
| **Standard..... :** | IEC 60598-2-4:2017 for use in conjunction with IEC 60598-1:2020 |
| **Test procedure..... :** | Test report |
| **Non-standard test method ..... :** | N/A |
| **TRF template used ..... :** | IECEE OD-2020-F1:2020, Ed.1.3 |
| **Test Report Form No. ..... :** | IEC60598_2_4I |
| **Test Report Form(s) Originator.... :** | UL (US) |
| **Master TRF ..... :** | Dated 2021-06-10 |

**Copyright © 2021 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved.**

This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

**This report is not valid as a CB Test Report unless signed by an approved IECEE Testing Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.**

**General disclaimer:**

The test results presented in this report relate only to the object tested.
This report shall not be reproduced, except in full, without the written approval of the Issuing NCB. The authenticity of this Test Report and its contents can be verified by contacting the NCB, responsible for this Test Report.

| | |
|---|---|
| **Test item description.....:** | Portable Light |
| **Trade Mark(s).....:** | N/A |
| **Manufacturer.....:** | Huizhou Duran Creative Technology CO.,LTD.<br>Room 708, Innovation Building, No.1, Keji Road, Science and Technology Innovation Park, West Area of Daya Bay, Huizhou |
| **Model/Type reference.....:** | INSTAFLASH V16 G-001 |
| **Ratings.....:** | Input: Battery(DC 9V); 1W; IP54; Ta: 35°C; Class III.<br>Others see "General product information" |

| | | | |
|---|---|---|---|
| **Responsible Testing Laboratory (as applicable), testing procedure and testing location(s):** | | | |
| ☒ | **Testing Laboratory:** | TÜV Rheinland /CCIC(Ningbo) Co., Ltd. | |
| **Testing location/ address .....:** | | 3F, Building C13, R&D Park, No.32 Lane 299 Guanghua Road, National Hi-Tech Zone, Ningbo 315048, P.R.China. | |
| **Tested by (name, function, signature).....:** | | See cover page | |
| **Approved by (name, function, signature) :** | | See cover page | |
| ☐ | **Testing procedure: CTF Stage 1:** | N/A | |
| **Testing location/ address .....:** | | N/A | |
| **Tested by (name, function, signature).....:** | | N/A | |
| **Approved by (name, function, signature) :** | | N/A | |
| ☐ | **Testing procedure: CTF Stage 2:** | N/A | |
| **Testing location/ address .....:** | | N/A | |
| **Tested by (name + signature) .....:** | | N/A | |
| **Witnessed by (name, function, signature):** | | N/A | |
| **Approved by (name, function, signature) :** | | N/A | |
| ☐ | **Testing procedure: CTF Stage 3:** | N/A | |
| ☐ | **Testing procedure: CTF Stage 4:** | N/A | |
| **Testing location/ address .....:** | | N/A | |
| **Tested by (name, function, signature).....:** | | N/A | |
| **Witnessed by (name, function, signature):** | | N/A | |
| **Approved by (name, function, signature) :** | | N/A | |
| **Supervised by (name, function, signature):** | | N/A | |

**List of Attachments (including a total number of pages in each attachment):**
N/A

**Summary of testing:**

| **Tests performed (name of test and test clause):** | **Testing location:** |
|---|---|
| No testing needed. | TÜV Rheinland / CCIC (Ningbo) Co., Ltd.<br>3F, Building C13, R&D Park, No.32 Lane 299 Guanghua Road, National Hi-Tech Zone, Ningbo 315048, P.R.China. |

**Summary of compliance with National Differences (List of countries addressed):**
EU Group Difference.

**The product fulfils the requirements of EN 60598-2-4:2018 used in conjunction with EN IEC 60598-1:2021 + A11.**

**Statement concerning the uncertainty of the measurement systems used for the tests**
(may be required by the product standard or client)

☒ **Internal procedure used for type testing through which traceability of the measuring uncertainty has been established:**

**Procedure number, issue date and title: MS-0007539/ Nov 27, 2020/Evaluation of Measurement Uncertainty in Laboratory and Decision Rule.**

Calculations leading to the reported values are on file with the NCB and testing laboratory that conducted the testing.

☐ **Statement not required by the standard used for type testing**

(Note: When IEC or ISO standard requires a statement concerning the uncertainty of the measurement systems used for tests, this should be reported above. The informative text in parenthesis should be delete in both cases after selecting the applicable option)

**Copy of marking plate:**

English version:

INSTAFLASH V16 G-001 Battery (DC 9V); 1W; LED; CCT: 1800-2000K; IP54; Ta: 35°C.




Made in China

Huizhou Duran Creative Technology CO.,LTD.

Room 708, Innovation Building, No.1, Keji Road, Science and Technology

| | |
|---|---|
| **Test item particulars.....:** | Portable Light |
| **Classification of installation and use.....:** | Class III, IP54 |
| **Supply Connection.....:** | -- |
| **.....:** | |
| **Possible test case verdicts:** | |
| **- test case does not apply to the test object..... :** | N/A |
| **- test object does meet the requirement ..... :** | P (Pass) |
| **- test object does not meet the requirement..... :** | F (Fail) |
| **Testing ..... :** | |
| **Date of receipt of test item ..... :** | See cover page |
| **Date (s) of performance of tests ..... :** | See cover page |

**General remarks:**

"(See Enclosure #)" refers to additional information appended to the report.
"(See appended table)" refers to a table appended to the report.

**Throughout this report a ☒ comma / ☐ point is used as the decimal separator.**

Clause numbers between brackets refer to clauses in IEC 60598-1

**Manufacturer's Declaration per sub-clause 4.2.5 of IECEE 02:**

| | |
|---|---|
| The application for obtaining a CB Test Certificate includes more than one factory location and a declaration from the Manufacturer stating that the sample(s) submitted for evaluation is (are) representative of the products from each factory has been provided.....: | ☐ **Yes**<br>☒ **Not applicable** |

**When differences exist; they shall be identified in the General product information section.**

| | |
|---|---|
| **Name and address of factory (ies).....:** | **HUIZHOU LIDAFENG TECHNOLOGY CO., LTD.**<br>**Workshop Building II, Shunju Industry Zone Chayuan Village, Qiuchang Town, Huiyang District 516221, Huizhou, Guangdong P.R.China.** |

**General product information and other remarks:**

The testing appliance is Portable Light with non-user replaceable light source, IP degree is IP54.
Class III, Ta: 35°C; CT: 1800-2000K.
Details as below table:

| Model name | Parameter | Rated wattage | PCB No. | LED board no. | LED quantity |
|---|---|---|---|---|---|
| INSTAFLASH V16 G-001 | Battery( DC 9V) | 1W | 227668G_Y138 | AQL-DSLEDV2.6 | 8PCS |

Modification:

1. Revise address of applicant and manufacturer from “7 Floor, Innovation Building, Science and Technology Zone, Shihua Avenue, Dayawan District, Huizhou city, Guangdong P.R.China.” to “Room 708, Innovation Building, No.1, Keji Road, Science and Technology Innovation Park, West Area of Daya Bay, Huizhou”.
2. Revise model name from “G-001” to “INSTAFLASH V16 G-001”.