

Shell Scripting/Session-3| Con...Instances | EC2 | us-east-1EC2 Instance Connect | us-east-1New Tab

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=us-east-1&connType=standard&instanceId=i-0d19be9cad908a379&osUser=ec2-user&sshPort=22&addressFamily=ipv4

Search[Alt+S]

United States (N. Virginia)AYESHA MOMIN

```
drwxr-xr-x. 2 ec2-user ec2-user    6 Jun 23 18:54 project3
drwxr-xr-x. 2 ec2-user ec2-user    6 Jun 23 18:54 project4
drwxr-xr-x. 2 ec2-user ec2-user    6 Jun 23 18:54 project5
[ec2-user@ip-172-31-20-202 ~]$ vi file2.sh
[ec2-user@ip-172-31-20-202 ~]$ ./file2.sh
-bash: ./file2.sh: cannot execute: required file not found
[ec2-user@ip-172-31-20-202 ~]$ vi file2.sh
[ec2-user@ip-172-31-20-202 ~]$ sudo chmod 755 file.sh
[ec2-user@ip-172-31-20-202 ~]$ ls
io          dir1  dir3  dir5  dir8  file1.sh  file3.txt  hello.tar  hello.tar.gz  new.tar.xz  project1  project2  project4
archive.tar dir2  dir4  dir6  file.sh  file2.sh  hello1.tar.bz2  hello.tar.bz2  hello.tar.xz  project  project10  project3  project5
[ec2-user@ip-172-31-20-202 ~]$ ./file.sh
ayesha, hello
[ec2-user@ip-172-31-20-202 ~]$ vi file.sh
[ec2-user@ip-172-31-20-202 ~]$ ./file.sh
enter your name
ayesha
hello, ayesha
[ec2-user@ip-172-31-20-202 ~]$ vi file.sh
[ec2-user@ip-172-31-20-202 ~]$ ./file.sh
./file.sh: line 4: name: readonly variable
john
[ec2-user@ip-172-31-20-202 ~]$ vi file.sh
[ec2-user@ip-172-31-20-202 ~]$ ./file.sh
./file.sh: line 4: echobefore swap: a= 5, b =10: command not found
swap: a= 10, b =5
[ec2-user@ip-172-31-20-202 ~]$
```

i-0d19be9cad908a379 (Linux)

PublicIPs: 3.80.80.150 PrivateIPs: 172.31.20.202

Shell Scripting/Session-3| Con...Instances | EC2 | us-east-1EC2 Instance Connect | us-east-1New Tab

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=us-east-1&connType=standard&instanceId=i-0d19be9cad908a379&osUser=ec2-user&sshPort=22&addressFamily=ipv4

Search[Alt+S]

United States (N. Virginia)AYESHA MOMIN

```
#!/bin/bash
a=5
b=10
echo"before swap: a= $a, b =$b"
temp=$a
a=$b
b=$temp
echo "swap: a= $a, b =$b"
```

i-0d19be9cad908a379 (Linux)

PublicIPs: 3.80.80.150 PrivateIPs: 172.31.20.202

CloudShellFeedback

© 2025, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

```
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=us-east-1&connType=standard&instanceId=i-0d19be9cad908a379&osUser=ec2-user&sshPort=22&addressFamily=ipv4

#!/bin/bash
name="john"
readonly name
name="jane"
echo "$name"

"file.sh" 7L, 65B
```

i-0d19be9cad908a379 (Linux)
PublicIPs: 3.80.80.150 PrivateIPs: 172.31.20.202

```
drwxr-xr-x. 2 ec2-user ec2-user 89 Jul 2 13:56 project
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project1
drwxr-xr-x. 2 root root 6 Jul 2 13:47 project10
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project2
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project3
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project4
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project5
[ec2-user@ip-172-31-20-202 ~]$ vi file2.sh
[ec2-user@ip-172-31-20-202 ~]$ ./file2.sh
-bash: ./file2.sh: cannot execute: required file not found
[ec2-user@ip-172-31-20-202 ~]$ vi file.sh
[ec2-user@ip-172-31-20-202 ~]$ sudo chmod 755 file.sh
[ec2-user@ip-172-31-20-202 ~]$ ls
10      dir1  dir3  dir5  dir8  file1.sh  file3.txt  hello.tar  hello.tar.gz  new.tar.xz  project1  project2  project4
archive.tar  dir2  dir6  file.sh  file2.sh  hello1.tar.bz2  hello.tar.bz2  hello.tar.xz  project  project10  project3  project5
[ec2-user@ip-172-31-20-202 ~]$ ./file.sh
ayesha, hello
[ec2-user@ip-172-31-20-202 ~]$ vi file.sh
[ec2-user@ip-172-31-20-202 ~]$ ./file.sh
enter your name
ayesha
hello, ayesha
[ec2-user@ip-172-31-20-202 ~]$ vi file.sh
[ec2-user@ip-172-31-20-202 ~]$ ./file.sh
./file.sh: line 4: name: readonly variable
john
[ec2-user@ip-172-31-20-202 ~]$
```

i-0d19be9cad908a379 (Linux)
PublicIPs: 3.80.80.150 PrivateIPs: 172.31.20.202

```
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=us-east-1&connType=standard&instanceId=i-0d19be9cad908a379&osUser=ec2-user&sshPort=22&addressFamily=ipv4

#!/bin/bash
echo "enter your name"
read name
echo "hello, $name"

"file.sh" 5L, 66B
```

i-0d19be9cad908a379 (Linux)
PublicIPs: 3.80.80.150 PrivateIPs: 172.31.20.202

```
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=us-east-1&connType=standard&instanceId=i-0d19be9cad908a379&osUser=ec2-user&sshPort=22&addressFamily=ipv4

-rw-r--r--. 1 ec2-user ec2-user 125 Jul 2 14:09 hello.tar.bz2
-rw-r--r--. 1 ec2-user ec2-user 121 Jul 2 14:07 hello.tar.gz
-rw-r--r--. 1 ec2-user ec2-user 176 Jul 2 14:09 hello.tar.xz
-rw-r--r--. 1 ec2-user ec2-user 204 Jul 2 14:14 new.tar.xz
drwxr-xr-x. 2 ec2-user ec2-user 89 Jul 2 13:56 project
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project1
drwxr-xr-x. 2 root root 6 Jul 2 13:47 project10
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project2
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project3
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project4
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project5
[ec2-user@ip-172-31-20-202 ~]$ vi file2.sh
[ec2-user@ip-172-31-20-202 ~]$ ./file2.sh
bash: ./file2.sh: cannot execute: required file not found
[ec2-user@ip-172-31-20-202 ~]$ vi file2.sh
[ec2-user@ip-172-31-20-202 ~]$ vi file.sh
[ec2-user@ip-172-31-20-202 ~]$ sudo chmod 755 file.sh
[ec2-user@ip-172-31-20-202 ~]$ ls
10      dir1  dir3  dir5  dir8  file1.sh  file3.txt  hello.tar  hello.tar.gz  new.tar.xz  project  project1  project2  project4
archive.tar  dir2  dir4  dir6  file.sh  file2.sh  hello1.tar.bz2  hello.tar.bz2  hello.tar.xz  project  project10  project3  project5
[ec2-user@ip-172-31-20-202 ~]$ ./file.sh
ayesha, hello
[ec2-user@ip-172-31-20-202 ~]$ vi file.sh
[ec2-user@ip-172-31-20-202 ~]$ ./file.sh
enter your name
ayesha
hello, ayesha
[ec2-user@ip-172-31-20-202 ~]$
```

i-0d19be9cad908a379 (Linux)
PublicIPs: 3.80.80.150 PrivateIPs: 172.31.20.202


```
#!/bin/bash
name="hello"
echo "ayesha, $name"


"file.sh" 4L, 47B 3,20 All
```


i-0d19be9cad908a379 (Linux)
PublicIPs: 3.80.80.150 PrivateIPs: 172.31.20.202

```
rw-r--r-- 1 ec2-user ec2-user 283 Jul 9 06:01 file1.sh
-rwxr-xr-x 1 ec2-user ec2-user 38 Jul 9 16:09 file2.sh
-rw-r--r-- 1 root root 0 Jun 25 06:09 file3.txt
-rw-r--r-- 1 ec2-user ec2-user 125 Jul 1 09:58 hello.tar.bz2
-rw-r--r-- 1 ec2-user ec2-user 10240 Jul 1 09:50 hello.tar
-rw-r--r-- 1 ec2-user ec2-user 125 Jul 2 14:09 hello.tar.bz2
-rw-r--r-- 1 ec2-user ec2-user 121 Jul 2 14:07 hello.tar.gz
-rw-r--r-- 1 ec2-user ec2-user 176 Jul 2 14:09 hello.tar.xz
-rw-r--r-- 1 ec2-user ec2-user 204 Jul 2 14:14 new.tar.xz
drwxr-xr-x 2 ec2-user ec2-user 89 Jul 2 13:56 project
drwxr-xr-x 2 ec2-user ec2-user 6 Jun 23 18:54 project1
drwxr-xr-x 2 root root 6 Jul 2 13:47 project10
drwxr-xr-x 2 ec2-user ec2-user 6 Jun 23 18:54 project2
drwxr-xr-x 2 ec2-user ec2-user 6 Jun 23 18:54 project3
drwxr-xr-x 2 ec2-user ec2-user 6 Jun 23 18:54 project4
drwxr-xr-x 2 ec2-user ec2-user 6 Jun 23 18:54 project5
[ec2-user@ip-172-31-20-202 ~]$ vi file2.sh
[ec2-user@ip-172-31-20-202 ~]$ ./file2.sh
bash: ./file2.sh: cannot execute: required file not found
[ec2-user@ip-172-31-20-202 ~]$ vi file2.sh
[ec2-user@ip-172-31-20-202 ~]$ vi file.sh
[ec2-user@ip-172-31-20-202 ~]$ sudo chmod 755 file.sh
[ec2-user@ip-172-31-20-202 ~]$ ls
10 dir1 dir2 dir5 dir6 file1.sh file3.txt hello.tar hello.tar.gz new.tar.xz project1 project2 project4
archive.tar dir2 dir4 dir6 file.sh file2.sh hello1.tar.bz2 hello.tar.bz2 hello.tar.xz project project10 project3 project5
[ec2-user@ip-172-31-20-202 ~]$ ./file.sh
ayesha, hello
[ec2-user@ip-172-31-20-202 ~]$
```

i-0d19be9cad908a379 (Linux)
PublicIPs: 3.80.80.150 PrivateIPs: 172.31.20.202









```
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:36 dir2
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:48 dir3
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:36 dir4
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:36 dir5
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:36 dir6
drwxr-xr-x. 2 ec2-user ec2-user 6 Jul 2 14:12 dir8
-rwxr-xr-x. 1 ec2-user ec2-user 283 Jul 9 06:01 file1.sh
-rwxr-xr-x. 1 ec2-user ec2-user 107 Jul 9 06:06 file2.sh
-rw-r--r--. 1 root root 0 Jun 25 06:09 file3.txt
-rw-r--r--. 1 ec2-user ec2-user 125 Jul 1 05:50 hello.tar.bz2
-rw-r--r--. 1 ec2-user ec2-user 10240 Jul 1 05:50 hello.tar
-rw-r--r--. 1 ec2-user ec2-user 125 Jul 2 14:09 hello.tar.bz2
-rw-r--r--. 1 ec2-user ec2-user 121 Jul 2 14:07 hello.tar.gz
-rw-r--r--. 1 ec2-user ec2-user 176 Jul 2 14:09 hello.tar.xz
-rw-r--r--. 1 ec2-user ec2-user 204 Jul 2 14:14 new.tar.xz
drwxr-xr-x. 2 ec2-user ec2-user 89 Jul 2 13:56 project
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project1
drwxr-xr-x. 2 root root 6 Jul 2 13:47 project10
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project2
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project3
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project4
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project5
[ec2-user@ip-172-31-20-202 ~]$ ./file1.sh
concatenated string: kubernetesdocker
[ec2-user@ip-172-31-20-202 ~]$ vi file2.sh
[ec2-user@ip-172-31-20-202 ~]$ ./file2.sh
concatenated string: kubedock
[ec2-user@ip-172-31-20-202 ~]$
```

i-Od19be9cad908a379 (Linux)
PublicIPs: 3.88.158.230 PrivateIPs: 172.31.20.202



```
#!/bin/bash
string1="kubernetes"
string2="docker"
result=${string1:0:4}${string2:0:4}
echo "concatenated string: $result"
```

i-Od19be9cad908a379 (Linux)
PublicIPs: 3.88.158.230 PrivateIPs: 172.31.20.202



us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressfamily=ipv4&connType=standard&instanceId=i-0d19be9cad908a379&osUser=ec2-user®ion=us-east-1&sshPort=22

```
drwxr-xr-x. 2 root root 6 Jul 2 13:47 i0
-rw-r--r--. 1 ec2-user ec2-user 10240 Jul 1 05:33 archive.tar
drwxr-xr-x. 2 ec2-user ec2-user 40 Jul 1 06:08 dir1
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:36 dir2
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:40 dir3
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:36 dir4
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:36 dir5
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:36 dir6
drwxr-xr-x. 2 ec2-user ec2-user 6 Jul 2 14:12 dir8
-rwxr-xr-x. 1 ec2-user ec2-user 283 Jul 9 06:01 file1.sh
-rwxr-xr-x. 1 ec2-user ec2-user 107 Jul 9 06:06 file2.sh
-rwxr--r--. 1 root root 0 Jun 25 06:09 file3.txt
-rw-r--r--. 1 ec2-user ec2-user 125 Jul 1 05:58 hello.tar.bz2
-rw-r--r--. 1 ec2-user ec2-user 10240 Jul 1 09:50 hello.tar
-rw-r--r--. 1 ec2-user ec2-user 125 Jul 2 14:09 hello.tar.bz2
-rw-r--r--. 1 ec2-user ec2-user 121 Jul 2 14:07 hello.tar.gz
-rw-r--r--. 1 ec2-user ec2-user 176 Jul 2 14:09 hello.tar.xz
-rw-r--r--. 1 ec2-user ec2-user 204 Jul 2 14:14 new.tar.xz
drwxr-xr-x. 2 ec2-user ec2-user 89 Jul 2 13:56 project
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project1
drwxr-xr-x. 2 root root 6 Jul 2 13:47 project10
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project2
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project3
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project4
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:54 project5
[ec2-user@ip-172-31-20-202 ~]$ ./file2.sh
concatenated string: kubernetesdocker
[ec2-user@ip-172-31-20-202 ~]$
```


i-0d19be9cad908a379 (Linux)
Public IP: 3.88.158.230 Private IP: 172.31.20.202

Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressfamily=ipv4&connType=standard&instanceId=i-0d19be9cad908a379&osUser=ec2-user®ion=us-east-1&sshPort=22

```
enter a number
10
./file1.sh: line 5: [10: command not found
number is odd
[ec2-user@ip-172-31-20-202 ~]$ vi file1.sh
[ec2-user@ip-172-31-20-202 ~]$
[ec2-user@ip-172-31-20-202 ~]$ vi file1.sh
[ec2-user@ip-172-31-20-202 ~]$ ./file1.sh
enter a number
10
./file1.sh: line 6: echo10 is positive: command not found
[ec2-user@ip-172-31-20-202 ~]$ vi file1.sh
[ec2-user@ip-172-31-20-202 ~]$ vi file2.sh
[ec2-user@ip-172-31-20-202 ~]$ sudo chmod 755 file2.sh
[ec2-user@ip-172-31-20-202 ~]$ ls -l
total 52
drwxr-xr-x. 2 root root 6 Jul 2 13:47 i0
-rw-r--r--. 1 ec2-user ec2-user 10240 Jul 1 05:33 archive.tar
drwxr-xr-x. 2 ec2-user ec2-user 40 Jul 1 06:08 dir1
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:36 dir2
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:40 dir3
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:36 dir4
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:36 dir5
drwxr-xr-x. 2 ec2-user ec2-user 6 Jun 23 18:36 dir6
drwxr-xr-x. 2 ec2-user ec2-user 6 Jul 2 14:12 dir8
-rwxr-xr-x. 1 ec2-user ec2-user 283 Jul 9 06:01 file1.sh
-rwxr-xr-x. 1 ec2-user ec2-user 107 Jul 9 06:06 file2.sh
-rwxr--r--. 1 root root 0 Jun 25 06:09 file3.txt
```


i-0d19be9cad908a379 (Linux)
Public IP: 3.88.158.230 Private IP: 172.31.20.202



```
#!/bin/bash
string1="Kubernetes"
string2="Docker"
result=$((string1$string2))
echo "concatenated string: $result"
```

i-0d19be9cad908a379 (Linux)

PublicIPs: 3.88.158.230 PrivateIPs: 172.31.20.202






```
(ec2-user@ip-172-31-20-202 ~)$ vi file1.sh
(ec2-user@ip-172-31-20-202 ~)$ ./file1.sh
enter the temperature:
15
it's a bit chilly.
(ec2-user@ip-172-31-20-202 ~)$ vi file1.sh
(ec2-user@ip-172-31-20-202 ~)$ ./file1.sh
./file1.sh: line 8: unexpected EOF while looking for matching `"'
(ec2-user@ip-172-31-20-202 ~)$ vi file1.sh
(ec2-user@ip-172-31-20-202 ~)$ ./file1.sh
./file1.sh: line 8: unexpected EOF while looking for matching `"'
(ec2-user@ip-172-31-20-202 ~)$ ^C
(ec2-user@ip-172-31-20-202 ~)$ vi file1.sh
(ec2-user@ip-172-31-20-202 ~)$ ./file1.sh
enter a number
10
./file1.sh: line 5: {10: command not found
number is odd
(ec2-user@ip-172-31-20-202 ~)$ vi file1.sh
(ec2-user@ip-172-31-20-202 ~)$
(ec2-user@ip-172-31-20-202 ~)$ vi file1.sh
(ec2-user@ip-172-31-20-202 ~)$ ./file1.sh
enter a number
10
./file1.sh: line 6: echo10 is positive: command not found
(ec2-user@ip-172-31-20-202 ~)$ vi file1.sh
(ec2-user@ip-172-31-20-202 ~)$
```

i-0d19be9cad908a379 (Linux)

PublicIPs: 3.88.158.230 PrivateIPs: 172.31.20.202







```

#_
~\#####_      Amazon Linux 2023
~~\#####\
~~\###|
~~\#/          https://aws.amazon.com/linux/amazon-
~~V~' '->
~~~~
~~._._./
    _/_/_/
      /m/'
Last login: Wed Jun 25 05:44:00 2025 from 18.206.107.28
[ec2-user@ip-172-31-20-202 ~]$ ps -aux
USER            PID %CPU %MEM    VSZ   RSS TTY      STAT START   STOP
root              1   1.3   1.7 106800 17012 ?        Ss   Mon May 19   05:
root             20   0.0   0.0     0     0 ?        S    Mon May 19   05:

```

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=us-east-1&connType=standard&instanceId=i-0d19be9cad908a379&osUser=ec2-user&sshPort=22&addressFamily=ipv4

Search [Alt+S]

United States (N. Virginia) AVESHA MOMIN

```
#!/bin/bash
#!/bin/bash
echo "Enter a number:"
read num
if (( num % 2 == 0 )); then
    echo "$num is even."
else
    echo "$num is odd."
fi
```

i-0d19be9cad908a379 (Linux)

PublicIPs: 54.85.149.180 PrivateIPs: 172.31.20.202

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

