

```
root@ip-172-31-21-243: /home/ubuntu# docker ps
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS        PORTS                               NAMES
6444a823d9870   nginx     "/docker-entrypoint..." 5 minutes ago  Up 5 minutes  0.0.0.0:80->80/tcp, :::80->80/tcp  proxyserver
d6a4dc8e80b7    nginx     "/docker-entrypoint..." 11 minutes ago Up 11 minutes  80/tcp                             c2
842f4dc805b7    nginx     "/docker-entrypoint..." 11 minutes ago Up 11 minutes  80/tcp                             c1

root@ip-172-31-21-243: /home/ubuntu# docker exec -it proxyserver bash
root@6444a823d9870:/# cd /etc/nginx
root@6444a823d9870:/etc/nginx# vi nginx.conf
root@6444a823d9870:/etc/nginx# cat nginx.conf

user nginx;
worker_processes auto;

error_log /var/log/nginx/error.log notice;
pid /run/nginx.pid;

events {
    worker_connections 1024;
}

http {
    include /etc/nginx/mime.types;
    default_type application/octet-stream;

    log_format main '$remote_addr - $remote_user [$time_local] "$request" '
        '$status $body_bytes_sent "$http_referer" '
        '"$http_user_agent" "$http_x_forwarded_for"';

    access_log /var/log/nginx/access.log main;

    sendfile on;
    #tcp_nopush on;

    keepalive_timeout 65;

    #gzip on;

    include /etc/nginx/conf.d/*.conf;
}

conf.d fastcgi_params mime.types modules nginx.conf scgi_params uwsgi_params
root@6444a823d9870:/etc/nginx# vi conf.d
root@6444a823d9870:/etc/nginx# exit
exit
root@ip-172-31-21-243: /home/ubuntu# docker stop proxyserver
proxyserver
root@ip-172-31-21-243: /home/ubuntu# docker logs proxyserver
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: Getting the checksum of /etc/nginx/conf.d/default.conf
10-listen-on-ipv6-by-default.sh: info: Enabled listen on IPv6 in /etc/nginx/conf.d/default.conf
/docker-entrypoint.sh: Sourcing /docker-entrypoint.d/15-local-resolvers.envsh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2025/10/25 19:13:08 [notice] 1#1: using the "epoll" event method
2025/10/25 19:13:08 [notice] 1#1: nginx/1.29.2
2025/10/25 19:13:08 [notice] 1#1: built by gcc 14.2.0 (Debian 14.2.0-19)
2025/10/25 19:13:08 [notice] 1#1: OS: Linux 6.14.0-1014-aws
2025/10/25 19:13:08 [notice] 1#1: getrlimit(RLIMIT_NOFILE): 1048576:1048576
2025/10/25 19:13:08 [notice] 1#1: start worker processes
2025/10/25 19:13:08 [notice] 1#1: start worker process 29
2025/10/25 19:15:06 [notice] 1#1: signal 17 (SIGCHLD) received from 70
2025/10/25 19:15:06 [notice] 1#1: unknown process 70 exited with code 0
3.238.57.161 -- [25/Oct/2025:19:21:12 +0000] "GET / HTTP/1.1" 200 615 "-" "Mozilla/5.0 (Linux; Android 8.0.0; SAMSUNG-SM-G891A) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/76.0.3809.111 Mobile Safari/537.36" "-"
204.76.203.219 -- [25/Oct/2025:19:23:02 +0000] "GET / HTTP/1.1" 200 615 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/90.0.4430.85 Safari/537.36 Edg/90.0.818.46" "-"
2025/10/25 19:42:24 [notice] 1#1: signal 3 (SIGQUIT) received, shutting down
2025/10/25 19:42:24 [notice] 29#29: gracefully shutting down
2025/10/25 19:42:24 [notice] 29#29: exiting
2025/10/25 19:42:24 [notice] 29#29: exit
2025/10/25 19:42:24 [notice] 1#1: signal 17 (SIGCHLD) received from 29
2025/10/25 19:42:24 [notice] 1#1: worker process 29 exited with code 0
2025/10/25 19:42:24 [notice] 1#1: exit
root@ip-172-31-21-243: /home/ubuntu# docker start proxyserver
proxyserver
root@ip-172-31-21-243: /home/ubuntu# docker restart proxyserver
proxyserver
root@ip-172-31-21-243: /home/ubuntu# docker ps
```

```
root@ip-172-31-21-243: /home
2025/10/25 19:15:06 [notice] 1#1: signal 17 (SIGCHLD) received from 70
2025/10/25 19:15:06 [notice] 1#1: unknown process 70 exited with code 0
3.238.57.161 - - [25/Oct/2025:19:21:12 +0800] "GET / HTTP/1.1" 200 615 "-" "Mozilla/5.0 (Linux; Android 8.0.0; SAMSUNG-SM-G891A) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/76.0.3809.111 Mobile Safari/537.36" "-"
204.76.203.219 - - [25/Oct/2025:19:23:02 +0800] "GET / HTTP/1.1" 200 615 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/90.0.4430.85 Safari/537.36 Edg/90.0.818.46" "-"
2025/10/25 19:42:24 [notice] 1#1: signal 3 (SIGQUIT) received, shutting down
2025/10/25 19:42:24 [notice] 29#29: gracefully shutting down
2025/10/25 19:42:24 [notice] 29#29: exiting
2025/10/25 19:42:24 [notice] 29#29: exit
2025/10/25 19:42:24 [notice] 1#1: signal 17 (SIGCHLD) received from 29
2025/10/25 19:42:24 [notice] 1#1: worker process 29 exited with code 0
2025/10/25 19:42:24 [notice] 1#1: exit
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: IPv6 listen already enabled
/docker-entrypoint.sh: Sourcing /docker-entrypoint.d/15-local-resolvers.envsh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2025/10/25 19:43:46 [emerg] 1#1: host not found in upstream "webserver" in /etc/nginx/conf.d/default.conf:9
nginx: [emerg] host not found in upstream "webserver" in /etc/nginx/conf.d/default.conf:9
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: IPv6 listen already enabled
/docker-entrypoint.sh: Sourcing /docker-entrypoint.d/15-local-resolvers.envsh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2025/10/25 19:44:59 [emerg] 1#1: host not found in upstream "webserver" in /etc/nginx/conf.d/default.conf:9
nginx: [emerg] host not found in upstream "webserver" in /etc/nginx/conf.d/default.conf:9
root@ip-172-31-21-243: /home/ubuntu# docker network create n1
Error response from daemon: network with name n1 already exists
root@ip-172-31-21-243: /home/ubuntu#
root@ip-172-31-21-243: /home/ubuntu# docker network create n5
ab8fed9199e2a76f1849e945c76b9a7bf1a16557997c58d491825075110d265a
root@ip-172-31-21-243: /home/ubuntu# docker network connect n5 c1
root@ip-172-31-21-243: /home/ubuntu# docker network connect n5 c2
root@ip-172-31-21-243: /home/ubuntu# docker network connect n5 proxyserver
```

Snipping Tool

Screenshot copied to clipboard
Automatically saved to screenshots folder.

Mark-up and share

```
root@ip-172-31-21-243: /home/ubuntu# docker inspect proxyserver
[
  {
    "Id": "644a823d9870077cd8c3b5d5404d09699fd9e9b71dc8759b4ae5510bc1dc7852",
    "Created": "2025-10-25T19:13:08.135862954Z",
    "Path": "/docker-entrypoint.sh",
    "Args": [
      "nginx",
      "-g",
      "daemon off;"
    ],
    "State": {
      "Status": "exited",
      "Running": false,
      "Paused": false,
      "Restarting": false,
      "OOMKilled": false,
      "Dead": false,
      "Pid": 0,
      "ExitCode": 1,
      "Error": "",
      "StartedAt": "2025-10-25T19:52:24.792886587Z",
      "FinishedAt": "2025-10-25T19:52:25.245346593Z"
    },
    "Image": "sha256:657fddc1c3659cf57cfaa13f40842e0a26b49ec9654d48fdefee9fc8259b4aab",
    "ResolvConfPath": "/var/lib/docker/containers/644a823d9870077cd8c3b5d5404d09699fd9e9b71dc8759b4ae5510bc1dc7852/resolv.conf",
    "HostnamePath": "/var/lib/docker/containers/644a823d9870077cd8c3b5d5404d09699fd9e9b71dc8759b4ae5510bc1dc7852/hostname",
    "HostsPath": "/var/lib/docker/containers/644a823d9870077cd8c3b5d5404d09699fd9e9b71dc8759b4ae5510bc1dc7852/hosts",
    "LogPath": "/var/lib/docker/containers/644a823d9870077cd8c3b5d5404d09699fd9e9b71dc8759b4ae5510bc1dc7852/644a823d9870077cd8c3b5d5404d09699fd9e9b71dc8759b4ae5510bc1dc7852-json.log",
    "Name": "/proxyserver",
    "RestartCount": 0,
    "Driver": "overlay2",
    "Platform": "linux",
    "MountLabel": "",
    "ProcessLabel": "",
    "AppArmorProfile": "docker-default",
    "ExecIDs": null,
    "HostConfig": {
      "Binds": null,

```

OneDrive

Not enough cloud storage
Get more storage to back up these files.

Free up space Upgrade

```
root@ip-172-31-21-243:/home  x  +  v
like Gecko) Chrome/76.0.3809.111 Mobile Safari/537.36" "-"
204.76.203.219 - - [25/Oct/2025:19:23:02 +0800] "GET / HTTP/1.1" 200 615 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Geck
o) Chrome/90.0.4430.85 Safari/537.36 Edg/90.0.818.46" "-"
2025/10/25 19:42:24 [notice] 1#1: signal 3 (SIGQUIT) received, shutting down
2025/10/25 19:42:24 [notice] 29#29: gracefully shutting down
2025/10/25 19:42:24 [notice] 29#29: exiting
2025/10/25 19:42:24 [notice] 29#29: exit
2025/10/25 19:42:24 [notice] 1#1: signal 17 (SIGCHLD) received from 29
2025/10/25 19:42:24 [notice] 1#1: worker process 29 exited with code 0
2025/10/25 19:42:24 [notice] 1#1: exit
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: IPv6 listen already enabled
/docker-entrypoint.sh: Sourcing /docker-entrypoint.d/15-local-resolvers.envsh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2025/10/25 19:43:46 [emerg] 1#1: host not found in upstream "webserver" in /etc/nginx/conf.d/default.conf:9
nginx: [emerg] host not found in upstream "webserver" in /etc/nginx/conf.d/default.conf:9
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: IPv6 listen already enabled
/docker-entrypoint.sh: Sourcing /docker-entrypoint.d/15-local-resolvers.envsh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2025/10/25 19:44:59 [emerg] 1#1: host not found in upstream "webserver" in /etc/nginx/conf.d/default.conf:9
nginx: [emerg] host not found in upstream "webserver" in /etc/nginx/conf.d/default.conf:9
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: IPv6 listen already enabled
/docker-entrypoint.sh: Sourcing /docker-entrypoint.d/15-local-resolvers.envsh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2025/10/25 19:52:25 [emerg] 1#1: host not found in upstream "webserver" in /etc/nginx/conf.d/default.conf:9
nginx: [emerg] host not found in upstream "webserver" in /etc/nginx/conf.d/default.conf:9
root@ip-172-31-21-243:/home/ubuntu#
```