

Ahorcado Futbolero

Ramon Niembro Remis 2DAW

1- Establecemos los 2 diferentes sprints en los que vamos a dividir el desarrollo de la app

Tablero Sprint 1 Añadir fechas (9 actividades)			28 0 0		Iniciar sprint ...
☒	PAC-1	Crear proyecto Vue 3 + estructura	TAREAS POR HACER	-	
☒	PAC-2	Configurar Firebase + vincular repo	TAREAS POR HACER	3	
☒	PAC-3	Crear palabras.json con jugadores	TAREAS POR HACER	1	
☒	PAC-4	Composable useJuego.js	TAREAS POR HACER	5	
☒	PAC-5	Componente ArbitroSVG.vue	TAREAS POR HACER	5	
☒	PAC-6	Componente TarjetasAcumuladas.vue	TAREAS POR HACER	5	
☒	PAC-7	Componente PalabraOculta.vue + pista	TAREAS POR HACER	3	
☒	PAC-8	Componente TecladoLetras.vue	TAREAS POR HACER	3	
☒	PAC-9	Tests básicos con Vitest	TAREAS POR HACER	3	

▼ Tablero Sprint 2 📅 Añadir fechas (6 actividades) 0 0 0 Iniciar sprint ⋮	
✓ PAC-10 Componente SelectorLiga.vue TAREAS POR HACER ▼ - 👤	
✓ PAC-11 Componente ResultadoFinal.vue TAREAS POR HACER ▼ - 👤	
✓ PAC-12 App.vue integración completa TAREAS POR HACER ▼ - 👤	
✓ PAC-13 Dockerfile producción TAREAS POR HACER ▼ - 👤	
✓ PAC-14 Jenkinsfile pipeline CI/CD TAREAS POR HACER ▼ - 👤	
✓ PAC-15 Documento PDF entregable TAREAS POR HACER ▼ - 👤	

2- Configuración de Firebase y entorno Deploy.

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff comparisons](#).

 base: **main**

 compare: **PAC-2-Configurar-Firebase-vin...**

 **Able to merge.** These branches can be automatically merged.

**Add a title ***
\$CRUM-02: Configurar Firebase Hosting y ficheros de deploy

Add a description

WritePreview



Add your description here...

 Markdown is supported Paste, drop, or click to add files

Reviewers

Suggestions

 **Copilot**

Request

Copilot can review pull requests

Request a review from Copilot to get fast, actionable feedback on your code, so you can start iterating before you receive a human review.

Learn more

OK, dismiss

Projects

None yet

Milestone

No milestone

Development

Use [Closing keywords](#) in the description to automatically close issues


Create pull request

 Remember, contributions to this repository should follow our [GitHub Community Guidelines](#).

Aceptamos el merge después de confirmar que los cambios no influyen entre sí.



Confirmamos que los cambios deberían de estar ya aplicados y resueltos en Jira.



3- Añadimos la base de datos de 70 jugadores que vamos a utilizar en la app para las distintas ligas que tenemos en formato JSON

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff comparisons](#).

base: main ← compare: PAC-3-Crear-palabras.json-con... ✓ Able to merge. These branches can be automatically merged.

Add a title *

SCRUM-03: Añadir jugadores.json con 70 jugadores

Add a description

Write Preview

Add your description here...

Markdown is supported Paste, drop, or click to add files

Create pull request

Reviewers

Suggestions

Copilot Request

Copilot can review pull requests

Request a review from Copilot to get fast, actionable feedback on your code, so you can start iterating before you receive a human review.

Learn more OK, dismiss

Projects

None yet

Milestone

No milestone

Development

Use [closing keywords](#) in the description to automatically close issues

4- Añadimos la lógica principal para el correcto funcionamiento del juego

SCRUM-04: Añadir composable useJuego.js Contiene toda la logica del a...

#3

Merged MonBenia merged 1 commit into main from PAC-4-Composable-useJuego.js now

Conversation 0 Commits 1 Checks 0 Files changed 1 +131

MonBenia commented now

Añadimos toda la lógica de el juego de ahorcado

Mention @copilot in a comment to make changes to this pull request.

SCRUM-04: Añadir composable useJuego.js Contiene toda la logica del a... 838f45b

MonBenia merged commit f937efa into main now

Revert

Reviewers

Suggestions

Copilot Request

Still in progress? Convert to draft

Assignees

No one—assign yourself

Labels

None yet

Projects

5- Añadimos el apartado visual de los componentes del árbitro en el ahorcado.

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff comparisons](#).

base: main ← compare: PAC-5-Componente-ArbitroSV... ✓ Able to merge. These branches can be automatically merged.

Add a title *

SCRUM-05: Añadir componente ArbitroSVG.vue con tarjeta reactiva

Add a description

Write Preview

Añadimos el componente de el arbitro como "ahorcado"

Markdown is supported Paste, drop, or click to add files

Reviewers

Suggestions

Copilot Request

Copilot can review pull requests

Request a review from Copilot to get fast, actionable feedback on your code, so you can start iterating before you receive a human review.

Learn more OK, dismiss

Projects

None yet

Milestone

No milestone

Development

Use [Closing keywords](#) in the description to automatically close issues

Create pull request

6- Añadimos el apartado visual de las tarjetas, para ver los avisos antes de ser eliminados.

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff comparisons](#).

base: main ← compare: PAC-6-Componente-TarjetasAc... ✓ Able to merge. These branches can be automatically merged.

Add a title *

SCRUM-06: Añadir componente TarjetasAcumuladas.vue verde amarilla roja

Add a description

Write Preview

Añadimos las diferentes tarjetas: Verde, Amarilla y Roja

Markdown is supported Paste, drop, or click to add files

Reviewers

Suggestions

Copilot Request

Copilot can review pull requests

Request a review from Copilot to get fast, actionable feedback on your code, so you can start iterating before you receive a human review.

Learn more OK, dismiss

Projects

None yet

Milestone

No milestone

Development

Use [Closing keywords](#) in the description to automatically close issues

Create pull request

7- Añadimos el fragmento donde se va a colocar la palabra oculta que habría que adivinar

The screenshot shows the GitHub Pull Request creation interface. The title is "SCRUM-07: Añadir componente PalabraOculta.vue con pista opcional". The description field contains the text: "Añadimos la palabra oculta a la vista además de un botón opcional que te da una pista". The right sidebar includes a Copilot suggestion to review pull requests, project and milestone information (both set to "None yet"), and helpful resources. A green "Create pull request" button is at the bottom right.

Add a title *

SCRUM-07: Añadir componente PalabraOculta.vue con pista opcional

Add a description

Write Preview

Añadimos la palabra oculta a la vista además de un botón opcional que te da una pista

Markdown is supported Paste, drop, or click to add files

Create pull request

Remember, contributions to this repository should follow our [GitHub Community Guidelines](#).

Reviewers

Suggestions

Copilot Request

Copilot can review pull requests

Request a review from Copilot to get fast, actionable feedback on your code, so you can start iterating before you receive a human review.

Learn more OK, dismiss

Projects

None yet

Milestone

No milestone

Development

Use [Closing keywords](#) in the description to automatically close issues

Helpful resources

[GitHub Community Guidelines](#)

8- Añadimos el teclado para ya poder Jugar al ahorcado.

The screenshot shows the GitHub Pull Request conversation view. At the top, it displays statistics: Conversation (0), Commits (1), Checks (0), and Files changed (1). A comment by MonBenia states: "Añadimos el teclado para poder jugar y los colores asignados a cada fallo." Below the comment is a suggestion to mention @copilot. The commit history shows a merge of commit 241f93e into main by MonBenia. At the bottom, a success message states: "Pull request successfully merged and closed. You're all set — the PAC-8-Componente-TecladoLetras.vue branch can be safely deleted." with a "Delete branch" button.

Conversation 0 Commits 1 Checks 0 Files changed 1

MonBenia commented now • edited

Añadimos el teclado para poder jugar y los colores asignados a cada fallo.

Mention @copilot in a comment to make changes to this pull request.

SCRUM-08: Añadir componente TecladoLetras.vue con colores por tipo de...

MonBenia merged commit 241f93e into main now


Revert

Pull request successfully merged and closed


You're all set — the `PAC-8-Componente-TecladoLetras.vue` branch can be safely deleted.

Delete branch


9- Realizamos los test unitarios para comprobar que la app funciona correctamente.




10- Completamos el primer sprint que nos habíamos planteado.




11- Iniciamos el segundo Sprint.



12- Añadimos un selector para escoger una de las 5 ligas que proponemos en el juego.




13- Añadimos el bocadillo de texto para el resultado final de el juego en caso de ganar o de perder.




A screenshot of a GitHub pull request form. At the top, there's a profile picture of a man with a beard and a red shirt. Below it, the text "Add a title *" is followed by a text input field containing "SCRUM-11: Añadir componente ResultadoFinal.vue con bocadillo de penalti". To the right of the input field is a small icon of a repository. Below the title field, the text "Add a description" is followed by a rich text editor. The editor has two tabs: "Write" and "Preview". The "Write" tab is active. The editor's toolbar includes icons for bold, italic, link, unlink, list, and other formatting options. The main text area of the editor is empty, with the placeholder text "Add your description here...". At the bottom of the editor, there are two buttons: "Markdown is supported" and "Paste, drop, or click to add files". At the bottom right of the form, there is a green button labeled "Create pull request" with a dropdown arrow.

14 - Unimos todos los archivos para comprobar que la app funciona correctamente con todos los componentes unidos.




A screenshot of a GitHub pull request form. At the top, there's a profile picture of a man with a beard and a red shirt. Below it, the text "Add a title *" is followed by a text input field containing "SCRUM-12: App.vue integracion completa de todos los componentes". To the right of the input field is a small icon of a repository. Below the title field, the text "Add a description" is followed by a rich text editor. The editor has two tabs: "Write" and "Preview". The "Write" tab is active. The editor's toolbar includes icons for bold, italic, link, unlink, list, and other formatting options. The main text area of the editor is empty, with the placeholder text "Add your description here...". At the bottom of the editor, there are two buttons: "Markdown is supported" and "Paste, drop, or click to add files". At the bottom right of the form, there is a green button labeled "Create pull request" with a dropdown arrow.

14- Realizamos el archivo dockerfile



A screenshot of a GitHub pull request form. At the top left is a user profile picture. To its right is the text 'Add a title *'. Below this is a text input field containing 'Pac 13 dockerfile producción'. To the right of the input field is a small icon of a document with a plus sign. Below the title field is the text 'Add a description'. Underneath is a rich text editor with a 'Write' tab selected and a 'Preview' tab. The editor has a toolbar with icons for bold, italic, link, and other formatting options. The main text area of the editor contains the placeholder text 'Add your description here...'. At the bottom left of the editor, there are two small icons: one for a document with a plus sign and the text 'Markdown is supported', and another for a document with a plus sign and the text 'Paste, drop, or click to add files'. At the bottom right of the form is a green button labeled 'Create pull request' with a small downward arrow.

15- Añadimos el archivo Jenkinsfile para controlar el flujo con las actualizaciones directamente al lanzarla en firebase.



A screenshot of a GitHub pull request form. At the top left is a user profile picture. To its right is the text 'Add a title *'. Below this is a text input field containing 'SCRUM-14: Añadir Jenkinsfile con pipeline CI/CD completo'. To the right of the input field is a small icon of a document with a plus sign. Below the title field is the text 'Add a description'. Underneath is a rich text editor with a 'Write' tab selected and a 'Preview' tab. The editor has a toolbar with icons for bold, italic, link, and other formatting options. The main text area of the editor contains the placeholder text 'Add your description here...'. At the bottom left of the editor, there are two small icons: one for a document with a plus sign and the text 'Markdown is supported', and another for a document with a plus sign and the text 'Paste, drop, or click to add files'. At the bottom right of the form is a green button labeled 'Create pull request' with a small downward arrow.

16- Realizamos la configuración básica para que Jenkins utilice nuestro repositorio de github para lanzar las actualizaciones y después lanzar la app en firebase.

Pipeline CI/CD para el proyecto Ahorcado Fútbol

Plain text [Visualizar](#)

- ☐ Desechar ejecuciones antiguas ?
- ☐ Do not allow concurrent builds
- ☐ Do not allow the pipeline to resume if the controller restarts
- ☐ Esta ejecución debe parametrizarse ?
- ☐ GitHub project
- ☐ Pipeline speed/durability override ?
- ☐ Preserve stashes from completed builds ?
- ☐ Throttle builds ?

Triggers

Set up automated actions that start your build based on specific events, like code changes or scheduled times.

- ☐ Construir tras otros proyectos ?
- ☐ Consultar repositorio (SCM) ?
- ☐ Ejecutar periódicamente ?
- ☒ GitHub hook trigger for GITScm polling ?
- ☐ Lanzar ejecuciones remotas (ejem: desde 'scripts') ?

Definition

Pipeline script from SCM

SCM ?

Git

Repositories ?

Repository URL ?

https://github.com/MonBenia/ProyectoCliente_Ahorcado_Futbol.git

Credentials ?

- none -

+ Add

Avanzado

Branches to build ?

Branch Specifier (blank for 'any') ?

*/main

+ Add Branch

Navegador del repositorio ?

(Auto)

Additional Behaviours

+ Añadir

Script Path ?

Jenkinsfile

☒ Lightweight checkout ?

Pipeline Syntax

[Repositorio de GitHub](#)

[Ahorcado de fútbol](#)

Uno de los principales problemas que he encontrado fue el deploy en Jenkins debido a que utiliza comandos de windows en vez de comandos de Linux, además de algunos errores con la carpeta Dist en el lanzamiento