Oss.html

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <title>Online Shopping Page</title>
 <style>
  body {
   font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
   margin: 20px;
   background-color: #f8f9fa;
   color: #333;
  }
  h1 {
   text-align: center;
   color: #2c3e50;
   font-size: 36px;
   margin-bottom: 10px;
  }
  h2 {
   color: #34495e;
   border-bottom: 2px solid #ccc;
   padding-bottom: 5px;
   margin-top: 40px;
  }
  a#nav {
   display: inline-block;
   background-color: #2980b9;
   color: #fff;
   padding: 10px 20px;
   text-decoration: none;
   border-radius: 5px;
   margin-bottom: 20px;
  }
  a#nav:hover {
   background-color: #3498db;
 }
```

```
.products, .cart {
 display: flex;
 flex-wrap: wrap;
 gap: 20px;
 margin-top: 20px;
.product {
 border: 1px solid #ddd;
 padding: 15px;
 width: 180px;
 text-align: center;
 background-color: #fff;
 border-radius: 8px;
 box-shadow: 0 2px 5px rgba(0,0,0,0.1);
 transition: transform 0.3s ease, box-shadow 0.3s ease;
}
.product:hover {
 transform: translateY(-5px);
box-shadow: 0 4px 12px rgba(0,0,0,0.2);
}
.product img {
 border-radius: 4px;
}
#cart {
 border: 2px dashed #7f8c8d;
 padding: 20px;
 min-height: 120px;
 background-color: #ecf0f1;
 border-radius: 8px;
 flex: 1;
}
.category-map img {
 width: 100%;
 max-width: 600px;
 border-radius: 8px;
}
#map {
 width: 100%;
```

```
height: 300px;
   margin-top: 20px;
   border-radius: 8px;
   overflow: hidden;
   box-shadow: 0 2px 8px rgba(0,0,0,0.1);
  button {
   padding: 10px 20px;
   font-size: 16px;
   background-color: #27ae60;
   color: white;
   border: none;
   border-radius: 5px;
   cursor: pointer;
   margin-bottom: 10px;
  button:hover {
   background-color: #2ecc71;
  video {
   border-radius: 8px;
  box-shadow: 0 2px 10px rgba(0,0,0,0.15);
 }
  strong p {
   margin: 0;
   font-weight: bold;
   color: #2c3e50;
 </style>
</head>
<body>
 <h1>Welcome to ShopNow!</h1>
 <h2>Shop by Category</h2>
 <a href="navigate.html" id="nav">Click here to view categories</a>
 <h2>Products</h2>
```

```
<div class="products" id="productList">
 <div class="product" draggable="true" ondragstart="drag(event)" id="prod1">
   <a href="mobile.html"><img src="phn.avif" alt="mobile" width="140"
height="140"></a><br>
   <strong>Mobile Phone</strong><br>
 </div>
  <div class="product" draggable="true" ondragstart="drag(event)" id="prod2">
   <a href="airpod.html"><img src="ap.jfif" alt="airpods" width="120" height="130"></a><br>
   <strong>Airpods</strong><br>
  </div>
 <div class="product" draggable="true" ondragstart="drag(event)" id="prod3">
   <a href="camera.html"><img src="cam.jfif" alt="camera" width="120"
height="130"></a><br>
   <strong>Camera</strong><br>
 </div>
 <h2>Product Demo</h2>
 <video width="400" height="200" controls>
 <source src="video demo.mp4" type="video/mp4">
 Your browser does not support the video tag.
 </video>
 <h2>Your Cart</h2>
 <div id="cart" ondrop="drop(event)" ondragover="allowDrop(event)">
 Drag items here to add to cart.
 </div>
 <button style="margin-top: 20px;"><a href="buy.html" style="text-
decoration:none;color:white;">Order Now</a></button>
 <h2>Find Our Store</h2>
 <button onclick="getLocation()">Show My Location on Map</button>
 <div id="map"></div>
 <script>
 function allowDrop(ev) {
   ev.preventDefault();
```

```
}
  function drag(ev) {
   ev.dataTransfer.setData("text", ev.target.id);
  }
  function drop(ev) {
   ev.preventDefault();
   var data = ev.dataTransfer.getData("text");
   var item = document.getElementById(data).cloneNode(true);
   item.removeAttribute('id');
   ev.target.appendChild(item);
  function getLocation() {
   if (navigator.geolocation) {
    navigator.geolocation.getCurrentPosition(showPosition);
   } else {
    alert("Geolocation is not supported by this browser.");
   }
  }
  function showPosition(position) {
   const lat = position.coords.latitude;
   const lon = position.coords.longitude;
   const map = document.getElementById("map");
   map.innerHTML = `<iframe width="100%" height="300" frameborder="0"
    src="https://maps.google.com/maps?q=${lat},${lon}&z=15&output=embed"></iframe>`;
  }
 </script>
</body>
</html>
Navigate.html
<!DOCTYPE html>
<html>
<head>
 <title>Product Navigator</title>
 <style>
  body {
   font-family: Arial, sans-serif;
   background-color: #fdf6e3;
```

```
margin: 20px;
}
.container {
 display: flex;
 gap: 30px;
.image-area {
 flex: 1;
.details {
 flex: 1;
 background-color: cornsilk;
 padding: 20px;
 border-radius: 8px;
 min-height: 200px;
 box-shadow: 0 0 8px rgba(0,0,0,0.1);
.details img {
 width: 200px;
 height: auto;
 display: block;
 margin-bottom: 10px;
}
.details pre {
 font-family: Arial, Helvetica, sans-serif;
 font-size: 16px;
}
p {
 font-size: 18px;
 font-weight: bold;
}
#cart {
 margin-top: 40px;
 width: 300px;
 min-height: 150px;
 padding: 15px;
 border: 2px dashed #000;
 background-color: #fff;
```

```
border-radius: 10px;
   align-content: flex-end;
  }
  #cart h3 {
   margin-top: 0;
  #cart img {
   width: 80px;
   margin: 10px;
  }
  .right {
   flex: 1;
   display: flex;
   flex-direction: column;
   gap: 20px;
  }
  button {
   padding: 10px 20px;
   font-size: 16px;
   background-color: #27ae60;
   color: white;
   border: none;
   border-radius: 5px;
   cursor: pointer;
   margin-bottom: 10px;
  }
  button:hover {
   background-color: #2ecc71;
 </style>
</head>
<body>
Click the items in the image to view the product
<div class="container">
 <div class="image-area">
  <img src="categories.webp" usemap="#fashionmap" width="646" height="960" alt="Fashion
Look">
```

```
<map name="fashionmap">
   <area shape="rect" coords="190,150,450,400" href="#" alt="Shirt"
onclick="showDetails('shirt')">
   <area shape="rect" coords="220,400,420,900" href="#" alt="Pants"
onclick="showDetails('pants')">
   <area shape="rect" coords="150,350,300,450" href="#" alt="Bag"
onclick="showDetails('bag')">
  </map>
 </div>
 <div class="right">
  <div class="details" id="productDetails">
   Select a product from the image to view its details.
  </div>
  <div id="cart" ondrop="drop(event)" ondragover="allowDrop(event)">
  <h3>

Your Cart</h3>
   Drag and drop product image here.
  </div>
  <button style="margin-top: 20px;"><a href="buy.html" style="text-
decoration:none;color:white;">Order Now</a></button>
 </div>
</div>
<script>
function showDetails(product) {
  const container = document.getElementById("productDetails");
  let content = "";
  if (product === "shirt") {
   content = `
    <img src="shirt.jpeg" alt="Shirt" draggable="true" ondragstart="drag(event)" id="shirt-
img">
    Name: Women Shirt
Color: White
Price: Rs.400/-
```


```
} else if (product === "pants") {
   content = `
    <img src="pants.avif" alt="Pants" draggable="true" ondragstart="drag(event)" id="pants-
img">
    Name: Women Pants
Color: Black
Price: Rs.650/-
    } else if (product === "bag") {
   content = `
    <img src="bag.webp" alt="Bag" draggable="true" ondragstart="drag(event)" id="bag-img">
    Name: Handbag
Color: Brown
Price: Rs.800/-
    container.innerHTML = content;
 function allowDrop(ev) {
  ev.preventDefault();
 function drag(ev) {
  ev.dataTransfer.setData("id", ev.target.id);
 function drop(ev) {
  ev.preventDefault();
  const data = ev.dataTransfer.getData("id");
  const draggedImage = document.getElementById(data);
  const cart = document.getElementById("cart");
  const item = draggedImage.cloneNode(true);
  item.removeAttribute('id');
  item.setAttribute('draggable', 'false');
  cart.appendChild(item);
 }
```

```
</script>
</body>
</html>
Buy.html
<html>
  <head>
    <style>
      body{
        background-color: palegreen;
      }
      a{
        text-decoration: none;
        color:white;
      }
      button:hover {
        background-color: #2ecc71;
      }
      button {
        padding: 10px 20px;
        font-size: 16px;
        background-color: #27ae60;
        color: white;
        border: none;
        border-radius: 5px;
        cursor: pointer;
        margin-bottom: 10px;
        margin-left: 55px;
        margin-top: 20px;
      }
      p{
        font-size: 20px;
         margin-top: 20px;
      }
      .container{
        margin-top: 10%;
        margin-left: 40%;
      }
```

```
#success{
    border-radius: 100%;
    margin-left:72px;
}
    </style>
    </head>

    <body>
        <div class="container">
            <h1>Order Confirmed</h1>
            <img src="tick.png" alt="success" id="success" width="100">
                 Thank You for your purchase.
            <button><a href="oss.html">Back to Home</a></button>
            </div>
            <button><a href="oss.html">Back to Home</a></button>
            </button></br/>
            <button><a href="oss.html">Houre</a></button>
            <button><a href="oss.html">Houre<a href="oss.html">Back to Home</a></button>
            <button><a href="oss.html">Houre<a href="oss.html">Back to Home</a></button>
            <button><a href="oss.html">Houre<a href="oss.html">Hou
```


OUTPUT 1



OUTPUT 2



OUTPUT 3



OUTPUT 4



OUTPUT 5

