Learn, Share, Build

Each month, over 50 million developers come to Stack Overflow to learn, share their knowledge, and build their careers.

Google Facebook
OR

X

Join the world's largest developer community.

Simple search MySQL database using php

I currently have a small php script that searches a database based on user input. There is an html file that has one field that is used for entry of search strings into the database. Essentially, you can search for employees.

It is supposed to retrieve the employee result, if found, and a 'no employee found' message, if not.

For some reason, however, no matter the search, the guery returns every employee in the database.

I've been working on this for over an hour, and I am honestly stumped. It may be a simple error but I could do with some help.

Any help appreciated.

Thanks

nhn



asked Apr 11 '14 at 23:19
TimelordViktorious

2 Check the variable being posted from your form. Note search != Search , and if you get it wrong your guery will contain LIKE '%', which matches everything. – user1864610 Apr 11 '14 at 23:22

When you have problems like this, it's time to use var_dump(). For example, in this case, just after you get your \$name variable, I would var_dump(\$name); to see what it contains. If it's empty, then you know why you're getting all results - because everything matches `LIKE "%%"! - cale b Apr 11 '14 at 23:25

Thank you both - never knew you could use var_dump like that. Great to know. It was simply the POST not being capatilized. :P - TimelordViktorious Apr 12 '14 at 0:14

5 Answers

You need to use \$ POST not \$ post .



answered Apr 11 '14 at 23:23



1 Well spotted!!! - user1864610 Apr 11 '14 at 23:24

First add HTML code:

```
<form action="" method="post">
<input type="text" name="search">
<input type="submit" name="submit" value="Search">
</form>
```

Now added PHP code:

```
<?php
$search_value=$_POST["search"];
$con=new mysqli($servername, $username, $password, $dbname);
if($con->connect_error){
   echo 'Connection Faild: '.$con->connect_error;
   }else{
```

21 4

```
$sql="select * from information where First_Name like '%$search_value%'";
$res=$con->query($sql);
while($row=$res->fetch_assoc()){
    echo 'First_name: '.$row["First_Name"];
}

answered Sep 4 '16 at 12:36
TARIK BILLAH
```

This is a better code that will help you through. With your database, but rather, I have used mysql not mysqli

<body>

Enjoy it.

```
<form action="" method="post">
 <input name="search" type="search" autofocus><input type="submit" name="button">
</form>
<br/>irst Name
<?php
$con=mysql connect('localhost', 'root', '');
$db=mysql select db('employee');
if(isset($_POST['button'])){    //trigger button click
 $search=$_POST['search'];
 $query=mysql query("select * from employees where first name like '%{$search}%'
|| last_name like '%{$search}%' ");
if (mysql num rows($query) > 0) {
 while ($row = mysql fetch array($query)) {
   echo "".$row['first_name']."".$row['last_name']."
";
}else{
   echo "No employee Found<br><br>";
}else{
                           //while not in use of search returns all the
values
 $query=mysql_query("select * from employees");
 while ($row = mysql_fetch_array($query)) {
   echo "".$row['first_name']."".$row['last_name']."
";
```

```
}
mysql_close();
?>
```

answered Mar 16 '16 at 12:38



```
require once('functions.php');
$errors = FALSE;
$errorMessage = "";
if(mysgli connect error()){
  $errors = TRUE;
  $errorMessage .= "There was a connection error <br/> ";
  errorDisplay($errorMessage);
  die($errors);
} else if($errors != "TRUE"){
  $errors .= FALSE;
if(isset(mysqli_real_escape_string($_POST['search']))){
  $search = mysqli_real_escape_string($_POST['search']);
  search(search);
?>
<?php
//This is functions.php
function search($searchQuery){
  echo "<div class="col-md-10 col-md-offset-1">";
  $searchTerm
  $query = query("SELECT * FROM `index` WHERE `keywords` LIKE '".$searchTerm."' ");
  while($row = mysqli_fetch_array($query)){
   $results = <<< DELIMITER</pre>
      <div class="result col-md-12">
       <a href="index.php?search={$row['id']}"> {$row['Title']} </a>
       {$row['description']}
      </div>
DELIMITER:
    echo $results;
  echo "</div>";
function errorDisplay($msg){
  if(!isset($_SESSION['errors'])){
   $_SESSION['errors'] = $msg;
    showError($msg);
  } else if() {
   $_SESSION['errors'] .= $msg . "<br>";
    showError($msg);
function showError($msg) {
```

```
return $msg;
unset($_SESSION['errors']);
}
?>`
Perhaps That Helps?
```

answered Jan 6 at 21:19



Just with the above answer I hope it was the problem.

```
$_POST['search'] instead of $_post['search']
```

And again use LIKE '%\$name%' instead of LIKE '%{\$name}%'

edited Mar 1 '16 at 16:23



maytham-шецұ́леш 7,023 7 26 62 answered Feb 29 '16 at 14:04



1 Hi, welcome to StackOverflow. You already answered this question, so please edit your previous answer if you wish to add some information. Thanks. – Cthulhu Feb 29 '16 at 14:29