

What's New? Forum New Posts FAQ Calendar Forum Actions Quick Links Advanced Search ♠ Forum PHP Help Coding PHP to take action upon button click If this is your first visit, be sure to check out the FAQ by clicking the link above. You may have to register before you can post: click the register link above to proceed. To start viewing messages, select the forum that you want to visit from the selection below. Results 1 to 9 of 9 Thread: PHP to take action upon button click G+ Share Share 0 Tweet Share Thread Tools Search Thread #1 11-12-2005, 11:40 PM blaster master o PHP to take action upon button click Member

Hello, Join Date: Dec 2004 Location: Very close to nowhere As in my other post, I have a php page in the form of Posts: 56 Code: <?php ?> <html> </html> Somewhere in the HTML part there is a form with a button: PHP Code: <form method="POST"> <input type=SUBMIT action="<?php
 a set of php commands ?>" value="My Button"> </form>

As you may be able to tell I am trying to execute a set of PHP commands when My Button is clicked. However once the page is opened, the PHP commands are also executed. How can I implement this so that the PHP stuff is executed only when the button is clicked? Thanks in advance Reply With Quote 8+ **f y** in <u>#2</u> 11-12-2005. 11:50 PM harmor o Code: <form method="POST" action=''> Senior Member <input type="submit" name="button1" value="Mv Button"> Ioin Date: Apr 2005 295 Posts: Notice name="button1" This is nessacary for what you want to do. This will execute the statement(s) when "My Button" is pressed PHP Code: if (isset(\$ POST['button1'])) echo "button 1 has been pressed"; Reply With Quote 8+ f 💆 in #3 11-13-2005, 04:48 AM Thanks for your help. Here's almost exactly what I have in the HTML part: blaster master o Member HTML Code: Dec 2004 Ioin Date: <form method="POST" action=''> Location: Very close to nowhere <input type="SUBMIT" class="style19" name="use button" value="something"> Posts: 56 </form> followed immediately by: PHP Code: \$session result = pg query(\$add log);}?> which is not working. Of course it doesn't function the same way it used to, but does not execute the php statements neither. Your help is appreciated. P.S> I've tried tuning on/off register\_globals but no difference... 8+ f 💆 in Reply With Quote <u>#4</u> 11-13-2005, 05:00 AM

```
I'm testing something so hold on please.
harmor o
Senior Member
                               Fdit:
          Apr 2005
Ioin Date:
                               It works for me http://www.sherrykern.com/comments/button.php
          295
Posts:
                                  PHP Code:
                                   <?php
                                   echo
                                    "<form action='' method='post'>
                                   <input type='submit' name='use button' value='something' />
                                   </form>":
                                   if(isset($ POST['use button']))
                                       echo "hey";
                                   ?>
                               Last edited by harmor; 11-13-2005 at 05:04 AM.
                                                                                                                                                          Reply With Ouote
 8+ f 💆 in
                                                                                                                                                                       #5
  11-13-2005. 07:54 AM
                               you might also want to take note that in order for this to work a new request needs to be made to the server, php runs on the server,
thorpe o
                               and there is no way to have it run on the client. you could try it the way you are going (and it should work), but its just the same as
addicted
                               having your button point to a new script.
                               one thing you might want to look at is ajax. it will hide the request to the server.
          Aug 2004
Join Date:
Location:
          sydney
Posts:
          3.457
                               how to ask questions... the smart way
 8+ f 💆 in
                                                                                                                                                          Reply With Quote
                                                                                                                                                                       <u>#6</u>
 11-13-2005, 03:42 PM
                               thanks harmor and thorpe for the help. the piece of code is working when implemented outside my messy PHP-HTML code, so i'm
blaster master o
                               going to just play around with the rest of the code to see what is causing the problem. thanks again!
Member
          Dec 2004
Join Date:
Location:
          Very close to nowhere
Posts:
          56
 8+ f 💆 in
                                                                                                                                                          Reply With Quote
                                                                                                                                                                       #7
  11-13-2005, 04:39 PM
                               Please see the code below:
blaster master o
Member
                                  PHP Code:
          Dec 2004
Join Date:
                                   <html>
Location:
          Very close to nowhere
                                   <style type="text/css">
```

```
... some code ...
 </style>
</head>
$\frac{\circ}{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\rightarrow{\circ}\righ
 $result = pg query($sql);
if (pg_num_rows($result) == 0){
          <H2 class="style6">Access denied</H2>
          <span class="style6"><BR>
Authorization failed.
          </span>
          <?nhn
          exit;}
  else{
setset
$currentdate = getdate(time());
$time = $currentdate["hours"].":".$currentdate["minutes"];
$date = $currentdate["mday"]." ".$currentdate["month"]." ".$currentdate["year"];
 $firstname = pg fetch result($result,firstname);
... some tables ...
W</font></span></font>elcome <?php echo $firstname?>!<br>
 ... some other stuff ...
```

That is the actual code that I am working on, I have tried to diagnose it and concluded that this piece of code causes the problem:

```
PHP Code:

if (pg_num_rows($result) == 0){
    ?>
    <H2 class="style6">Access denied</H2>
    <span class="style6"><BR>
    Authorization failed.
    </span>
    <?php
    exit;}</pre>
```

To remind you, the problem is that when the button "Use Rheometer" is pressed, the PHP command following it doesn't execute. Also there's login page which, if username/pass is correct, redirects the user to the above page. \$username and \$passwd are defined as global sessions in the logn page.

Any help on how to make this work is greatly appreciated.

P.S.> I included every single PHP part of the entire code, just in case. But took out the HTML's and JS and CSS etc.



Reply With Quote

#8

## 11-13-2005, 06:08 PM

Weedpacket o

Pedantic Curmudgeon




Join Date: Aug 2002

Location: General Contact Unit

"Coping Mechanism" Posts: 22,516 As thorpe noted, keep in mind that PHP <u>runs on the server</u>, so it runs that button action code when it's putting the <u>next</u> page together - after repeating all that user access control stuff and HTML that precedes it.

THERE IS AS YET INSUFFICIENT DATA FOR A MEANINGFUL ANSWER FAOS! FAOS! FAOS! Most forums have them!







Property of QuinStreet Enterprise.

<u>Terms of Service</u> | <u>Licensing & Reprints</u> | <u>Privacy Policy</u> | <u>Advertise</u>

Copyright 2017 QuinStreet Inc. All Rights Reserved.

All times are GMT -4. The time now is 04:33 PM.