SOL

MORF ▼

HTML CSS JAVASCRIPT

REFERENCES ▼

FXAMPLES ▼

C

HTML5 Tutorial

HTML HOME

HTML Introduction

HTML Editors

HTML Basic

HTML Elements

HTML Attributes

HTML Headings

HTML Paragraphs

HTML Styles

HTML Formatting

HTML Quotations

HTML Comments

HTML Colors

HTML Links

HTML Images

HTML Tables

HTML Lists

HTML Blocks

HTML Classes

HTML Iframes

HTML JavaScript

HTML File Paths

HTML Head

HTML Layout

HTML Responsive

HTML Computercode

HTML Entities

HTML Symbols

HTML Charset

HTML URL Encode

HTML XHTML

HTML Forms

HTML Tables

∢ Previous

Next >

HTML Table Example

| Company | Contact | Country |
|------------------------------|------------------|---------|
| Alfreds Futterkiste | Maria Anders | Germany |
| Centro comercial Moctezuma | Francisco Chang | Mexico |
| Ernst Handel | Roland Mendel | Austria |
| Island Trading | Helen Bennett | UK |
| Laughing Bacchus Winecellars | Yoshi Tannamuri | Canada |
| Magazzini Alimentari Riuniti | Giovanni Rovelli | Italy |

Try it Yourself »

COLOR PICKER

An HTML table is defined with the tag.

Defining an HTML Table

Each table row is defined with the tag. A table header is defined with the tag. By default, table headings are bold and centered. A table data/cell is defined with the tag.

HOW TO

Tabs Dropdowns

HTMI CSS JAVASCRIPT SOL MORF ▼ REFERENCES ▼ HTML5 Tutorial Firstname Tastname HTMI HOME Age HTMI Introduction </t.r>HTML Editors HTML Basic Jill HTML Elements Smith HTML Attributes < t.d > 50 < /t.d >HTML Headings HTML Paragraphs > HTML Styles Eve HTML Formatting Jackson HTML Quotations <t.d>94</t.d>HTML Comments HTML Colors HTML CSS HTML Links Try it Yourself » HTML Images HTML Tables HTML Lists **Note:** The elements are the data containers of the table. HTML Blocks They can contain all sorts of HTML elements; text, images, lists, other tables, etc. HTML Classes HTML Iframes HTML JavaScript HTML File Paths HTML Head **HTML Layout** HTML Responsive HTML Computercode HTML Entities HTML Table - Adding a Border HTML Symbols **HTML Charset** If you do not specify a border for the table, it will be displayed without borders. HTML URL Encode A border is set using the CSS **border** property: HTML XHTML

Example

HTML Forms

EXAMPLES ▼

C

jQu

AIIL.

Read More »

Animated Buttons

HTML CSS JAVASCRIPT SQL MORE ▼

REFERENCES ▼ EXAMPLES ▼





HTML5 Tutorial

HTML HOME

HTML Introduction

HTML Editors

HTML Basic

HTML Elements

HTML Attributes

HTML Headings

HTML Paragraphs

HTML Styles

HTML Formatting

HTML Quotations

HTML Comments

HTML Colors

HTML CSS

HTML Links

HTML Images

HTML Tables

HTML Lists

HTML Blocks

HTML Classes

HTML Iframes

HTML JavaScript

HTML File Paths

HTML Head

HTML Layout

HTML Responsive

HTML Computercode

HTML Entities

HTML Symbols

HTML Charset

HTML URL Encode

HTML XHTML

HTML Forms

Try it Yourself »

Remember to define borders for both the table and the table cells.

HTML Table - Collapsed Borders

If you want the borders to collapse into one border, add the CSS border-collapse property:

Example

```
table, th, td {
   border: 1px solid black;
   border-collapse: collapse;
}
```

Try it Yourself »

HTML Table - Adding Cell Padding

Cell padding specifies the space between the cell content and its borders.

If you do not specify a padding, the table cells will be displayed without padding.

To set the padding, use the CSS **padding** property:

Example

```
th, td {
    padding: 15px;
}
```

HTML CSS JAVASCRIPT SQL MORE ▼

REFERENCES ▼ FXAMPLES ▼





HTML5 Tutorial

HTML HOME

HTML Introduction

HTML Editors

HTML Basic

HTML Elements

HTML Attributes

HTML Headings

HTML Paragraphs

HTML Styles

HTML Formatting

HTML Quotations

HTML Comments

HTML Colors

HTML CSS

HTML Links

HTML Images

HTML Tables

HTML Lists

HTML Blocks

HTML Classes

HTML Iframes

HTML JavaScript

HTML File Paths

HTML Head

HTML Layout

HTML Responsive

HTML Computercode

HTML Entities

HTML Symbols

HTML Charset

HTML URL Encode

HTML XHTML

HTML Forms

HTML Table - Left-align Headings

By default, table headings are bold and centered.

To left-align the table headings, use the CSS **text-align** property:

Example

```
th {
    text-align: left;
}
```

Try it Yourself »

HTML Table - Adding Border Spacing

Border spacing specifies the space between the cells.

To set the border spacing for a table, use the CSS **border-spacing** property:

Example

```
table {
   border-spacing: 5px;
}
```

Try it Yourself »

Note: If the table has collapsed borders, border-spacing has no effect.



HTML CSS JAVASCRIPT SQL MORF ▼

REFERENCES ▼ EXAMPLES ▼



C

To make a cell span more than one column, use the **colspan** attribute:

HTML5 Tutorial

```
HTML HOME
```

HTML Introduction

HTML Editors

HTMI Basic

HTML Elements

HTML Attributes

HTML Headings

HTML Paragraphs

HTML Styles

HTML Formatting

HTML Quotations

HTML Comments

HTML Colors

HTML CSS

HTML Links

HTML Images

HTML Tables

HTML Lists

HTML Blocks

HTML Classes

HTML Iframes

HTML JavaScript

HTML File Paths

HTML Head

HTML Layout

HTML Responsive

HTML Computercode

HTML Entities

HTML Symbols

HTML Charset

HTML URL Encode

HTML XHTML

HTML Forms

Example

```
        \table style="width:100%">
        \table st
```

Try it Yourself »

HTML Table - Cells that Span Many Rows

To make a cell span more than one row, use the **rowspan** attribute:

Example

HTML Tables 10/10/2017

HTMI CSS JAVASCRIPT SOL MORF ▼ REFERENCES ▼ **FXAMPLES** ▼

HTML5 Tutorial

HTMI HOME

HTMI Introduction

HTML Editors

HTML Basic

HTML Elements

HTML Attributes

HTML Headings

HTML Paragraphs

HTML Styles

HTML Formatting

HTML Quotations

HTML Comments

HTML Colors

HTML CSS

HTML Links

HTML Images

HTML Tables

HTML Lists

HTML Blocks

HTML Classes

HTML Iframes

HTML JavaScript

HTML File Paths

HTML Head

HTML Layout

HTML Responsive

HTML Computercode

HTML Entities

HTML Symbols

HTML Charset

HTML URL Encode

HTML XHTML

HTML Forms

Try it Yourself »

HTML Table - Adding a Caption

To add a caption to a table, use the **<caption>** tag:

Example

Try it Yourself »

```
<caption>Monthly savings
\langle t.r \rangle
 Month
 Savings
January
 $100
February
 $50
```

Note: The <caption> tag must be inserted immediately after the tag.

A Special Style for One Table

To define a special style for a special table, add an **id** attribute to the table:

HTML CSS JAVASCRIPT SQL MORE ▼

REFERENCES ▼ EXAMPLES ▼





HTML5 Tutorial

HTML HOME

HTML Introduction

HTML Editors

HTML Basic

HTML Elements

HTML Attributes

HTML Headings

HTML Paragraphs

HTML Styles

HTML Formatting

HTML Quotations

HTML Comments

HTML Colors

HTML CSS

HTML Links

HTML Images

HTML Tables

HTML Lists

HTML Blocks

HTML Classes

HTML Iframes

HTML JavaScript

HTML File Paths

HTML Head

HTML Layout

HTML Responsive

HTML Computercode

HTML Entities

HTML Symbols

HTML Charset

HTML URL Encode

HTML XHTML

HTML Forms

```
    firstname
    Lastname
    Age

    Eve
    4d>Byd

    Jackson
    4d>94
```

Now you can define a special style for this table:

```
table#t01 {
    width: 100%;
    background-color: #f1f1c1;
}

Try it Yourself »
```

And add more styles:

```
table#t01 tr:nth-child(even) {
    background-color: #eee;
}
table#t01 tr:nth-child(odd) {
    background-color: #fff;
}
table#t01 th {
    color: white;
    background-color: black;
}
```

HTML CSS JAVASCRIPT SQL MORE ▼

REFERENCES ▼ FXAMPLES ▼





HTML5 Tutorial

HTML HOME

HTML Introduction

HTML Editors

HTML Basic

HTML Elements

HTML Attributes

HTML Headings

HTML Paragraphs

HTML Styles

HTML Formatting

HTML Quotations

HTML Comments

HTML Colors

HTML CSS

HTML Links

HTML Images

HTML Tables

HTML Lists

HTML Blocks

HTML Classes

HTML Iframes

HTML JavaScript

HTML File Paths

HTML Head

HTML Layout

HTML Responsive

HTML Computercode

HTML Entities

HTML Symbols

HTML Charset

HTML URL Encode

HTML XHTML

HTML Forms

Chapter Summary

- Use the HTML element to define a table
- Use the HTML element to define a table row
- Use the HTML element to define a table data
- Use the HTML element to define a table heading
- Use the HTML **<caption>** element to define a table caption
- Use the CSS **border** property to define a border
- Use the CSS **border-collapse** property to collapse cell borders
- Use the CSS **padding** property to add padding to cells
- Use the CSS **text-align** property to align cell text
- Use the CSS **border-spacing** property to set the spacing between cells
- Use the **colspan** attribute to make a cell span many columns
- Use the **rowspan** attribute to make a cell span many rows
- Use the **id** attribute to uniquely define one table

Test Yourself with Exercises!

Exercise 1 »

Exercise 2 »

Exercise 3 »


Exercise 4 »

Exercise 5 »

Exercise 6 »

HTML Table Tags

| Tag | Description |
|-----------------------|--|
| | Defines a table |
| <u>></u> | Defines a header cell in a table |
| <u></u> | Defines a row in a table |
| <u>></u> | Defines a cell in a table |
| <caption></caption> | Defines a table caption |
| <colgroup></colgroup> | Specifies a group of one or more columns in a table for formatting |
| | |



SOL

MORF ▼

JAVASCRIPT

HTMI HTML5 Tutorial HTML HOME HTMI Introduction HTML Editors HTML Basic HTML Elements HTML Attributes HTML Headings HTML Paragraphs HTML Styles HTML Formatting **HTML Quotations HTML Comments** HTML Colors HTML CSS HTML Links HTML Images HTML Tables HTML Lists HTML Blocks HTML Classes HTML Iframes HTML JavaScript HTML File Paths HTML Head HTML Layout HTML Responsive HTML Computercode **HTML Entities** HTML Symbols

| JavaScript ratorial | JavaScript Nererence | σαναστηρί Εχαπηρίου | savascript certificate |
|---------------------|----------------------|---------------------|------------------------|
| W3.CSS Tutorial | W3.CSS Reference | W3.CSS Examples | jQuery ^ ··· · |
| Bootstrap Tutorial | Browser Statistics | HTML DOM Examples | PHP C |
| SQL Tutorial | PHP Reference | PHP Examples | Bootstrap |
| PHP Tutorial | HTML Colors | ASP Examples | XML C |
| jQuery Tutorial | HTML Character Sets | jQuery Examples | |
| Angular Tutorial | jQuery Reference | Angular Examples | |
| XML Tutorial | AngularJS Reference | XML Examples | |
| | | | |

REFERENCES ▼

FXAMPLES ▼

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2017 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

HTML Charset
HTML URL Encode
HTML XHTML