# BudgetWise Travel API (2.0)

Download OpenAPI specification: Download

## Auth

## Login

REQUEST BODY SCHEMA: application/json required

| | |
|---|---|
| `username` required | string (Username) |
| `password` required | string (Password) |

### Responses

> **200** Successful Response

> **422** Validation Error

POST `/auth/login`

### Request samples

**Payload**

**Content type** application/json

Copy

```
{
    "username": "string",
    "password": "string"
}
```

Response samples

200 422

Content type application/json

Copy

```
null
```

---

# Countries

## Get Countries

### Responses

> **200** Successful Response

GET /countries/

Response samples

200

Content type application/json

Copy

```
null
```

---

# Create Country

AUTHORIZATIONS: HTTPBearer

REQUEST BODY SCHEMA: application/json
required

| | | |
|---|---|---|
| country_code<br>required | string (Country Code) | [ 2 .. 3 ] characters |
| country_name<br>required | string (Country Name) | [ 2 .. 100 ] characters |

## Responses

**200** Successful Response

**422** Validation Error

POST /countries/

### Request samples

Payload

Content type application/json

Copy

```
{
    "country_code": "str",
    "country_name": "string"
}
```

### Response samples

200 422

Content type application/json

Copy

```
null
```

# Get Country

PATH PARAMETERS

| | |
|---|---|
| country_code<br>required | string (Country Code) |

## Responses

> **200** Successful Response

> **422** Validation Error

GET /countries/{country_code}

### Response samples

200 422

Content type application/json

Copy

```
{
  "country_name": "United Arab Emirates",
  "country_code": "ARE"
}
```

# Update Country

AUTHORIZATIONS: > HTTPBearer

PATH PARAMETERS

| | |
|---|---|
| country_code<br>required | string (Country Code) |

QUERY PARAMETERS

| | |
|---|---|
| country_name<br>required | string (Country Name) |

## Responses

- **200** Successful Response
- **422** Validation Error

PUT /countries/{country_code}

### Response samples

200 422

Content type application/json

Copy

```
null
```

# Delete Country

AUTHORIZATIONS: HTTPBearer

PATH PARAMETERS

| | |
|---|---|
| country_code<br>required | string (Country Code) |

## Responses

- **200** Successful Response
- **422** Validation Error

DELETE /countries/{country_code}

Response samples

200 422

Content type application/json

Copy

```
null
```

---

# Cities

## Get Cities

### Responses

> 200 Successful Response

GET /cities/

Response samples

200

Content type application/json

Copy

```
null
```

---

# Create City

AUTHORIZATIONS: HTTPBearer

REQUEST BODY SCHEMA: application/json
required

| | | |
|---|---|---|
| city_name<br>required | string (City Name) | [ 2 .. 50 ] characters |
| country_code<br>required | string (Country Code) | [ 2 .. 3 ] characters |

## Responses

**200** Successful Response

**422** Validation Error

POST /cities/

### Request samples

Payload

Content type application/json

Copy

```
{
    "city_name": "string",
    "country_code": "str"
}
```

### Response samples

200 422

Content type application/json

Copy

```
null
```

# Get Cities By Country

PATH PARAMETERS

| | |
|---|---|
| country_code<br>required | string (Country Code) |

## Responses

> 200 Successful Response

> 422 Validation Error

GET /cities/country/{country_code}

### Response samples

200 422

Content type application/json

Copy

```
[
{
    "city_id": 168,
    "city_name": "Dubai",
    "country_code": "ARE"
  },
  {
    "city_id": 218,
    "city_name": "Abu Dhabi",
    "country_code": "ARE"
}
]
```

# Get City

PATH PARAMETERS

`city_id` integer (City Id) `required`

## Responses

> **200** Successful Response

> **422** Validation Error

GET `/cities/{city_id}`

### Response samples

200 422

**Content type** application/json

Copy

```
null
```

# Update City

AUTHORIZATIONS: > HTTPBearer

PATH PARAMETERS

`city_id` integer (City Id) `required`

QUERY PARAMETERS

`city_name` string (City Name) `required`

## Responses

> **200** Successful Response

> **422** Validation Error

PUT /cities/{city_id}

### Response samples

200 422

Content type application/json

Copy

```
null
```

---

# Delete City

AUTHORIZATIONS: > HTTPBearer

PATH PARAMETERS

city_id integer (City Id) required

## Responses

> **200** Successful Response

> **422** Validation Error

DELETE /cities/{city_id}

Response samples

200 422

Content type application/json

Copy

```
null
```

---

# Weather

## Get All Weather

### Responses

> 200 Successful Response

GET /weather/

Response samples

200

Content type application/json

Copy

```
null
```

---

## Get Weather

PATH PARAMETERS

---

city_id integer (City Id) required

## Responses

> **200** Successful Response

> **422** Validation Error

GET /weather/{city_id}

### Response samples

200 422

Content type application/json

Copy

```
[
  {
    "city_id": 218,
    "weather_id": 179,
    "condition": "Sunny"
  }
]
```

# Travel Costs

## Get Travel Costs

### Responses

> **200** Successful Response

GET /travel-costs/

### Response samples

200

Content type application/json

Copy

```
null
```

---

## Get Cost By City Name

PATH PARAMETERS

city_name string (City Name) required

### Responses

> 200 Successful Response

> 422 Validation Error

GET /travel-costs/city/{city_name}

### Response samples

200 422

Content type application/json

Copy

```
{
  "coffee_price": 5.02,
  "cost_id": 69,
  "transport_ticket": 1.63,
  "rent_city_center": 1571.21,
```

```
  "avg_salary": 2948.13,
  "daily_cost_estimate": 94.7405,
  "city_id": 168,
  "meal_price": 9.53,
  "beer_price": 12.25,
  "taxi_km": 0.54,
  "daily_accommodation": 78.5605
}
```


# Tourism

## Get Tourism

PATH PARAMETERS

| | |
|---|---|
| country_code<br>required | string (Country Code) |

### Responses

> **200** Successful Response

> **422** Validation Error

GET /tourism/{ARE}

### Response samples

200 422

Content type application/json

Copy


```
[
  {
    "country_code": "ARE",
    "tourism_id": 8,
    "year": 2020,
    "tourist_arrivals": 8084000
```

```
  }
]
```

# Reviews

## Create Review

QUERY PARAMETERS

| | |
|---|---|
| city_id<br>required | integer (City Id) |
| user_name<br>required | string (User Name) |
| money_spent<br>required | number (Money Spent) |
| trip_days<br>required | integer (Trip Days) |
| value_rating<br>required | number (Value Rating) |
| comment<br>required | string (Comment) |

### Responses

- **200** Successful Response
- **422** Validation Error

POST /reviews/

Response samples

200 422

Content type application/json

Copy

```
null
```

## Get Reviews By City

PATH PARAMETERS

| | | |
|---|---|---|
| city_id | integer (City Id) | required |

## Responses

> 200 Successful Response

> 422 Validation Error

GET /reviews/city/{city_id}

Response samples

200 422

Content type application/json

```
{
  "city_id": 100,
  "total_reviews": 1,
  "reviews": [
    {
      "money_spent": 250,
      "city_id": 100,
      "value_rating": 5,
      "created_at": "2026-03-20T04:12:47.224038",
      "user_name": "MOndr",
      "review_id": 8,
      "trip_days": 2,
```

```
      "comment": "Was good "
    }
  ]
}
```


# Destinations

## Get Destination Summary

QUERY PARAMETERS

| | |
|---|---|
| city | string (City) |
| country | string (Country) |

### Responses

- **200** Successful Response
- **422** Validation Error

GET /destinations/summary

### Response samples

200 422

**Content type** application/json

Copy


```
{
  "city": "London",
  "country_code": "GBR",
  "tourism": "11,101,000 visitors in 2020",
  "weather": "Sunny",
  "daily_cost": 133.1415,
  "user_experience": [
    {
```

```
      "user": "Ahmed",
      "spent": 650,
      "days": 3,
      "rating": 4,
      "comment": "good trip"
    },
    {
      "user": "Ahmed",
      "spent": 650,
      "days": 3,
      "rating": 4,
      "comment": "good trip"
    },
    {
      "user": "Ahmed",
      "spent": 420,
      "days": 3,
      "rating": 2,
      "comment": "good"
    }
  ]
}
```


## Compare

## Compare Cities

QUERY PARAMETERS

| | |
|---|---|
| city1<br>required | string (City1) |
| city2<br>required | string (City2) |

### Responses

> **200** Successful Response

> **422** Validation Error

GET /compare/cities

Response samples

200 422

Content type application/json

Copy


```
{
  "city1": {
    "city": "London",
    "country_code": "GBR",
    "weather": "Sunny",
    "daily_cost": 133.1415,
    "tourism_value": 11101000,
    "rating": 3.3
  },
  "city2": {
    "city": "Paris",
    "country_code": "FRA",
    "weather": "Partly cloudy",
    "daily_cost": 87.882,
    "tourism_value": 117109000,
    "rating": 4.2
  },
  "comparison": {
    "cheaper": "Paris",
    "better_weather": "London",
    "more_tourism": "Paris",
    "higher_rating": "Paris"
  }
}
```


## Recommendations

## Best Destination

QUERY PARAMETERS

| | |
|---|---|
| budget<br>required | number (Budget) |
| days<br>required | integer (Days) |
| weather_pref | string (Weather Pref) |

## Responses

> **200** Successful Response

> **422** Validation Error

GET /recommendations/best-destination

### Response samples

200 422

Content type application/json

Copy


```
{
  "budget": 500,
  "days": 2,
  "weather_filter": "sunny",
  "recommended_destinations": [
    {
      "city": "Madrid",
      "country_code": "ESP",
      "estimated_trip_cost": 142.58,
      "weather": "Sunny",
      "tourism": "36,410,000 visitors in 2020",
      "user_experience": [
        {
          "user": "Mondr",
          "spent": 650,
          "days": 2,
          "rating": 5,
          "comment": "Was the best holiday "
        },
        {
          "user": "Mondr",
          "spent": 650,
          "days": 2,
          "rating": 5,
          "comment": "Was the best holiday "
        }
      ]
    },
    {
      "city": "Lviv",
      "country_code": "UKR",
      "estimated_trip_cost": 48.64,
      "weather": "Sunny",
      "tourism": "3,382,000 visitors in 2020",
      "user_experience": [
        {
          "user": "Mondr",
          "spent": 350,
          "days": 5,
          "rating": 5,
          "comment": "Was the best holiday "
        }
      ]
```

```
    },
    {
      "city": "Baghdad",
      "country_code": "IRQ",
      "estimated_trip_cost": 64.88,
      "weather": "Sunny",
      "tourism": "892,000 visitors in 2013",
      "user_experience": "No user reviews available"
    },
    {
      "city": "Manama",
      "country_code": "BHR",
      "estimated_trip_cost": 118.27,
      "weather": "Sunny",
      "tourism": "1,909,000 visitors in 2020",
      "user_experience": "No user reviews available"
    },
    {
      "city": "Stockholm",
      "country_code": "SWE",
      "estimated_trip_cost": 177.02,
      "weather": "Sunny",
      "tourism": "1,957,000 visitors in 2020",
      "user_experience": "No user reviews available"
    }
  ]
}
```


---

# Root

## Responses

> **200** Successful Response

GET /

### Response samples

**200**

**Content type** application/json

Copy

```
null
```