



Konek™

Merchant Integration Guide for Moneris API

Document Owner: Online & Digital Products

Version: 1.0

Created: April 10, 2025

Revised: April 16, 2026

Copyright © Moneris Solutions, 2026

All rights reserved. No part of this publication may be reproduced, stored in retrieval systems, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Moneris Solutions Corporation.

Table of contents.

Document Control	3
1 Document Scope	4
2 Overview of KONEK and Interac Direct.....	5
3 Moneris API Merchant Integration	6
3.1 Moneris API Merchants - KONEK Flowchart.....	6
3.2 Implementing the KONEK SDK	6
3.2.1 Import the SDK.....	6
3.2.2 Add a “Pay with KONEK” button	7
3.2.3 Getting references of the HTML element	7
3.2.4 Onclick event listener	7
3.2.5 Setup event listener for konekSuccess	8
3.2.6 Setup event listeners for konekError	9
3.2.7 KONEK button.....	9
3.3 Moneris API KONEK.....	10
3.3.1 Create Consent.....	10
3.3.2 Get Consent	11
3.3.3 Financial Transactions (Authorization)	11
4 Testing guidelines for merchants.....	12
4.1 Obtaining test credentials	12
4.2 KONEK Testing.....	14
4.3 Support for KONEK testing.....	14
4.4 Moving to Production.....	15
Appendix A Glossary	16
Appendix B Document References	17



Document Control

Rev.	Date	Revised by:	Summary of changes
1.0	April 15, 2026	James McGowan	Initial document creation



1 | Document Scope

The following document is intended to guide Moneris merchants and integrators who are implementing KONEK™, a digital payment solution offered by *Interac*®. This document is directed toward merchants who use Moneris API to connect to Moneris for processing e-commerce transactions. This document highlights the required steps to implement KONEK transactions with reference to additional documents (**Appendix B**).



2 | Overview of KONEK and Interac Direct

KONEK is the new digital payment gateway solution offered by Interac. It enables consumers to shop online and pay for goods and services directly through their Financial Institutions (Pay By Bank Service). The payment flow of KONEK transactions connects Merchants, Acquirers, Interac, Financial Institutions (FIs), and other card networks. Payment methods offered with the new solution include *Account-Based Payments* (ABP) and *Card-Based Payments* (CBP).

Interac Direct is a new API service offered by Interac for processing Account-Based Payments initiated through the KONEK digital payment service. Interac Direct offers all the functional capabilities for a digital commerce payment option. Transaction types supported with Interac Direct solution include One-Time payment, pre-authorized payments, and refund transactions.



3 | Moneris API Merchant Integration

Note: Section 3 is not intended to be implemented without leveraging the **Moneris API Specification** (supporting documentation) provided by the merchant's client consultant.

To implement KONEK as an API Merchant, there are 2 main steps:

1. Implement the **KONEK SDK** outlined in section 3.2.
2. Implement the **KONEK Consent Management flow** using Moneris APIs (KONEK) outlined in section 3.3.

3.1 | Moneris API Merchants - KONEK Flowchart

The flowchart below demonstrates the flow for API merchants looking to integrate with KONEK.




Figure 1: Flow for API merchants integrating with KONEK

3.2 | Implementing the KONEK SDK

3.2.1 | Import the SDK

To import the merchant SDK, add a script tag in the `<head>` section with the link to the `konek-sdk.esm.js`. This is only the entry script, which will detect the browser configuration and trigger imports for the rest of the optimized SDK JavaScript files.

```
<script type="module" src="https://sdk.fit1.konek.dev/konek-sdk/konek-sdk.esm.js"></script>
```



3.2.2 | Add a “Pay with KONEK” button

To add a “Pay with KONEK” button to a webpage, use the `<konek-button-v1>` tag.

```
1 <konek-button-v1 border-radius="4" height="34" width="100" color="black"></konek-button-v1>
```

Note: Details about the properties of this button can be found in the *KONEK Button Properties* section.

3.2.3 | Getting references of the HTML element

Get the reference of an HTML element (`konek-button-v1`) using a document query selector. The reference is needed to attach different event listeners. The `konekClient` object should also be available as the element's client property because it is needed to dispatch events to trigger the checkout flow as well as for debugging purposes.

Note: Details about the events are covered in *KONEK Button Events* section.

3.2.4 | Onclick event listener

The click event listener of the `konek-button-v1` should be used make an API call to **Create Consent API** and pass the cart-related data. Call the `addOverlay` method of `konekClient` to render an overlay while other asynchronous tasks are being carried out behind the scenes.

```
1 // Add click event listener to konek-button
2 konek.addEventListener('click', event => {
3   // 1. Show overlay message while continuing other async tasks
4   konek.client.addOverlay();
5   // 2. Call merchant BE to pass cart data
6   try {
7     let consentResponse = await fetch(MERCHANT_BE_URL, {
8       method: 'POST',
9       headers: {
10        'Content-type': 'application/json',
11      },
12    });
13   // 3. MERCHANT BE response
14   const { consentId, correlationId, deviceProfileSessionId, totalAmount, merchantName } =
15     consentResponse;
16   // 4. Call setConsentData method of konek client
17   konek.client.setConsentData({ consentId, correlationId, deviceProfileSessionId,
18     totalAmount, merchantName });
19   } catch(e){
20     // 5. On error pass error code
21     konek.client.setConsentError({error: 'createConsentFailed'})
22   }
23 })
```

Besides the cart related data, there are additional merchant specific data that needs to be included in this create consent payload. Please see the **CreateConsent** schema in the *Moneris API Specifications*.



After a payment consent is successfully created from Moneris, it should respond back with `consentId`, `correlationId`, and transaction data for the consent. This response payload should be passed to `konekClient` using `setConsentData` method.

Note: In case of error, `createConsentFailed` should be passed to `konekClient` using the `setConsentError` method so the appropriate message will be displayed in the overlay.

This will start the checkout flow by launching KONEK app, where remaining steps are completed. In the meantime, an overlay will be displayed over the merchant’s site with the status message. Finally, when the checkout is completed, or if it fails for some reason, appropriate events are dispatched by the `konek-button-v1`.

3.2.5 | Setup event listener for `konekSuccess`

`konek-button` will dispatch a `konekSuccess` event when KONEK is successfully loaded, and again when the checkout flow is completed and consent has a tokenized status. An event listener should be attached to handle the next steps.

```
1  konek.addEventListener('konekSuccess', event => {
2    console.log(event.detail)
3    // show payment success page.
4  })
```

Table 1: Event codes

Event code (event.detail)	Description
<code>konekLoaded</code>	KONEK is successfully loaded.
<code>konekCompleted</code>	Checkout flow is complete. Consent status is Tokenized .

1. To grab the payment info, the merchant should call `Get Consent` API.
2. Next, get the transaction data required to finish the payment using a call to `Get Payment Transaction Data` API.
3. Based on the selected `placement_mode` for the `ConsentCreateRequest` by the merchant (**Standard** or **Express**), the situation will be handled in one of two ways:
 - o **Standard** - After completing the KONEK flow, merchants should display an intermediary page showing the customer the payment details and ask them to review and confirm their order to complete the checkout. This is demonstrated in Figure 2a (on the next page).
 - o **Express** - After completing the KONEK flow, merchants should submit the authorization and display a “payment complete” page with the transaction status and electronic receipt. This is demonstrated in Figure 2b (on the next page).
4. Finalize the order with the Acquirer using the transaction data.




Figure 2a: Standard Placement mode




Figure 2b: Express Placement mode

3.2.6 | Setup event listeners for konekError

Any error encountered during the checkout flow will trigger a `konekError` event on the KONEK button. An event listener should be attached to handle the different error scenarios. The details about the error are available in the detail property of the event object (see [Error Codes](#)).

```
1 konek.addEventListener('konekError', event => {
2   console.log(event.detail)
3   // Handle error scenarios
4 })
```

3.2.7 | KONEK button

This section provides tables that describe the KONEK button properties, events, and error codes.

Table 2: KONEK button properties

Property	Description	Default Value	Data Type
client	konekClient object. It is needed to trigger the event to start the checkout flow. (Can be used for debugging purposes)	N/A	konekClient



Property	Description	Default Value	Data Type
border-radius	CSS property	4	Number
width	CSS property	Auto	Number
height	CSS property	32	Number
color	Button colour	Black	White Black

Table 3: KONEK button events

Event	Description	Event codes (event.detail)
konekInit	Dispatched when Button and Client are fully loaded, set up, and ready to use and accept token information.	
konekSuccess	Dispatched when KONEK is successfully launched, when checkout flow is complete, and when consent has tokenized status.	konekCompleted konekLoaded
konekError	Dispatched when some error or warning takes place during the checkout flow. A full description of each event is provided in Table 3 below.	consentPayloadError createConsentFailed popupBlocked konekLoadError konekError konekClosed konekCancelled konekWarning konekHeartBeat

Table 4: Error codes

Error code (event.detail)	Description
createConsentFailed	Create consent API call failed from merchant back-end systems.
popupBlocked	A popup was blocked by the user's browser or device.
konekLoadError	KONEK failed to load.
konekCancelled	The user cancelled a KONEK session by actively clicking on "Close and return to merchant" button.
konekError	Unrecoverable error on KONEK.
konekWarning	Warning from KONEK. The user can still continue or retry to complete the checkout flow.
konekClosed	The KONEK window was closed by the user.
konekHeartBeat	Pulse heartbeat sent from the merchant SDK to KONEK and its return acknowledgement.

3.3 | Moneris API KONEK

3.3.1 | Create Consent

In the first phase, the cardholder places their order on the merchant's website and selects KONEK as the payment method. The merchant server uses the Moneris API call Create Consent to obtain a KONEK Consent ID (consent_id). Moneris API communicates to KONEK on the merchant's behalf and relays details about the order to Interac.



This Consent ID is used within the KONEK SDK to ensure only authenticated merchants can display the log-in prompt for the KONEK frame. This call also supplies Moneris API and KONEK with the payment details of the order, the supported payment methods of the merchant, and the required contact information for the cardholder.

In the second phase, the merchant website initiates the JavaScript library SDK for KONEK. This calls the KONEK systems to display a login page for the user. The cardholder will input the credentials for the financial institution (FI) to log in to Konek. The UI will display the shopper's available payment methods attached to their profile for selection, including both credit card products and bank accounts. The cardholder grants consent to the payment method within the user interface, which is communicated back to the KONEK system. The merchant website receives a POST message with the status of the consent and order.

Note: *The second phase describes the user interaction following the above API call, but is not itself an API call.*

3.3.2 | Get Consent

The third phase begins as the cardholder reviews their order in the merchant website. The merchant server sends a Get Consent API call, with the Consent ID from the first step (see section [3.3.1 Create Consent](#)), to the Moneris API to validate the consent form. The Moneris API engages KONEK to return data related to the consent obtained within the Konek frame. The merchant website can redisplay order details obtained from this call as part of the cardholder confirming payment.

Things to Consider: Moneris recommends developers retrieve the last four digits of either the bank account number or credit card number (PAN) used as the tokenized payment method. The merchant can display these digits to the customer as part of the order confirmation process to assure cardholders their payment method matches their selection within the Konek interface.

3.3.3 | Financial Transactions (Authorization)

3.3.3.1 | Account-based payments

With the payment token and cryptogram, the merchant can proceed with processing a financial transaction such as a Purchase or Preauthorization supplemented with the info from the Pay By Bank (PBB) authentication. Please refer to the ***Moneris API Specifications*** for more information.

3.3.3.2 | Card-based payments

For card-based payments, merchants should complete their financial transactions using Moneris API specifications and following each card network's rules. Please consider new and/or updated fields that may be required for the authorization of card-based payments initiated through KONEK digital payment service. Please refer to the ***Moneris API Specifications*** for more information.



4 | Testing guidelines for merchants

4.1 | Obtaining test credentials

Merchants should reach out to their Moneris client consultant to enable KONEK on their Moneris API Store Profile prior to testing. For KONEK test users on the Certification Environment, Test FI, and test user credentials are included in this section. There are several test credentials required for Moneris merchants testing KONEK. A summary of these credentials can be found in Table 1. A description of each credential and screenshots of their place in the UI flow are included in this section.

Table 5: Summary of KONEK Test Credentials

Test credential name	Value	Refer to:
KONEK Merchant ID (MID)	CAMX001001	N/A
Test FI Name	Polar Bank	Figure 6
Test User Credentials	-	The bulleted list below this table

While testing the KONEK UI, the following test credentials are required:

- **User name:** monerisuser
- **Password:** Moneris1!
- **Email:** noreply@moneris.com
- All merchants on Moneris certification environment can use the same KONEK MID, listed in Table 5. This KONEK MID is required for KONEK API communication.

Additionally, testing KONEK requires a banking system simulation in the UI flow. Merchants should use the Test FI "Polar Bank" when conducting KONEK testing, as shown in Figure 3. Merchants will require test user credentials which can be found in Table 2. Figure 4 shows an example of test user credentials being entered into Polar Bank test page.




Figure 3: Test FI for KONEK testing

A screenshot of a web browser window titled "Sign in to PolarBankFit - Google Chrome". The address bar shows a URL starting with "fit-auth.sim.konek.dev". The page content includes the text "POLARBANKFIT" at the top, followed by "Sign in to your account". Below this are two input fields: "Username or email" with the text "Moneris_cert_user1" and "Password" with masked characters "*****". A blue "Sign In" button is positioned below the password field.

Figure 4: Entering test user credentials at Polar Bank

4.2 | KONEK Testing

The KONEK test scenarios recommended by Moneris are contained in a separate document to be provided by the merchant's client consultant. It is a self-testing kit that merchants should go through and conduct testing appropriate to their business needs. It is recommended to keep evidence of testing if requested later for audit purposes. This should be aligned with KONEK and Interac Direct merchant responsibilities and business terms and conditions.

4.3 | Support for KONEK testing

For support with KONEK Testing, merchants should reach out to their client consultant.



4.4 | Moving to Production

Once the solution is ready to be deployed from testing to production, the onboarding process will happen for KONEK and Interac Direct.

- The Pay with Konek option and Interac Direct card plan will be enabled on the Moneris API Store Profile. Merchants should contact their sales team/account manager for onboarding to KONEK and Interac Direct.
- When moving to production, merchants should replace the **SDK URL** in section [3.2.1](#) with <https://sdk.konek.ca/konek-sdk/konek-sdk.esm.js>.
- Merchants will also need to use their Production KONEK Merchant ID (which is provided upon onboarding).

Commented [BJM1]: Moneris API



Appendix A | Glossary

Term	Description/Definition
Account-Based Payments (ABP)	One of the payment methods supported by the KONEK digital payment service, allowing KONEK users to pay directly using their Financial Institution (FI) accounts, including <i>Chequing</i> , <i>Savings</i> or <i>Line-of-Credit</i> accounts.
Card-Based Payments (CBP)	One of the payment methods supported by the KONEK digital payment service. It allows KONEK users to pay directly using Credit or Debit Cards, including Visa-Credit, Visa-Debit, Mastercard-Credit, Debit-Mastercard, or American Express cards.
Interac Direct Solution	A new API service offered by Interac for processing Account-Based Payments initiated through the KONEK digital payment service, offering all the functional capabilities for a digital commerce payment option. Transaction types supported with Interac Direct solution include: one-time payment, recurring payments, split-shipments, pre-authorized payments, and refund transactions.
KONEK	KONEK is the new digital payment gateway solution offered by Interac. It enables consumers to shop online and pay for goods and services directly through their Financial Institutions (Fis) (Pay By Bank service). The payment flow of KONEK transactions connects Merchants, Acquirers, Interac, FIs, and other card networks. Payment methods offered with the new solution include Account-Based Payments and Card-Based Payments.
MID	Moneris merchant ID – a unique 13-digit code provided by Moneris to the merchant.
Pay By Bank (PBB)	Pay by Bank is an industry/consumer term for digital payment methods that enable a user to pay for goods or services directly through their financial institution accounts (i.e., banks, credit unions, etc.).
SDK	Software development kit



Appendix B | Document References

Documents referenced in this document include:

- KONEK Brand Guidelines
- Interac Direct Brand Guide
- Moneris API Specifications
- KONEK Merchant Self-Testing Guide

Copyright

© 2000 – 2026 Moneris Solutions, 3300 Bloor Street West, Toronto, Ontario, M8X 2X2

All Rights Reserved. This manual shall not wholly or in part, in any form or by any means, electronic, mechanical, including photocopying, be reproduced, stored in a retrieval system, or transmitted without the authorized consent of Moneris Solutions.

Moneris Solutions reserves the right to revise this document and to periodically make changes to the content hereof without obligation of notification of such revisions or changes unless required to do so by prior agreement.

DISCLAIMER

Neither Moneris Solutions Corporation (Moneris) nor any of its affiliates shall be liable for any direct, indirect, incidental, consequential or punitive damages arising out of use of any of the information contained in this document. Neither Moneris or any of its affiliates nor any of our or their respective licensors, licensees, service providers or suppliers warrant or make any representation regarding the use or the results of the use of the information, content and materials contained in this guide in terms of their correctness, accuracy, reliability or otherwise.

NOTICE OF CONFIDENTIALITY

This document contains information that is the proprietary and confidential property of Moneris Solutions. The recipient agrees to maintain this information in confidence and not reproduce or otherwise disclose this information.

TRADEMARKS

Moneris and the Moneris Solutions logo are registered trademarks of Moneris Solutions Corporation. All other marks or registered trademarks are the marks or registered trademarks of their respective owners. MasterCard®, PayPass™, and M/Chip® are trademarks or registered trademarks of MasterCard International. Visa®, Visa payWave™, Visa Debit®, and VSDC® are trademarks or registered trademarks of Visa International. Interac® and Flash® are registered trademarks of Interac, Inc. American Express®, AEIPS®, and ExpressPay® are trademarks or registered trademarks of American Express Global Network Services. JCB®, J/Smart®, and J/Speedy® are trademarks or registered trademarks of JCB Co., Ltd. Discover®, DFS Financial Services, D-PAS, and ZIP are trademarks or registered trademarks of DFS Financial Services LLC. EMV™ is a registered wordmark of EMVCo, LLC. UnionPay, China UnionPay, CUP, CUPIC, UPcash and QuickPass (and their Chinese equivalents) are trademarks or registered trademarks of China UnionPay Co. Ltd. EMV™ is a registered wordmark of EMVCo, LLC. The KONEK™ and Interac Direct™ payment solutions are powered by Interac Corp. KONEK, the KONEK logo, Interac Direct and the Interac logo are trademarks of Interac Corp. Used under license. Any use of these words or other trademarked words within this document carries the implication of the trademark's registration status, whether the "®" or "™" symbol is present or not.