

SALESFORCE DELIVERY MANAGEMENT

Expanded Project Report & Implementation Guide

Customers | Shipments | Delivery Agents | Delivery Updates | Locations | Reports | Dashboard

Document Item	Details
Platform	Salesforce Lightning Experience
Environment	Developer Edition / Development Org
Project	Delivery Management
Dashboard	Delivery Management Dashboard
Report Date	29 September 2026
Purpose	Expanded configuration, screenshot evidence, reporting, dashboard and troubleshooting guide
Evidence Included	Configuration screenshots supplied with the project material

Source basis: This expanded edition uses the supplied Salesforce Delivery Management report as the primary content structure and incorporates the accompanying Salesforce configuration screenshots. It expands procedures and validation guidance without presenting unsupported dashboard screenshots as completed evidence.

Prepared as a consolidated implementation and UAT reference document

Document Contents

1. Executive Summary and Scope
 2. System Overview and Data Model
 3. Objectives and Success Criteria
 4. Salesforce Configuration and Navigation
 5. Customer Object - Fields and Configuration Evidence
 6. Shipment Object - Fields and Relationships
 7. Operational Workflow and Troubleshooting
 8. Reports and Dashboard Design
 9. UAT and Validation Checklist
 10. Security, Access and Implementation Sequence
 11. Completion Criteria and Handover
- Appendix A.** Screenshot Evidence Index
- Appendix B.** Field Reference Quick Sheet

How to use this report: Follow the implementation sequence in Section 10. Use the screenshot evidence in Sections 4-6 as visual reference for the Salesforce Setup screens, then use the UAT checklist to confirm that records, relationships, reports and dashboard components work together.

1. Executive Summary and Scope

The project objective is to configure a Salesforce Lightning application for end-to-end delivery operations. The intended solution supports customer management, shipment creation and assignment, delivery-agent management, delivery updates, location capture, operational reporting and a management dashboard.

The project material identifies four recurring implementation problems: customer records not appearing, shipment records not appearing, Delivery Agent being difficult to locate in navigation, and Delivery Updates lacking existing shipment records. Location configuration was also not visible. The report treats these as configuration and data-validation issues rather than dashboard-only problems.

Implementation principle: Validate the data model first, then verify records and relationships, then validate reports, and only after that configure or troubleshoot the dashboard. Empty dashboard components are downstream symptoms when the source report or source data is empty.

Scope of the expanded report

- Object and tab setup for Customer, Shipment, Delivery Agent, Branch, Delivery Update and Invoice.
- Customer field creation and the supplied screen evidence for Email, Phone, Address, Customer Type, City, State, Pincode and Is Active.
- Shipment field inventory, relationship expectations and operational workflow guidance.
- Data validation, troubleshooting, report design, dashboard design, security checks, UAT and handover criteria.

Observed implementation checkpoints

Checkpoint	What must be true	Primary verification
Customers	Customer records are visible and searchable	Customer object -> broad list view such as All
Shipments	Shipment records exist and are linked to customers	Shipment object -> open a record -> Customer lookup populated
Delivery Agents	Object/tab is available and agents can be assigned	App Manager -> Navigation Items + object permissions
Delivery Updates	Updates reference an existing shipment	Open Shipment -> create update -> select existing Shipment
Locations	Location information can be captured and displayed	Confirm field/object type, layout and field-level security
Reports/Dashboard	Source reports return records before components are added	Run report first, then validate dashboard component

2. System Overview and Data Model

The recommended logical model is relational and intentionally simple. Customer is the business party, Shipment is the central operational record, Delivery Agent is the person responsible for delivery, Delivery Update records status/history against a shipment, and Location holds pickup, delivery or current-location information.

CUSTOMER -> SHIPMENT -> DELIVERY AGENT -> DELIVERY UPDATE -> LOCATION -> REPORTS -> DASHBOARD

Object	Core Fields / Information	Purpose / Relationship
Customer	Name, Phone, Email, Address, Customer Type, City, State, Pincode, Is Active	Parent/business party for shipments.
Shipment	Tracking Number, Customer, Source Address, Destination Address, Weight, Price, Status, Expected Date, Assigned Agent, Shipment Type	Central operational record.
Delivery Agent	Name, Phone, Status	Person responsible for delivery and shipment assignment.
Delivery Update	Shipment, Status, Date/Time, Remarks, Location	History/activity against an existing shipment.
Location	Address and/or latitude/longitude	Pickup, delivery or current-location information.
Branch	Branch details as configured in the application	Operational location or organizational reference.
Invoice	Invoice fields as configured in the application	Billing/charge document associated with the delivery process.

Relationship rule: Delivery Update should reference an existing Shipment. Location should be associated with the appropriate operational record instead of being used as a reason to create duplicate shipments.

Data integrity controls

- Tracking Number must provide a unique shipment identifier.
- Customer is a required lookup on Shipment in the supplied field reference.
- Status, Expected Date, Weight, Price and Shipment Type are defined as required Shipment fields.
- Assigned Agent is a lookup to Delivery Agent and is shown as optional in the supplied field table.
- Customer Type should use the values Regular and Business in the supplied design.

3. Objectives and Success Criteria

#	Objective	Expected Result	Evidence
1	Customer Management	Customers can be created, viewed, searched and reported.	Customer records and Customer Master report
2	Shipment Management	Shipments are linked to the correct customer.	Shipment record with Customer lookup populated
3	Delivery Agent	Agents are available in navigation and can be assigned.	Navigation item + Agent lookup
4	Delivery Updates	Updates are recorded against existing shipments.	Update linked to Shipment
5	Location	Location information can be captured and displayed.	Location field/object record
6	Reporting	Operational reports return the correct records.	Validated source reports
7	Dashboard	Management sees key delivery KPIs in one place.	Dashboard components populated from valid reports

Suggested test data volume from the project material

Record Type	Minimum	Purpose
Customers	3	Validate customer list and reports.
Delivery Agents	2	Validate assignment and navigation.
Shipments	5	Provide enough records for testing.
Delivery Updates	2-3 per shipment	Validate history and status reporting.
Locations	2+	Validate location capture and relationships.

Success criteria by layer

Foundation layer: objects, tabs, fields, relationships, page layouts and permissions are available.

Data layer: test records exist and are visible to the intended user.

Operations layer: shipment assignment and delivery-update workflow operate without creating duplicate shipments.

Reporting layer: reports return expected records without unintentionally excluding rows.

Dashboard layer: each component is backed by a validated report and shows expected data.

Control sequence

Sequence	Validation Gate	Do not proceed until...
1	Objects and Fields	Required objects and fields are visible in Object Manager.
2	Navigation	Required tabs are available in the Lightning app.
3	Records	Minimum test data exists and is visible.
4	Relationships	Customer, Agent and Shipment lookups behave correctly.
5	Reports	Source reports return expected records.
6	Dashboard	Dashboard components show data from validated reports.

How to apply the control sequence

- Complete each gate using the target user context, not only an administrator view.
- Keep one known-good Customer, Delivery Agent and Shipment record available while configuring reports.
- When a gate fails, correct that layer before moving downstream to reports or dashboard components.

4. Salesforce Configuration and Navigation

The companion screenshots provide visual evidence for the Salesforce Setup screens used during tab creation. The screenshot set covers Customer, Shipment, Delivery Agent, Branch, Delivery Update and Invoice tabs.

4.1 Object Manager and tab workflow

Use Setup to locate Object Manager and confirm the target custom object. For each object, verify that a corresponding tab exists or is created, then expose the object through the Lightning application Navigation Items.

- Open Setup -> Object Manager and locate the exact object label.
- For a custom object requiring a tab, open the Tabs configuration and select the object.
- Choose an appropriate tab style and save the tab configuration.
- Open App Manager -> edit the relevant Lightning application -> Navigation Items.
- Add Customers, Shipments, Delivery Agents, Delivery Updates, Locations, Reports and Dashboards as required by the project.
- If an object is missing from Navigation Items, verify the exact label, tab availability, user permissions and visibility before recreating anything.

4.2 Visual configuration evidence - Customer, Shipment, Delivery Agent




Figure 1. Customer object / tab configuration evidence from the supplied project screenshots.




Figure 2. Shipment object / tab configuration evidence from the supplied project screenshots.

The screenshot shows the Salesforce Setup interface with the 'Setup' tab selected. The left sidebar shows 'User Interface' > 'Rename Tabs and Labels' > 'Tabs'. The main content area is titled 'SETUP Tabs' and contains a form for creating a new custom object tab. The form includes a dropdown for 'Object' set to 'Shipment', a 'Tab Style' dropdown set to 'Bell', and a 'Splash Page Custom Link' dropdown set to '--None--'. A 'Description' text area is also present. A 'Next' button is at the bottom right.

Figure 3. Delivery Agent object / tab configuration evidence from the supplied project screenshots.

Navigation troubleshooting note: The project material specifically records that Delivery Agent was difficult to locate. The screenshot evidence confirms setup activity exists, but Navigation Items still need to be checked for the current Lightning app and user profile.

4.3 Visual configuration evidence - Branch, Delivery Update, Invoice

The screenshot shows the Salesforce Setup interface with the 'Setup' tab selected. The left sidebar shows 'User Interface' > 'Rename Tabs and Labels' > 'Tabs'. The main content area is titled 'SETUP Tabs' and contains a form for creating a new custom object tab. The form includes a dropdown for 'Object' set to 'Branch', a 'Tab Style' dropdown set to 'Apple', and a 'Splash Page Custom Link' dropdown set to '--None--'. A 'Description' text area is also present. A 'Next' button is at the bottom right.

Figure 4. Branch object / tab configuration evidence from the supplied project screenshots.

The screenshot shows the Salesforce Setup interface with the 'Setup' tab selected. The left sidebar shows 'User Interface' > 'Rename Tabs and Labels' > 'Tabs'. The main content area is titled 'SETUP Tabs' and contains a form for creating a new custom object tab. The form includes a dropdown for 'Object' set to 'Delivery Update', a 'Tab Style' dropdown set to 'Call phone', and a 'Splash Page Custom Link' dropdown set to '--None--'. A 'Description' text area is also present. A 'Next' button is at the bottom right.

Figure 5. Delivery Update object / tab configuration evidence from the supplied project screenshots.




Figure 6. Invoice object / tab configuration evidence from the supplied project screenshots.

The supplied tab screenshots document the configuration screens used for object tabs. After the tab is saved, the object still needs to be added to the Lightning application Navigation Items for the target user.

5. Customer Object - Fields and Configuration Evidence

The Customer object field specification supplied with the project defines eight key custom fields in addition to the standard Name field. The table below preserves the project terminology and API names.

Field Name	API Name	Data Type	Required	Description
Customer Name	Name	Text	Yes	Full name of customer
Email	Email__c	Email	Yes	Customer email
Phone	Phone__c	Phone	Yes	Customer contact number
Address	Address__c	Text Area	Yes	Customer address
Customer Type	Customer_Type__c	Picklist	Yes	Regular / Business
City	City__c	Text	No	Customer city
State	State__c	Text	No	Customer state
Pincode	Pincode__c	Text	No	Postal code
Is Active	Is_Active__c	Checkbox	No	Active status

5.1 Field creation sequence

For each custom field, use Object Manager -> Customer -> Fields & Relationships -> New. Select the correct field type, enter the field label, confirm the generated API name, set required/validation options, then place the field on the appropriate page layout. The supplied screenshots show the field-detail step for the configured fields.

Field naming note: The API names shown above are based on the supplied project field reference. Keep the exact API naming when downstream reports, relationships, automation or integrations depend on it.

The screenshot shows the 'Fields & Relationships' section for the 'customer' object. The left sidebar contains a navigation menu with 'Fields & Relationships' selected. The main area displays a table of fields with columns: FIELD LABEL, FIELD NAME, DATA TYPE, CONTROLLING FIELD, and INDEXED. There are 4 items listed, sorted by Field Label. At the top right, there are buttons for 'New', 'Deleted Fields', 'Field Dependencies', and 'Set History Tracking'.

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
customer Name	Name	Text(80)		✓
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓

Figure 7. Customer Fields & Relationships list showing field configuration context.

The screenshot shows the 'NEW CUSTOM FIELD' screen, Step 2: Enter the details. The left sidebar is the same as in Figure 7. The main area contains a form for the 'Email' field. The 'Field Label' and 'Field Name' are both 'Email'. The 'Description' and 'Help Text' fields are empty. The 'Required' checkbox is checked, and the 'Unique' checkbox is also checked. The 'External ID' checkbox is unchecked. The 'Auto add to custom report type' checkbox is checked. At the top right, there are buttons for 'Previous', 'Next', and 'Cancel'.

Figure 8. Customer Email custom field detail screen.

The screenshot shows the 'NEW CUSTOM FIELD' screen, Step 2: Enter the details. The left sidebar is the same as in Figure 7. The main area contains a form for the 'Phone' field. The 'Field Label' and 'Field Name' are both 'Phone'. The 'Description' and 'Help Text' fields are empty. The 'Required' checkbox is checked, and the 'Unique' checkbox is also checked. The 'External ID' checkbox is unchecked. The 'Auto add to custom report type' checkbox is checked. At the top right, there are buttons for 'Previous', 'Next', and 'Cancel'.

Figure 9. Customer Phone custom field detail screen.

5.3 Address and Customer Type evidence

The screenshot shows the Salesforce 'New Custom Field' screen for the 'customer' object. The left sidebar lists navigation options: Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, and Related Lookup Filters. The main content area is titled 'New Custom Field' and shows 'Step 2. Enter the details' of a 4-step process. The 'Field Label' is 'Address', the 'Field Name' is 'Address', and the 'Description' is empty. The 'Help Text' is also empty. At the bottom, there are two checkboxes: 'Required' (checked) with the label 'Always require a value in this field in order to save a record', and 'Auto add to custom report type' (checked) with the label 'Add this field to existing custom report types that contain this entity'.

Figure 10. Customer Address field detail screen (Text Area).

The screenshot shows the Salesforce 'New Custom Field' screen for the 'customer' object. The left sidebar lists navigation options: Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Search Layouts, List View Button Layout, Restriction Rules, Scoping Rules, Object Access, and Field Access. The main content area is titled 'New Custom Field' and shows 'Step 2. Enter the details' of a 4-step process. The 'Field Label' is 'Customer Type'. Under the 'Values' section, the 'Use global picklist value set' option is selected. Below this, there is a text area containing the values 'Regular' and 'Business'. At the bottom, there are three checkboxes: 'Display values alphabetically, not in the order entered' (unchecked), 'Use first value as default value' (unchecked), and 'Restrict picklist to the values defined in the value set' (checked). An 'Einstein' logo is visible in the bottom right corner.

Figure 11. Customer Type field detail screen (Picklist).

The supplied Customer Type screen shows the picklist setup area with Regular and Business as the entered values. This matches the field reference in the project report.

Configuration check: After creating the picklist, verify that the intended values are available on the Customer record page and that reports use the field value consistently.

5.4 City and State evidence

The screenshot shows the Salesforce Setup interface for the 'customer' object. The left sidebar lists navigation options: Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, and Search Layouts. The main content area is titled 'Step 2. Enter the details' and 'Step 2 of 4'. It contains the following fields and options:

- Field Label: City
- Length: (empty text box)
- Field Name: City
- Description: (empty text box)
- Help Text: (empty text box)
- Required: ☐ Always require a value in this field in order to save a record
- Unique: ☐ Do not allow duplicate values
 - ☐ Treat "ABC" and "abc" as duplicate values (case insensitive)
 - ☐ Treat "ABC" and "abc" as different values (case sensitive)
- External ID: ☐ Set this field as the unique record identifier from an external system

At the bottom right, there is an 'Einstein' icon and a close button.

Figure 12. Customer City field detail screen (Text).

The screenshot shows the Salesforce Setup interface for the 'customer' object, specifically for a 'New Custom Field'. The left sidebar is the same as in Figure 12. The main content area is titled 'Step 2. Enter the details' and 'Step 2 of 4'. It contains the following fields and options:

- Field Label: State
- Length: 100
- Field Name: State
- Description: (empty text box)
- Help Text: (empty text box)
- Required: ☐ Always require a value in this field in order to save a record
- Unique: ☐ Do not allow duplicate values

At the bottom right, there is an 'Einstein' icon and a close button. A 'Help for this Page' link is visible in the top right corner.

Figure 13. Customer State field detail screen (Text).

City and State are optional text fields in the supplied design. Their purpose is to support customer address segmentation and reporting while the main Address field stores the broader address content.

5.5 Pincode and Is Active evidence

The screenshot shows the Salesforce 'New Custom Field' interface for the 'customer' object. The left sidebar contains navigation links: Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, and Search Layouts. The main content area is titled 'New Custom Field' and 'Step 2. Enter the details'. The 'Field Label' is 'Pincode', 'Length' is '50', 'Field Name' is 'Pincode', and 'Description' is blank. The 'Required' checkbox is unchecked, and the 'Unique' checkbox is also unchecked. The 'Help Text' field is blank. The 'Previous', 'Next', and 'Cancel' buttons are visible at the bottom right. An 'Einstein' logo is in the bottom right corner.

Figure 14. Customer Pincode field detail screen (Text).

The screenshot shows the Salesforce 'New Custom Field' interface for the 'customer' object. The left sidebar contains navigation links: Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, and Search Layouts. The main content area is titled 'New Custom Field' and 'Step 2. Enter the details'. The 'Field Label' is 'Is Active', 'Default Value' is 'Unchecked' (selected), 'Field Name' is 'Is Active', and 'Description' is blank. The 'Help Text' field is blank. The 'Auto add to custom report type' checkbox is checked, and the 'Add this field to existing custom report types that contain this entity' checkbox is also checked. The 'Previous', 'Next', and 'Cancel' buttons are visible at the bottom right. An 'Einstein' logo is in the bottom right corner.

Figure 15. Customer Is Active field detail screen (Checkbox).

Pincode is defined as an optional text field for postal code information. Is Active is an optional checkbox representing active status. These fields can be used by the Customer Master report to distinguish active customers from historical records.

Validation checkpoint: Create a test Customer record and confirm that the required fields prevent an incomplete save, while optional fields can remain blank. Then confirm that the record appears in the intended list view and report.

6. Shipment Object - Fields and Relationships

The Shipment object is the central operational record in the supplied model. The project field reference defines Tracking Number as the record Name using Auto Number, then uses lookups and required operational fields to capture the delivery transaction.

Field Name	API Name	Data Type	Required	Description
Tracking Number	Name	Auto Number	Yes	Unique ID
Customer	Customer__c	Lookup(Customer)	Yes	Related customer
Source Address	Source_Address__c	Text Area	Yes	Pickup location
Destination Address	Destination_Address__c	Text Area	Yes	Delivery location
Weight	Weight__c	Number	Yes	Parcel weight
Price	Price__c	Currency	Yes	Shipping charge
Status	Status__c	Picklist	Yes	Shipment status
Expected Date	Expected_Date__c	Date	Yes	Delivery estimate
Assigned Agent	Assigned_Agent__c	Lookup(Delivery Agent)	No	Delivery agent
Shipment Type	Shipment_Type__c	Picklist	Yes	Domestic/International

Relationship validation

Relationship	Expected behavior	Failure symptom
Shipment -> Customer	Required lookup points to a valid Customer record.	Shipment report may be filtered out when related Customer fields are blank.
Shipment -> Delivery Agent	Optional lookup points to an existing agent.	Agent performance reporting has missing/unassigned values.
Delivery Update -> Shipment	Update points to an existing Shipment.	Updates cannot be traced to a shipment or users create duplicate shipments.
Location -> operational record	Location is linked to the relevant activity/record.	Location information exists but is not displayed where operations expect it.

Core operational rule: A Delivery Update changes or records the status/history of an existing Shipment. It is not a substitute for creating a new Shipment record.

Shipment creation checklist

- Confirm Tracking Number is auto-generated and unique.
- Select an existing Customer in the Customer lookup.
- Enter Source Address and Destination Address.
- Enter Weight and Price using the configured data types.
- Set Status and Expected Date.
- Assign an existing Delivery Agent when the shipment is ready for assignment.
- Set Shipment Type to the configured business value.

7. Operational Workflow and Troubleshooting

7.1 End-to-end operational workflow

Step	Activity	Expected result
1	Create Customer	Save a customer with required identity/contact fields.
2	Create Delivery Agent	Create the agent record and confirm it is visible.
3	Create Shipment	Create a shipment and select the existing Customer.
4	Assign Agent	Select an existing Delivery Agent in the shipment lookup.
5	Record Delivery Update	Open the existing Shipment and create a status/history update.
6	Capture Location	Store location information against the appropriate record/activity.
7	Validate Reports	Run operational reports and confirm the records are present.
8	Review Dashboard	Use the dashboard only after the source reports are validated.

7.2 Troubleshooting matrix

Issue observed	Checks to perform	Resolution path
Customers not displaying	Records exist; object Read permission; tab visibility; list-view filter; report filter; record sharing.	Open Customer object directly and use the broadest list view available, then correct access/filtering.
Shipments not displaying	Shipment records exist; Customer lookup populated; report filters; user access.	Open Shipment directly, inspect a record, populate relationship if required, then retest the report.
Delivery Updates cannot show shipments	Shipment lookup/relationship; existing shipment records.	Start from an existing Shipment and create the Delivery Update against it.
Delivery Agent not visible in navigation	Exact object label; tab; App Manager navigation; permissions.	Expose the object in Lightning Navigation Items and verify tab/object access.
Location setting not visible	Determine whether it is a Location field, Address, Geolocation or separate Location object.	Check Object Manager -> Fields & Relationships, field-level security, page layout and Lightning Record Page.
Dashboard component empty	Open source report; inspect filters and returned rows.	Fix the source report/data first, then refresh the dashboard component.

7.3 Diagnostic rule for empty data

When a screen is empty, trace the problem backward through the dependency chain: Dashboard -> Report -> Record visibility -> Relationships -> Object/Field configuration -> Permissions. This sequence helps distinguish a reporting filter problem from an actual data-creation problem.

8. Reports and Dashboard Design

The supplied report recommends creating and validating source reports before building dashboard components. The dashboard should be considered a presentation layer for validated operational data.

Report	Primary Filter	Expected Output
Customer Master	Active / all customers	Name, phone, email, address
Shipment Status	All shipments	Shipment, customer, agent, status, dates
Pending Delivery	Pending / Out for Delivery	Current workload
Delivered Shipments	Delivered	Completed deliveries
Agent Performance	Grouped by agent	Assigned and delivered counts
Delivery Update History	All updates	Shipment, status, time, location, remarks
Location Report	Relevant location records	Location and linked activity

Recommended dashboard components

Component	Type	Purpose
Total Customers	Metric	Active customer count
Total Shipments	Metric	Overall shipment volume
Pending / Out for Delivery	Metric	Current workload
Delivered	Metric	Completed deliveries
Shipment Status	Donut / Bar	Status distribution
Agent Performance	Bar	Shipments by agent
Delivery Trend	Line	Deliveries over time
Recent Delivery Updates	Table	Latest operational activity

Dashboard validation rule: If a dashboard component is empty, open its source report first. If the report is empty, fix records, relationships, permissions or filters before changing the dashboard component.

Dashboard evidence status

The supplied project report identifies a Salesforce Lightning Dashboard link, but the supplied visual screenshot set does not include a dashboard image. Therefore this expanded report documents the intended dashboard design and validation logic without claiming visual evidence of completed dashboard components.

Suggested dashboard review questions

- Does Total Customers match the intended active/all-customer report?
- Does shipment status distribution match the Shipment Status source report?
- Do Pending and Delivered counts reflect the same filter logic as the underlying reports?
- Does Agent Performance use the Assigned Agent relationship consistently?
- Does Recent Delivery Updates show existing Shipment-linked updates rather than standalone records?

9. UAT and Validation Checklist

Use this checklist as the final operational test. Mark each item only after the expected result has been observed in the intended user context.

Test	Expected Result	Status
Open Lightning application	Application loads correctly	
Open Customers	Customer records are visible	
Create customer	Record saves and appears	
Open Delivery Agents	Agent object/list is visible	
Create agent	Agent saves successfully	
Create shipment	Shipment is linked to customer	
Assign agent	Existing agent can be selected	
Create delivery update	Update links to existing shipment	
Add location	Location saves and displays	
Run reports	Expected records are returned	
Open dashboard	All components show expected data	

UAT evidence to capture

- One visible Customer record showing required fields.
- One visible Delivery Agent record suitable for assignment.
- One Shipment record with a populated Customer relationship and, where applicable, Assigned Agent.
- One Delivery Update linked to the existing Shipment.
- One Location record or location field value displayed in context.
- Each source report returning expected records.
- Each dashboard component populated from its validated report.

Pass criteria

The implementation passes UAT when the application opens, the required records are visible, the core relationships are populated correctly, Delivery Updates reference existing Shipments, Location data is available, source reports return expected records, and dashboard components are populated from those reports.

10. Security, Access and Implementation Sequence

10.1 Security and access checklist

Area	Verification
Object permissions	Read/Create/Edit access for required objects
Field-level security	Required relationship, status, date and location fields visible
Tab visibility	Required object tabs available
Record access	Sharing/ownership does not hide records
App navigation	Required objects included in Lightning app
Report folder access	User can access source reports
Dashboard access	User can open dashboard and source reports

10.2 Recommended implementation sequence

Phase	Work	Exit condition
Phase 1 - Foundation	Confirm objects, fields, relationships, permissions and navigation.	All required configuration is visible.
Phase 2 - Data	Create verified customer, agent, shipment, update and location records.	Minimum test set exists and is visible.
Phase 3 - Operations	Validate shipment assignment and delivery-update workflow.	No duplicate shipments created for status updates.
Phase 4 - Reporting	Build and test source reports.	Reports return expected rows.
Phase 5 - Dashboard	Add dashboard components using validated reports.	Components are populated and interpretable.
Phase 6 - UAT	Execute the full testing checklist.	Test results meet pass criteria.
Phase 7 - Handover	Document user procedures and maintenance.	Operational handover package is complete.

10.3 Priority order for the current project

- Verify Customers and Shipments first.
- Expose Delivery Agent in Lightning navigation and confirm permissions.
- Ensure Delivery Updates reference existing Shipments.
- Configure and expose Location using the correct field/object pattern.
- Validate source reports, then populate and validate the dashboard.

11. Completion Criteria and Handover

The project is complete when required objects are accessible, test records are visible, Shipments are linked to Customers and Agents as designed, Delivery Updates are recorded against existing Shipments, location information is available, source reports return correct data, and the dashboard displays the expected KPIs and operational charts.

Completion checklist

Completion Item	Required condition	Evidence
Objects	All required objects available	Object Manager / app navigation
Tabs	Required tabs visible to target user	Lightning Navigation Items
Fields	Required Customer and Shipment fields configured	Fields & Relationships + page layout
Relationships	Customer/Agent/Shipment links work	Record pages and lookup values
Records	Minimum test dataset exists	Object list views
Workflow	Updates reference existing shipments	Delivery Update record
Location	Location data can be stored and displayed	Field/object + page layout
Reports	Operational reports return expected rows	Saved reports
Dashboard	Components use validated source reports	Dashboard view
UAT	All applicable tests passed	UAT checklist
Handover	Procedures and maintenance notes documented	Final project pack

Handover notes

For future maintenance, keep the field/API-name reference aligned with reports and relationships. When troubleshooting a blank component, preserve the source report as the diagnostic starting point. When changing the data model, retest relationships before updating dashboard components.

Final implementation sequence: Objects -> Fields -> Relationships -> Permissions -> Records -> Reports -> Dashboard -> UAT -> Handover

Appendix A - Screenshot Evidence Index

The following figures are the Salesforce configuration screenshots supplied with the project material and embedded in this expanded report. They are used as visual configuration evidence and reference, not as a claim that every configuration item is currently deployed in the live org.

Figure	Evidence topic	Section
1	Customer object / tab configuration	4.2
2	Shipment object / tab configuration	4.2
3	Delivery Agent object / tab configuration	4.2
4	Branch object / tab configuration	4.3
5	Delivery Update object / tab configuration	4.3
6	Invoice object / tab configuration	4.3
7	Customer Fields & Relationships list	5.2
8	Email field detail	5.2
9	Phone field detail	5.2
10	Address field detail	5.3
11	Customer Type picklist	5.3
12	City field detail	5.4
13	State field detail	5.4
14	Pincode field detail	5.5
15	Is Active checkbox field detail	5.5

Appendix B - Field Reference Quick Sheet

Object	Important field	Value / type
Customer	Email__c	Email
Customer	Phone__c	Phone
Customer	Address__c	Text Area
Customer	Customer_Type__c	Picklist: Regular / Business
Customer	City__c	Text
Customer	State__c	Text
Customer	Pincode__c	Text
Customer	Is_Active__c	Checkbox
Shipment	Name	Auto Number / Tracking Number
Shipment	Customer__c	Lookup(Customer)
Shipment	Status__c	Picklist
Shipment	Assigned_Agent__c	Lookup(Delivery Agent)
Shipment	Shipment_Type__c	Picklist: Domestic / International

Reference limitation: This quick sheet only includes fields explicitly listed in the supplied project material. Other objects such as Branch, Delivery Update, Location and Invoice are described functionally, but their full field inventories were not included in the source material and therefore are not invented here.