

UNIVERSIDAD DE LAS FUERZAS ARMADAS ESPE
ADVANCED WEB DEVELOPMENT
ACTIVITY: URI's

NRC: 30716

GROUP MEMBERS: Ricardo Monge, Alejandro Obando y Gabriel Molina

DATE: May 24th, 2026

SHARKHUB BARBERSHOP MANAGEMENT SYSTEM

API RESTful URI Design Report

Laravel routes, API endpoints and request reference

1. Introduction

This report presents the RESTful URI design identified in the SharkHub Barbershop Management System. The application routes are organized by functional section, indicating the HTTP method, the URI, the authentication requirement and the intended role for each case.

2. Scope of the URI Catalogue

The catalogue includes the public web routes, dashboard routes, customer authentication views, internal API routes, owner management endpoints and the external services consumed by the application. The expression `{{base_url}}` represents the base domain where the Laravel application is deployed.

3. API RESTful URI Design

#	Method	URI (Endpoint)	Auth Req.	Role
Public Web Pages				
1	GET	/	No	Public
2	GET	/page	No	Public
3	GET	/info/content/section	No	Public

Dashboard Pages				
4	GET	/barber/dashboard/{tab?}	Yes	Barber
5	GET	/customer/dashboard/{tab?}	Yes	Customer
6	GET	/owner/dashboard/{tab?}	Yes	Owner
Owner Dashboard Visible URIs				
7	GET	/owner/dashboard	Yes	Owner
8	GET	/owner/dashboard/dashboard	Yes	Owner
9	GET	/owner/dashboard/barbershop-info	Yes	Owner
10	GET	/owner/dashboard/manage-barbers	Yes	Owner
11	GET	/owner/dashboard/global-agenda	Yes	Owner
12	GET	/owner/dashboard/global-agenda?date=2026-05-26	Yes	Owner
13	GET	/owner/dashboard/global-agenda?date=2026-05-26&barber_id=uuid	Yes	Owner
Customer Authentication Views				
14	GET	/customer/login	No	Public
15	GET	/customer/register	No	Public
Authentication & Session API				
16	POST	/api/auth/register	No	Public
17	POST	/api/auth/login	No	Public
18	POST	/api/auth/logout	Yes	All
19	GET	/api/me	Yes	All
Owner Management API				
20	GET	/api/owner/overview	Yes	Owner
21	GET	/api/owner/barbershop	Yes	Owner
22	PUT	/api/owner/barbershop	Yes	Owner
23	GET	/api/owner/barbers	Yes	Owner
24	POST	/api/owner/barbers	Yes	Owner
25	PATCH	/api/owner/barbers/{member}/status	Yes	Owner
26	GET	/api/owner/appointments	Yes	Owner
27	GET	/api/owner/appointments?date=2026-05-26	Yes	Owner
28	GET	/api/owner/appointments?date=2026-05-26&barber_id=uuid	Yes	Owner
29	PATCH	/api/owner/appointments/{appointment}/status	Yes	Owner
Barber Appointments API				
30	GET	/api/barber/appointments	Yes	Barber
31	PATCH	/api/barber/appointments/{appointment}/confirm	Yes	Barber
32	PATCH	/api/barber/appointments/{appointment}/cancel	Yes	Barber
Barber Services Management API				
33	GET	/api/barber/services	Yes*	Barber

34	POST	/api/barber/services	Yes*	Barber
35	GET	/api/barber/services/{service}	Yes*	Barber
36	PUT/PATCH	/api/barber/services/{service}	Yes*	Barber
37	DELETE	/api/barber/services/{service}	Yes*	Barber
Barber Products Management API				
38	GET	/api/barber/products	Yes*	Barber
39	POST	/api/barber/products	Yes*	Barber
40	GET	/api/barber/products/{product}	Yes*	Barber
41	PUT/PATCH	/api/barber/products/{product}	Yes*	Barber
42	DELETE	/api/barber/products/{product}	Yes*	Barber
Customer Appointment Booking API				
43	GET	/api/customer/barbers	No	Public
44	GET	/api/customer/services	No	Public
45	GET	/api/customer/available-times	No	Public
46	GET	/api/customer/appointments	Yes	Customer
47	POST	/api/customer/appointments	Yes	Customer
48	PATCH	/api/customer/appointments/{appointment}/cancel	Yes	Customer
External Services Used by the System				
49	POST	{SUPABASE_URL}/auth/v1/signup	Key	System
50	POST	{SUPABASE_URL}/auth/v1/token?grant_type=password	Key	System
51	GET	https://ui-avatars.com/api/?name={name}	No	System
52	GET	https://www.google.com/maps?...&output=embed	No	System

Notes: The route /{page} is considered to accept: about, service, price, team, open, testimonial, contact and 404. The route /info/content/{section} is considered to accept: about, service, price, team, open, testimonial, contact and not-found. The route /owner/dashboard/{tab?} is considered to accept: dashboard, barbershop-info, manage-barbers and global-agenda. The notation Yes* indicates routes that are inside the Barber module and should be treated as protected by role/session validation in the design. External service rows are not internal backend endpoints; they are resources consumed by the application.

4. Request Body / Query Reference

1. Register User (Customer)

POST {{base_url}}/api/auth/register

Content-Type: application/json

Body:

```
{
  "name": "Juan Pérez",
  "email": "juan.perez@email.com",
  "username": "juanperez",
  "password": "password123"
}
```

2. Login User

POST {{base_url}}/api/auth/login

Content-Type: application/json

Body:

```
{
  "email": "juan.perez@email.com",
  "password": "password123"
}
```

3. Update Barbershop Information

PUT {{base_url}}/api/owner/barbershop

Content-Type: application/json

Body:

```
{
  "name": "BarberShop Panda Black And White",
  "phone": "0999999999",
  "email": "barbershop@email.com",
  "address": "Sangolquí, Ecuador",
  "description": "Barberia especializada en cortes modernos y clásicos.",
  "logo_url": "https://example.com/logo.png"
}
```

This endpoint updates the barbershop profile associated with the active owner.

4. Add Barber to Barbershop

POST {{base_url}}/api/owner/barbers

Content-Type: application/json

Body:

```
{
  "email": "barber@email.com"
}
```

The user must already exist in the system. The owner assigns that user as an active barber.

5. Update Barber Status

PATCH {{base_url}}/api/owner/barbers/{member}/status

Content-Type: application/json

Body:

```
{
  "status": "active"
}
```

Accepted values: active, inactive.

6. Filter Owner Appointments

GET {{base_url}}/api/owner/appointments

Query params:

```
date=2026-05-26&barber_id={{barber_id}}
```

Both parameters are optional. The date parameter uses the YYYY-MM-DD format.

7. Update Appointment Status by Owner

PATCH {{base_url}}/api/owner/appointments/{appointment}/status

Content-Type: application/json

Body:

```
{
  "status": "confirmed"
}
```

Accepted values: pending, confirmed, cancelled.

8. Filter Barber Appointments

GET {{base_url}}/api/barber/appointments

Query params:

```
date=2026-05-25
```

The date parameter is optional and uses the YYYY-MM-DD format.

9. Create Service

POST {{base_url}}/api/barber/services

Content-Type: application/json

Body:

```
{
  "barbershop_id": "{{barbershop_id}}",
  "name": "Corte clásico",
  "description": "Servicio de corte de cabello para caballero.",
  "price": 7.5,
  "duration_minutes": 30
}
```

10. Create Product

POST {{base_url}}/api/barber/products

Content-Type: application/json

Body:

```
{
  "barbershop_id": "{{barbershop_id}}",
  "name": "Pomada para cabello",
  "description": "Producto de fijación para peinado.",
  "price": 5.0,
  "stock": 20,
  "image_url": "https://example.com/product.png"
}
```

11. Filter Customer Services

GET {{base_url}}/api/customer/services

Query params:

```
barbershop_id={{barbershop_id}}
```

The barbershop_id parameter is optional. If it is omitted, all active services are returned.

12. Available Times

GET {{base_url}}/api/customer/available-times

Query params:

```
barber_id={{barber_id}}&service_id={{service_id}}&date=2026-05-25
```

13. Create Appointment

POST {{base_url}}/api/customer/appointments

Content-Type: application/json

Body:

```
{
  "barber_id": "{{barber_id}}",
  "service_id": "{{service_id}}",
  "appointment_date": "2026-05-25",
  "start_time": "10:00",
  "notes": "Preferencia por corte bajo."
}
```

5. General Observations

The API follows a modular structure based on the main system roles: public visitor, customer, barber and owner. The customer module focuses on appointment booking, the barber module manages appointments, services and products, and the owner module centralizes barbershop information, barber administration and the global appointment agenda. Authentication is handled through Laravel session data and Supabase Auth calls for registration and login.