






Showing rows 0 - 3 (4 total, Query took 0.0006 seconds)

SELECT * FROM `majors`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	major_id	major_code	major_name_th	is_active
☐	1	CS	วิทยาการคอมพิวเตอร์	1
☐	2	IT	เทคโนโลยีสารสนเทศ	1
☐	3	SE	วิศวกรรมซอฟต์แวร์	1
☐	4	DS	วิทยาการข้อมูล	1

Check all | With selected: Edit Copy Delete Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Showing rows 0 - 2 (3 total, Query took 0.0005 seconds)

SELECT * FROM `roles`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	role_id	role_code	role_name_th
☐	1	STUDENT	นักศึกษา
☐	2	TEACHER	อาจารย์
☐	3	ADMIN	ผู้ดูแลระบบ

Check all | With selected: Edit Copy Delete Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

Print Copy to clipboard Export Display chart Create view

Showing rows 0 - 2 (3 total, Query took 0.0005 seconds)

SELECT * FROM `teachers`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	teacher_id	teacher_code	user_id	title_th	full_name	department_th	created_at	updated_at
☐	1	T-001	2	ดร.	สมชาย ใจดี	คณะวิทยาศาสตร์และเทคโนโลยี	2025-12-12 16:01:43	NULL
☐	2	T-002	3	ดร.	สมหญิง เรืองร้อย	คณะวิทยาศาสตร์และเทคโนโลยี	2025-12-12 16:01:43	NULL
☐	3	T-003	4	ผศ.	ธีรเดช แก้วกาญจน์	คณะวิทยาศาสตร์และเทคโนโลยี	2025-12-12 16:01:43	NULL

Check all | With selected: Edit Copy Delete Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

Showing rows 0 - 6 (7 total, Query took 0.0007 seconds)

SELECT * FROM `users`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	user_id	username	password_hash	role_id	full_name	email	phone	is_active	created_at	updated_at
☐	1	admin	240be518fab27246db6f04eeb1da596744867e831c08c0fa8...	3	ผู้ดูแลระบบหลัก	admin@ts1.local	0800000000	1	2025-12-12 16:01:43	NULL
☐	2	1001	63cb9c6fa2d65784658539a93ad4702274a02dd8344537beb...	2	อาจารย์ ดร.สมชาย ใจดี	somchai@ts1.local	0611111111	1	2025-12-12 16:01:43	NULL
☐	3	1002	63cb9c6fa2d65784658539a93ad4702274a02dd8344537beb...	2	อาจารย์ ดร.สมหญิง เรืองร้อย	somying@ts1.local	0822222222	1	2025-12-12 16:01:43	NULL
☐	4	1003	63cb9c6fa2d65784658539a93ad4702274a02dd8344537beb...	2	อาจารย์ ผศ.ธีรเดช แก้วกาญจน์	teeradet@ts1.local	0833333333	1	2025-12-12 16:01:43	NULL
☐	5	s651463052	a8cf15ed11809d8d11b49c2cbab0c2be89b17d02b4588eee25...	1	นางสาว กานต์ธิดา คำชา	kedsuda@ts1.local	0844444444	1	2025-12-12 16:01:43	NULL
☐	6	s651463053	a8cf15ed11809d8d11b49c2cbab0c2be89b17d02b4588eee25...	1	นางสาว พชรพร แสนหา	porip@ts1.local	0855555555	1	2025-12-12 16:01:43	NULL
☐	7	s651463054	a8cf15ed11809d8d11b49c2cbab0c2be89b17d02b4588eee25...	1	นาย ณัฐพงษ์ นิลาน	nattapong@ts1.local	0866666666	1	2025-12-12 16:01:43	NULL

Check all | With selected: Edit Copy Delete Export

```

conn.php
<?php
// อนุญาต CORS + ตอบเป็น JSON เสมอ
header('Access-Control-Allow-Origin: *');
header('Content-Type: application/json; charset=UTF-8');

$DB_HOST = 'localhost';
$DB_USER = 'root';
$DB_PASS = '';
$DB_NAME = 'db_ts1';
$DB_PORT = 3306;
// =====

$conn = mysqli_init();
mysqli_options($conn, MYSQLI_OPT_CONNECT_TIMEOUT, 5);

if (!mysqli_real_connect($conn, $DB_HOST, $DB_USER, $DB_PASS, $DB_NAME, $DB_PORT)) {
    http_response_code(500);
    echo json_encode([
        'status' => 'error',
        'message' => 'DB connect failed: '.mysqli_connect_error()
    ]);
    exit;
}

mysqli_set_charset($conn, 'utf8mb4');
// ถึงตรงนี้ $conn พร้อมใช้งานแล้ว
?>

```

```

getaudit_logs.php
<?php
include 'conn.php';

header('Access-Control-Allow-Origin: *');
header('Content-Type: application/json; charset=UTF-8');

$output = [];
$sql = "
    SELECT
        a.log_id,
        a.entity_type,
        a.entity_key,
        a.action_type,
        a.snapshot_json,
        a.action_by,
        u.username AS action_by_username,
        u.full_name AS action_by_full_name,
        a.action_ip,
        a.action_at
    FROM audit_logs a
    LEFT JOIN users u ON a.action_by = u.user_id
    ORDER BY a.action_at DESC, a.log_id DESC
";

$result = mysqli_query($conn, $sql);
if ($result === false) {
    http_response_code(500);
    echo json_encode(['error' => mysqli_error($conn)]);
    exit;
}

while ($row = mysqli_fetch_assoc($result)) {
    $output[] = $row;
}

```

```
http_response_code(200);
echo json_encode($output, JSON_UNESCAPED_UNICODE);
mysqli_close($conn);
```

getdatamajors.php

```
<?php
```

```
include 'conn.php';
```

```
header('Access-Control-Allow-Origin: *');
```

```
header('Content-Type: application/json; charset=UTF-8');
```

```
$output = [];
```

```
$activeOnly = isset($_GET['active']) ? trim($_GET['active']) : '';
```

```
$sql = "SELECT major_id, major_code, major_name_th, is_active FROM majors";
```

```
if ($activeOnly !== '' && $activeOnly === '1') {
```

```
    $sql .= " WHERE is_active = 1";
```

```
}
```

```
$sql .= " ORDER BY major_code";
```

```
$result = mysqli_query($conn, $sql);
```

```
if ($result === false) {
```

```
    http_response_code(500);
```

```
    echo json_encode(['error' => mysqli_error($conn)]);
```

```
    exit;
```

```
}
```

```
while ($row = mysqli_fetch_assoc($result)) {
```

```
    $output[] = $row;
```

```
}
```

```
http_response_code(200);
```

```
echo json_encode($output, JSON_UNESCAPED_UNICODE);  
mysqli_close($conn);
```

getdatastudent.php

```
<?php
```

```
include 'conn.php';
```

```
header('Access-Control-Allow-Origin: *');
```

```
header('Content-Type: application/json; charset=UTF-8');
```

```
$output = [];
```

```
$studentId = isset($_REQUEST['student_id']) ? trim($_REQUEST['student_id']) : '';
```

```
$studentCode = isset($_REQUEST['student_code']) ? trim($_REQUEST['student_code']) : '';
```

```
$baseSql = "
```

```
    SELECT
```

```
        s.student_id,
```

```
        s.student_code,
```

```
        s.user_id,
```

```
        s.full_name,
```

```
        s.major_id,
```

```
        m.major_code,
```

```
        m.major_name_th,
```

```
        s.advisor_id,
```

```
        t.teacher_code AS advisor_code,
```

```
        t.full_name AS advisor_name,
```

```
        s.created_at,
```

```
        s.updated_at,
```

```
        u.username,
```

```
        u.email,
```

```
        u.phone,
```

```
        u.is_active
```

```
FROM students s
```

```
LEFT JOIN majors m ON s.major_id = m.major_id
```

```
    LEFT JOIN teachers t ON s.advisor_id = t.teacher_id
    LEFT JOIN users    u ON s.user_id    = u.user_id
";
```

```
$params = [];
```

```
$types  = "";
```

```
$where  = [];
```

```
if ($studentId !== "") {
```

```
    $where[] = "s.student_id = ?";
```

```
    $params[] = $studentId;
```

```
    $types  .= 'i';
```

```
}
```

```
if ($studentCode !== "") {
```

```
    $where[] = "s.student_code = ?";
```

```
    $params[] = $studentCode;
```

```
    $types  .= 's';
```

```
}
```

```
if ($where) {
```

```
    $baseSql .= " WHERE " . implode(' AND ', $where);
```

```
}
```

```
$baseSql .= " ORDER BY s.student_code";
```

```
if ($where) {
```

```
    $stmt = $conn->prepare($baseSql);
```

```
    if (!$stmt) {
```

```
        http_response_code(500);
```

```
        echo json_encode(['error' => $conn->error]);
```

```
        exit;
```

```
    }
```

```
    $stmt->bind_param($types, ...$params);
```

```
    if (!$stmt->execute()) {
```

```
        http_response_code(500);
```

```
        echo json_encode(['error' => $stmt->error]);
```



```

        exit;
    }
    $result = $stmt->get_result();
} else {
    $result = mysqli_query($conn, $baseSql);
}

if ($result === false) {
    http_response_code(500);
    echo json_encode(['error' => mysqli_error($conn)]);
    exit;
}

while ($row = mysqli_fetch_assoc($result)) {
    $output[] = $row;
}

http_response_code(200);
echo json_encode($output, JSON_UNESCAPED_UNICODE);
mysqli_close($conn);

```

getroles.php

```
<?php
```

```
include 'conn.php';
```

```
header('Access-Control-Allow-Origin: *');
```

```
header('Content-Type: application/json; charset=UTF-8');
```

```
$output = [];
```

```
$sql = "SELECT role_id, role_code, role_name_th FROM roles ORDER BY role_id";
```

```
$result = mysqli_query($conn, $sql);
```

```
if ($result === false) {
```

```

    http_response_code(500);
    echo json_encode(['error' => mysqli_error($conn)]);
    exit;
}

while ($row = mysqli_fetch_assoc($result)) {
    $output[] = $row;
}

http_response_code(200);
echo json_encode($output, JSON_UNESCAPED_UNICODE);
mysqli_close($conn);

```

```

getteachers.php
<?php
include 'conn.php';

```

```

header('Access-Control-Allow-Origin: *');
header('Content-Type: application/json; charset=UTF-8');

```

```

$output = [];
$teacherId = isset($_GET['teacher_id']) ? trim($_GET['teacher_id']) : "";
$teacherCode = isset($_GET['teacher_code']) ? trim($_GET['teacher_code']) : "";

```

```

$baseSql = "
    SELECT
        t.teacher_id,
        t.teacher_code,
        t.user_id,
        t.title_th,
        t.full_name,
        t.department_th,
        t.created_at,

```

```

        t.updated_at,
        u.username,
        u.email,
        u.phone,
        u.is_active
    FROM teachers t
    LEFT JOIN users u ON t.user_id = u.user_id
";

```

```

$params = [];
$types = "";
$where = [];

```

```

if ($teacherId !== "") {
    $where[] = "t.teacher_id = ?";
    $params[] = $teacherId;
    $types .= 'i';
}

```

```

if ($teacherCode !== "") {
    $where[] = "t.teacher_code = ?";
    $params[] = $teacherCode;
    $types .= 's';
}

```

```

if ($where) {
    $baseSql .= " WHERE " . implode(' AND ', $where);
}
$baseSql .= " ORDER BY t.teacher_code";

```

```

if ($where) {
    $stmt = $conn->prepare($baseSql);
    if (!$stmt) {
        http_response_code(500);
        echo json_encode(['error' => $conn->error]);
        exit;
    }
}

```

```

    }
    $stmt->bind_param($types, ...$params);
    if (!$stmt->execute()) {
        http_response_code(500);
        echo json_encode(['error' => $stmt->error]);
        exit;
    }
    $result = $stmt->get_result();
} else {
    $result = mysqli_query($conn, $baseSql);
}

if ($result === false) {
    http_response_code(500);
    echo json_encode(['error' => mysqli_error($conn)]);
    exit;
}

while ($row = mysqli_fetch_assoc($result)) {
    $output[] = $row;
}

http_response_code(200);
echo json_encode($output, JSON_UNESCAPED_UNICODE);
mysqli_close($conn);

```

savedatamajors.php

```
<?php
```

```
include 'conn.php';
```

```
header('Access-Control-Allow-Origin: *');
```

```
header('Content-Type: application/json; charset=UTF-8');
```

```
header('Access-Control-Allow-Methods: POST, OPTIONS');
```

```
header('Access-Control-Allow-Headers: Content-Type, X-Requested-With');
```

```
if ($_SERVER['REQUEST_METHOD'] === 'OPTIONS') {  
    http_response_code(200);  
    exit;  
}
```

```
function respond($code, $payload)  
{  
    http_response_code($code);  
    echo json_encode($payload, JSON_UNESCAPED_UNICODE);  
    exit;  
}
```

```
$action = $_POST['action'] ?? "";  
if ($action === "") {  
    respond(400, ['status' => 'error', 'message' => 'missing action']);  
}
```

```
$majorId    = isset($_POST['major_id']) ? (int)$_POST['major_id'] : 0;  
$majorCode  = trim($_POST['major_code'] ?? "");  
$majorNameTh = trim($_POST['major_name_th'] ?? "");  
$isActive   = isset($_POST['is_active']) ? (int)$_POST['is_active'] : 1;
```

```
switch ($action) {  
    case 'create':  
        if ($majorCode === "" || $majorNameTh === "") {  
            respond(422, ['status' => 'error', 'message' => 'กรุณาระบุรหัสและชื่อสาขา']);  
        }  

```

```
        $dupStmt = $conn->prepare("SELECT major_id FROM majors WHERE major_code = ? LIMIT 1");  
        $dupStmt->bind_param('s', $majorCode);  
        $dupStmt->execute();  
        $dup = $dupStmt->get_result()->fetch_assoc();  
        $dupStmt->close();
```

```

if ($dup) {
    respond(409, ['status' => 'error', 'message' => 'รหัสสาขานี้ถูกใช้แล้ว']);
}

$stmt = $conn->prepare("INSERT INTO majors (major_code, major_name_th, is_active) VALUES (?, ?, ?)");
if (!$stmt) {
    respond(500, ['status' => 'error', 'message' => $conn->error]);
}
$stmt->bind_param('ssi', $majorCode, $majorNameTh, $isActive);
if (!$stmt->execute()) {
    respond(500, ['status' => 'error', 'message' => $stmt->error]);
}
respond(201, [
    'status' => 'success',
    'message' => 'เพิ่มสาขาสำเร็จ',
    'major_id' => $conn->insert_id
]);

```

case 'update':

```

if ($majorId <= 0) {
    respond(422, ['status' => 'error', 'message' => 'ต้องระบุ major_id']);
}
if ($majorCode === '' || $majorNameTh === '') {
    respond(422, ['status' => 'error', 'message' => 'กรุณาระบุรหัสและชื่อสาขา']);
}

```

```

$dupStmt = $conn->prepare("SELECT major_id FROM majors WHERE major_code = ? AND major_id <> ?
LIMIT 1");

```

```

$dupStmt->bind_param('si', $majorCode, $majorId);
$dupStmt->execute();
$dup = $dupStmt->get_result()->fetch_assoc();
$dupStmt->close();
if ($dup) {
    respond(409, ['status' => 'error', 'message' => 'รหัสสาขานี้ถูกใช้แล้ว']);
}

```

```

$stmt = $conn->prepare("
    UPDATE majors
    SET major_code = ?, major_name_th = ?, is_active = ?
    WHERE major_id = ?
    LIMIT 1
");
if (!$stmt) {
    respond(500, ['status' => 'error', 'message' => $conn->error]);
}
$stmt->bind_param('ssii', $majorCode, $majorNameTh, $isActive, $majorId);
if (!$stmt->execute()) {
    respond(500, ['status' => 'error', 'message' => $stmt->error]);
}
if ($stmt->affected_rows === 0) {
    respond(404, ['status' => 'error', 'message' => 'ไม่พบข้อมูลที่จะแก้ไข']);
}
respond(200, ['status' => 'success', 'message' => 'อัปเดตสาขาสำเร็จ', 'major_id' => $majorId]);

```

case 'delete':

```

if ($majorId <= 0) {
    respond(422, ['status' => 'error', 'message' => 'ต้องระบุ major_id']);
}
$stmt = $conn->prepare("DELETE FROM majors WHERE major_id = ? LIMIT 1");
if (!$stmt) {
    respond(500, ['status' => 'error', 'message' => $conn->error]);
}
$stmt->bind_param('i', $majorId);
if (!$stmt->execute()) {
    respond(500, ['status' => 'error', 'message' => $stmt->error]);
}
if ($stmt->affected_rows === 0) {
    respond(404, ['status' => 'error', 'message' => 'ไม่พบข้อมูลที่ต้องการลบ']);
}
respond(200, ['status' => 'success', 'message' => 'ลบสาขาสำเร็จ', 'major_id' => $majorId]);

```

default:

```
    respond(400, ['status' => 'error', 'message' => 'action ไม่ถูกต้อง']);
}
```

savedataspecial_project.php

<?php

include 'conn.php';

header('Access-Control-Allow-Origin: *');

header('Content-Type: application/json; charset=UTF-8');

error_reporting(E_ALL);

ini_set('display_errors', 1);

function jsonResponse(mysqli \$conn, ?mysqli_stmt \$stmt, int \$status, \$payload): void {

if (\$stmt) {

\$stmt->close();

}

\$conn->close();

http_response_code(\$status);

echo json_encode(\$payload, JSON_UNESCAPED_UNICODE);

exit;

}

if (\$_SERVER['REQUEST_METHOD'] !== 'POST') {

jsonResponse(\$conn, null, 405, ['error' => 'POST only']);

}

\$action = \$_POST['action'] ?? '';

if (\$action === '') {

jsonResponse(\$conn, null, 400, ['error' => 'Missing action']);

}


```

switch ($action) {

// ===== LIST =====

case 'list':

    $projectId = trim($_POST['project_id'] ?? "");

    if ($projectId !== "" && !ctype_digit($projectId)) {
        jsonResponse($conn, null, 400, ['error' => 'project_id must be numeric']);
    }

    if ($projectId !== "") {
        $sql = "SELECT
            `รหัสโครงการ` AS project_id,
            `รหัสนักศึกษา` AS student_id,
            `ชื่อหัวข้อพิเศษ` AS topic_name,
            `สถานะ` AS status
        FROM special_project
        WHERE `รหัสโครงการ` = ?
        LIMIT 1";

        $stmt = $conn->prepare($sql);
        if (!$stmt) {
            jsonResponse($conn, null, 500, ['error' => $conn->error]);
        }

        $pid = (int)$projectId;
        $stmt->bind_param('i', $pid);
    } else {
        $sql = "SELECT
            `รหัสโครงการ` AS project_id,
            `รหัสนักศึกษา` AS student_id,
            `ชื่อหัวข้อพิเศษ` AS topic_name,
            `สถานะ` AS status
        FROM special_project
        ORDER BY `รหัสโครงการ` ASC";

        $stmt = $conn->prepare($sql);
        if (!$stmt) {

```

```

        jsonResponse($conn, null, 500, ['error' => $conn->error]);
    }
}

if (!$stmt->execute()) {
    jsonResponse($conn, $stmt, 500, ['error' => $stmt->error]);
}

$res = $stmt->get_result();
$rows = [];
while ($row = $res->fetch_assoc()) {
    $rows[] = $row;
}

jsonResponse($conn, $stmt, 200, $rows);
break;

// ===== CREATE =====
case 'create':
    $studentId = trim($_POST['student_id'] ?? "");
    $topic = trim($_POST['topic'] ?? "");
    $statusText = trim($_POST['status'] ?? 'รอ');

    if ($studentId === "" || $topic === "" || $statusText === "") {
        jsonResponse($conn, null, 422, ['error' => 'กรอกข้อมูลให้ครบ']);
    }

    $stmt = $conn->prepare(
        "INSERT INTO special_project (`รหัสนักศึกษา`, `ชื่อหัวข้อพิเศษ`, `สถานะ`)
        VALUES (?, ?, ?)"
    );
    if (!$stmt) {
        jsonResponse($conn, null, 500, ['error' => $conn->error]);
    }
}

```

```

$stmt->bind_param('sss', $studentId, $topic, $statusText);
if (!$stmt->execute()) {
    jsonResponse($conn, $stmt, 500, ['error' => $stmt->error]);
}

$newId = $conn->insert_id;
jsonResponse($conn, $stmt, 201, [
    'status' => 'created',
    'project_id' => $newId,
]);
break;

// ===== UPDATE =====
case 'update':
    $projectId = trim($_POST['project_id'] ?? '');
    $studentId = trim($_POST['student_id'] ?? '');
    $topic = trim($_POST['topic'] ?? '');
    $statusText = trim($_POST['status'] ?? '');

    if ($projectId === '' || !ctype_digit($projectId) ||
        $studentId === '' || $topic === '' || $statusText === '') {
        jsonResponse($conn, null, 422, ['error' => 'กรอกข้อมูลให้ครบ']);
    }

    $projectIdInt = (int)$projectId;
    $stmt = $conn->prepare(
        "UPDATE special_project
        SET `รหัสนักศึกษา` = ?, `ชื่อหัวข้อพิเศษ` = ?, `สถานะ` = ?
        WHERE `รหัสโครงการ` = ? LIMIT 1"
    );
    if (!$stmt) {
        jsonResponse($conn, null, 500, ['error' => $conn->error]);
    }

    $stmt->bind_param('sssi', $studentId, $topic, $statusText, $projectIdInt);

```

```

if (!$stmt->execute()) {
    jsonResponse($conn, $stmt, 500, ['error' => $stmt->error]);
}

if ($stmt->affected_rows === 0) {
    jsonResponse($conn, $stmt, 404, ['error' => 'ไม่พบข้อมูล']);
}

jsonResponse($conn, $stmt, 200, [
    'status' => 'updated',
    'project_id' => $projectIdInt,
]);
break;

// ===== DELETE =====
case 'delete':
    $projectId = trim($_POST['project_id'] ?? "");
    if ($projectId === "" || !ctype_digit($projectId)) {
        jsonResponse($conn, null, 422, ['error' => 'ต้องระบุ project_id']);
    }

    $projectIdInt = (int)$projectId;
    $stmt = $conn->prepare(
        "DELETE FROM special_project WHERE `รหัสโครงการ` = ? LIMIT 1"
    );
    if (!$stmt) {
        jsonResponse($conn, null, 500, ['error' => $conn->error]);
    }

    $stmt->bind_param('i', $projectIdInt);
    if (!$stmt->execute()) {
        jsonResponse($conn, $stmt, 500, ['error' => $stmt->error]);
    }

    if ($stmt->affected_rows === 0) {

```

```

        jsonResponse($conn, $stmt, 404, ['error' => 'ไม่พบข้อมูล']);
    }

    jsonResponse($conn, $stmt, 200, [
        'status' => 'deleted',
        'project_id' => $projectIdInt,
    ]);
    break;

default:
    jsonResponse($conn, null, 400, ['error' => 'Unknown action']);
}

```

savedatastudent.php

```

<?php
header('Access-Control-Allow-Origin: *');
header('Content-Type: application/json; charset=UTF-8');
header('Access-Control-Allow-Methods: POST, OPTIONS');
header('Access-Control-Allow-Headers: Content-Type, X-Requested-With');

if ($_SERVER['REQUEST_METHOD'] === 'OPTIONS') {
    http_response_code(200);
    exit;
}

include 'conn.php';

function respond($code, $payload)
{
    http_response_code($code);
    echo json_encode($payload, JSON_UNESCAPED_UNICODE);
    exit;
}

```

```

$action      = $_POST['action'] ?? "";
$studentId   = isset($_POST['student_id']) ? (int)$_POST['student_id'] : 0;
$studentCode = trim($_POST['student_code'] ?? "");
$fullName    = trim($_POST['full_name'] ?? "");
$majorId     = isset($_POST['major_id']) ? (int)$_POST['major_id'] : 0;
$advisorId   = isset($_POST['advisor_id']) && $_POST['advisor_id'] !== " ? (int)$_POST['advisor_id'] : null;
$userId      = isset($_POST['user_id']) && $_POST['user_id'] !== " ? (int)$_POST['user_id'] : null;

```

```

if ($action === "") {
    respond(400, ['status' => 'error', 'message' => 'missing action']);
}

```

```

function ensureMajorExists(mysqli $conn, int $majorId)
{
    $stmt = $conn->prepare("SELECT major_id FROM majors WHERE major_id = ? LIMIT 1");
    $stmt->bind_param('i', $majorId);
    $stmt->execute();
    $exists = $stmt->get_result()->fetch_assoc();
    $stmt->close();
    if (!$exists) {
        respond(404, ['status' => 'error', 'message' => 'ไม่พบสาขาที่ระบุ']);
    }
}

```

```

function ensureTeacherExists(mysqli $conn, ?int $advisorId)
{
    if ($advisorId === null) {
        return;
    }
    $stmt = $conn->prepare("SELECT teacher_id FROM teachers WHERE teacher_id = ? LIMIT 1");
    $stmt->bind_param('i', $advisorId);
    $stmt->execute();
    $exists = $stmt->get_result()->fetch_assoc();
    $stmt->close();
}

```

```

if (!$exists) {
    respond(404, ['status' => 'error', 'message' => 'ไม่พบอาจารย์ที่ปรึกษา']);
}
}

```

```

function ensureUserAvailable(mysqli $conn, ?int $userId, ?int $studentId = null)

```

```

{
    if ($userId === null) {
        return;
    }
    $uStmt = $conn->prepare("SELECT user_id FROM users WHERE user_id = ? LIMIT 1");
    $uStmt->bind_param('i', $userId);
    $uStmt->execute();
    $exists = $uStmt->get_result()->fetch_assoc();
    $uStmt->close();
    if (!$exists) {
        respond(404, ['status' => 'error', 'message' => 'ไม่พบ user_id ในระบบ']);
    }
}

```

```

    $sid = $studentId ?? 0;
    $dupStmt = $conn->prepare("SELECT student_id FROM students WHERE user_id = ? AND student_id <> ?
LIMIT 1");
    $dupStmt->bind_param('ii', $userId, $sid);
    $dupStmt->execute();
    $dup = $dupStmt->get_result()->fetch_assoc();
    $dupStmt->close();
    if ($dup) {
        respond(409, ['status' => 'error', 'message' => 'user_id นี้ถูกใช้กับนักศึกษาอื่นแล้ว']);
    }
}

```

```

switch ($action) {
    case 'create':
        if ($studentCode === "" || $fullName === "" || $majorId <= 0) {
            respond(422, ['status' => 'error', 'message' => 'กรุณากรอก student_code, full_name และ major_id']);
        }
    }
}

```

```
}
```

```
ensureMajorExists($conn, $majorId);
```

```
ensureTeacherExists($conn, $advisorId);
```

```
ensureUserAvailable($conn, $userId);
```

```
$dupStmt = $conn->prepare("SELECT student_id FROM students WHERE student_code = ? LIMIT 1");
```

```
$dupStmt->bind_param('s', $studentCode);
```

```
$dupStmt->execute();
```

```
$dup = $dupStmt->get_result()->fetch_assoc();
```

```
$dupStmt->close();
```

```
if ($dup) {
```

```
    respond(409, ['status' => 'error', 'message' => 'รหัสนักเรียนนี้ถูกใช้แล้ว']);
```

```
}
```

```
$stmt = $conn->prepare("
```

```
    INSERT INTO students (student_code, user_id, full_name, major_id, advisor_id)
```

```
    VALUES (?, ?, ?, ?, ?)
```

```
");
```

```
if (!$stmt) {
```

```
    respond(500, ['status' => 'error', 'message' => $conn->error]);
```

```
}
```

```
$stmt->bind_param('sisii', $studentCode, $userId, $fullName, $majorId, $advisorId);
```

```
if (!$stmt->execute()) {
```

```
    respond(500, ['status' => 'error', 'message' => $stmt->error]);
```

```
}
```

```
respond(201, [
```

```
    'status' => 'success',
```

```
    'message' => 'เพิ่มนักศึกษาสำเร็จ',
```

```
    'student_id' => $conn->insert_id
```

```
]);
```

```
case 'update':
```

```
if ($studentId <= 0) {
```

```
    respond(422, ['status' => 'error', 'message' => 'ต้องระบุ student_id']);
```



```

}
if ($studentCode === " || $fullName === " || $majorId <= 0) {
    respond(422, ['status' => 'error', 'message' => 'กรุณากรอก student_code, full_name และ major_id']);
}

ensureMajorExists($conn, $majorId);
ensureTeacherExists($conn, $advisorId);
ensureUserAvailable($conn, $userId, $studentId);

$dupStmt = $conn->prepare("SELECT student_id FROM students WHERE student_code = ? AND
student_id <> ? LIMIT 1");
$dupStmt->bind_param('si', $studentCode, $studentId);
$dupStmt->execute();
$dup = $dupStmt->get_result()->fetch_assoc();
$dupStmt->close();
if ($dup) {
    respond(409, ['status' => 'error', 'message' => 'รหัสนักศึกษาที่ใช้นี้ถูกใช้แล้ว']);
}

$stmt = $conn->prepare("
UPDATE students
SET student_code = ?, user_id = ?, full_name = ?, major_id = ?, advisor_id = ?
WHERE student_id = ?
LIMIT 1
");
if (!$stmt) {
    respond(500, ['status' => 'error', 'message' => $conn->error]);
}
$stmt->bind_param('sisiii', $studentCode, $userId, $fullName, $majorId, $advisorId, $studentId);
if (!$stmt->execute()) {
    respond(500, ['status' => 'error', 'message' => $stmt->error]);
}
if ($stmt->affected_rows === 0) {
    respond(404, ['status' => 'error', 'message' => 'ไม่พบข้อมูลที่จะแก้ไข']);
}

```

```

        respond(200, ['status' => 'success', 'message' => 'อัปเดตนักศึกษาสำเร็จ', 'student_id' => $studentId]);

    case 'delete':
        if ($studentId <= 0) {
            respond(422, ['status' => 'error', 'message' => 'ต้องระบุ student_id']);
        }
        $stmt = $conn->prepare("DELETE FROM students WHERE student_id = ? LIMIT 1");
        if (!$stmt) {
            respond(500, ['status' => 'error', 'message' => $conn->error]);
        }
        $stmt->bind_param('i', $studentId);
        if (!$stmt->execute()) {
            respond(500, ['status' => 'error', 'message' => $stmt->error]);
        }
        if ($stmt->affected_rows === 0) {
            respond(404, ['status' => 'error', 'message' => 'ไม่พบข้อมูลที่ต้องการลบ']);
        }
        respond(200, ['status' => 'success', 'message' => 'ลบนักศึกษาสำเร็จ', 'student_id' => $studentId]);

    default:
        respond(400, ['status' => 'error', 'message' => 'action ไม่ถูกต้อง']);
}

```

savedatateacher.php

```

<?php
// อนุญาต CORS + ส่ง JSON
header('Access-Control-Allow-Origin: *');
header('Content-Type: application/json; charset=UTF-8');
header('Access-Control-Allow-Methods: POST, OPTIONS');
header('Access-Control-Allow-Headers: Content-Type, X-Requested-With');

if ($_SERVER['REQUEST_METHOD'] === 'OPTIONS') {
    http_response_code(200);
    exit;
}

```

```
}
```

```
include 'conn.php';
```

```
function respond($code, $payload)
```

```
{
```

```
    http_response_code($code);
```

```
    echo json_encode($payload, JSON_UNESCAPED_UNICODE);
```

```
    exit;
```

```
}
```

```
$action    = $_POST['action'] ?? '';
```

```
$teacherId = isset($_POST['teacher_id']) ? (int)$_POST['teacher_id'] : 0;
```

```
$teacherCode = trim($_POST['teacher_code'] ?? '');
```

```
$userId    = isset($_POST['user_id']) && $_POST['user_id'] !== '' ? (int)$_POST['user_id'] : null;
```

```
$titleTh   = trim($_POST['title_th'] ?? '');
```

```
$fullName  = trim($_POST['full_name'] ?? '');
```

```
$department = trim($_POST['department_th'] ?? '');
```

```
if ($action === '') {
```

```
    respond(400, ['status' => 'error', 'message' => 'missing action']);
```

```
}
```

```
// ตรวจสอบ user_id ถ้ามีส่งมา
```

```
function ensureUserAvailable(mysqli $conn, ?int $userId, ?int $teacherId = null)
```

```
{
```

```
    if ($userId === null) {
```

```
        return;
```

```
    }
```

```
    $existsStmt = $conn->prepare("SELECT user_id FROM users WHERE user_id = ? LIMIT 1");
```

```
    $existsStmt->bind_param('i', $userId);
```

```
    $existsStmt->execute();
```

```
    $exists = $existsStmt->get_result()->fetch_assoc();
```

```
    $existsStmt->close();
```

```
    if (!$exists) {
```

```

        respond(404, ['status' => 'error', 'message' => 'ไม่พบ user_id ในระบบ']);
    }

    $dupStmt = $conn->prepare("SELECT teacher_id FROM teachers WHERE user_id = ? AND teacher_id <> ?
LIMIT 1");
    $tid = $teacherId ?? 0;
    $dupStmt->bind_param('ii', $userId, $tid);
    $dupStmt->execute();
    $dup = $dupStmt->get_result()->fetch_assoc();
    $dupStmt->close();
    if ($dup) {
        respond(409, ['status' => 'error', 'message' => 'user_id นี้ถูกใช้กับอาจารย์อื่นแล้ว']);
    }
}

switch ($action) {
    case 'create':
        if ($teacherCode === "" || $fullName === "") {
            respond(422, ['status' => 'error', 'message' => 'กรุณาระบุรหัสและชื่ออาจารย์']);
        }

        $dupStmt = $conn->prepare("SELECT teacher_id FROM teachers WHERE teacher_code = ? LIMIT 1");
        $dupStmt->bind_param('s', $teacherCode);
        $dupStmt->execute();
        $dup = $dupStmt->get_result()->fetch_assoc();
        $dupStmt->close();
        if ($dup) {
            respond(409, ['status' => 'error', 'message' => 'รหัสอาจารย์นี้มีอยู่แล้ว']);
        }

        ensureUserAvailable($conn, $userId);

        $stmt = $conn->prepare("
            INSERT INTO teachers (teacher_code, user_id, title_th, full_name, department_th)
            VALUES (?, ?, ?, ?, ?)

```

```

");
if (!$stmt) {
    respond(500, ['status' => 'error', 'message' => $conn->error]);
}
// user_id อาจเป็น null
$stmt->bind_param('sisss', $teacherCode, $userId, $titleTh, $fullName, $department);
if (!$stmt->execute()) {
    respond(500, ['status' => 'error', 'message' => $stmt->error]);
}
respond(201, [
    'status' => 'success',
    'message' => 'เพิ่มอาจารย์สำเร็จ',
    'teacher_id' => $conn->insert_id
]);

case 'update':
    if ($teacherId <= 0) {
        respond(422, ['status' => 'error', 'message' => 'ต้องระบุ teacher_id']);
    }
    if ($teacherCode === "" || $fullName === "") {
        respond(422, ['status' => 'error', 'message' => 'กรุณาระบุรหัสและชื่ออาจารย์']);
    }

    $dupStmt = $conn->prepare("SELECT teacher_id FROM teachers WHERE teacher_code = ? AND
teacher_id <> ? LIMIT 1");
    $dupStmt->bind_param('si', $teacherCode, $teacherId);
    $dupStmt->execute();
    $dup = $dupStmt->get_result()->fetch_assoc();
    $dupStmt->close();
    if ($dup) {
        respond(409, ['status' => 'error', 'message' => 'รหัสอาจารย์นี้มีอยู่แล้ว']);
    }

    ensureUserAvailable($conn, $userId, $teacherId);

```

```

$stmt = $conn->prepare("
    UPDATE teachers
    SET teacher_code = ?, user_id = ?, title_th = ?, full_name = ?, department_th = ?
    WHERE teacher_id = ?
    LIMIT 1
");
if (!$stmt) {
    respond(500, ['status' => 'error', 'message' => $conn->error]);
}
$stmt->bind_param('sisssi', $teacherCode, $userId, $titleTh, $fullName, $department, $teacherId);
if (!$stmt->execute()) {
    respond(500, ['status' => 'error', 'message' => $stmt->error]);
}
if ($stmt->affected_rows === 0) {
    respond(404, ['status' => 'error', 'message' => 'ไม่พบข้อมูลที่จะแก้ไข']);
}
respond(200, ['status' => 'success', 'message' => 'อัปเดตอาจารย์สำเร็จ', 'teacher_id' => $teacherId]);

```

case 'delete':

```

if ($teacherId <= 0) {
    respond(422, ['status' => 'error', 'message' => 'ต้องระบุ teacher_id']);
}
$stmt = $conn->prepare("DELETE FROM teachers WHERE teacher_id = ? LIMIT 1");
if (!$stmt) {
    respond(500, ['status' => 'error', 'message' => $conn->error]);
}
$stmt->bind_param('i', $teacherId);
if (!$stmt->execute()) {
    respond(500, ['status' => 'error', 'message' => $stmt->error]);
}
if ($stmt->affected_rows === 0) {
    respond(404, ['status' => 'error', 'message' => 'ไม่พบข้อมูลที่ต้องการลบ']);
}
respond(200, ['status' => 'success', 'message' => 'ลบอาจารย์สำเร็จ', 'teacher_id' => $teacherId]);

```

```
default:
    respond(400, ['status' => 'error', 'message' => 'action ไม่ถูกต้อง']);
}
```

special_project.php

```
<?php
```

```
include 'conn.php';
```

```
header('Access-Control-Allow-Origin: *');
```

```
header('Content-Type: application/json; charset=UTF-8');
```

```
error_reporting(E_ALL);
```

```
ini_set('display_errors', 1);
```

```
function jsonResponse(mysqli $conn, ?mysqli_stmt $stmt, int $status, $payload): void {
```

```
    if ($stmt) {
```

```
        $stmt->close();
```

```
    }
```

```
    $conn->close();
```

```
    http_response_code($status);
```

```
    echo json_encode($payload, JSON_UNESCAPED_UNICODE);
```

```
    exit;
```

```
}
```

```
if ($_SERVER['REQUEST_METHOD'] !== 'POST') {
```

```
    jsonResponse($conn, null, 405, ['error' => 'POST only']);
```

```
}
```

```
$action = $_POST['action'] ?? '';
```

```
if ($action === '') {
```

```
    jsonResponse($conn, null, 400, ['error' => 'Missing action']);
```

```
}
```

```
switch ($action) {
```

```
// ===== LIST =====
case 'list':
    $projectId = trim($_POST['project_id'] ?? "");

    if ($projectId !== "" && !ctype_digit($projectId)) {
        jsonResponse($conn, null, 400, ['error' => 'project_id must be numeric']);
    }

    if ($projectId !== "") {
        $sql = "SELECT
            `รหัสโครงการ` AS project_id,
            `รหัสนักศึกษา` AS student_id,
            `ชื่อหัวข้อพิเศษ` AS topic_name,
            `สถานะ` AS status
        FROM special_project
        WHERE `รหัสโครงการ` = ?
        LIMIT 1";

        $stmt = $conn->prepare($sql);
        if (!$stmt) {
            jsonResponse($conn, null, 500, ['error' => $conn->error]);
        }

        $pid = (int)$projectId;
        $stmt->bind_param('i', $pid);
    } else {
        $sql = "SELECT
            `รหัสโครงการ` AS project_id,
            `รหัสนักศึกษา` AS student_id,
            `ชื่อหัวข้อพิเศษ` AS topic_name,
            `สถานะ` AS status
        FROM special_project
        ORDER BY `รหัสโครงการ` ASC";

        $stmt = $conn->prepare($sql);
        if (!$stmt) {
            jsonResponse($conn, null, 500, ['error' => $conn->error]);
        }
    }
}
```



```

    }
}

if (!$stmt->execute()) {
    jsonResponse($conn, $stmt, 500, ['error' => $stmt->error]);
}

$res = $stmt->get_result();
$rows = [];
while ($row = $res->fetch_assoc()) {
    $rows[] = $row;
}
jsonResponse($conn, $stmt, 200, $rows);
break;

// ===== CREATE =====
case 'create':
    $studentId = trim($_POST['student_id'] ?? "");
    $topic = trim($_POST['topic'] ?? "");
    $statusText = trim($_POST['status'] ?? 'รอ');

    if ($studentId === "" || $topic === "" || $statusText === "") {
        jsonResponse($conn, null, 422, ['error' => 'กรอกข้อมูลให้ครบ']);
    }

    $stmt = $conn->prepare(
        "INSERT INTO special_project (`รหัสนักศึกษา`, `ชื่อหัวข้อพิเศษ`, `สถานะ`)
        VALUES (?, ?, ?)"
    );
    if (!$stmt) {
        jsonResponse($conn, null, 500, ['error' => $conn->error]);
    }

    $stmt->bind_param('sss', $studentId, $topic, $statusText);
    if (!$stmt->execute()) {

```

```

        jsonResponse($conn, $stmt, 500, ['error' => $stmt->error]);
    }

    $newId = $conn->insert_id;
    jsonResponse($conn, $stmt, 201, [
        'status' => 'created',
        'project_id' => $newId,
    ]);
    break;

// ===== UPDATE =====
case 'update':
    $projectId = trim($_POST['project_id'] ?? "");
    $studentId = trim($_POST['student_id'] ?? "");
    $topic = trim($_POST['topic'] ?? "");
    $statusText = trim($_POST['status'] ?? "");

    if ($projectId === "" || !ctype_digit($projectId) ||
        $studentId === "" || $topic === "" || $statusText === "") {
        jsonResponse($conn, null, 422, ['error' => 'กรอกข้อมูลให้ครบ']);
    }

    $projectIdInt = (int)$projectId;
    $stmt = $conn->prepare(
        "UPDATE special_project
        SET `รหัสนักศึกษา` = ?, `ชื่อหัวข้อพิเศษ` = ?, `สถานะ` = ?
        WHERE `รหัสโครงการ` = ? LIMIT 1"
    );
    if (!$stmt) {
        jsonResponse($conn, null, 500, ['error' => $conn->error]);
    }

    $stmt->bind_param('sssi', $studentId, $topic, $statusText, $projectIdInt);
    if (!$stmt->execute()) {
        jsonResponse($conn, $stmt, 500, ['error' => $stmt->error]);
    }

```

```
}
```

```
if ($stmt->affected_rows === 0) {  
    jsonResponse($conn, $stmt, 404, ['error' => 'ไม่พบข้อมูล']);  
}
```

```
jsonResponse($conn, $stmt, 200, [  
    'status' => 'updated',  
    'project_id' => $projectIdInt,  
]);  
break;
```

```
// ===== DELETE =====
```

```
case 'delete':
```

```
$projectId = trim($_POST['project_id'] ?? "");  
if ($projectId === "" || !ctype_digit($projectId)) {  
    jsonResponse($conn, null, 422, ['error' => 'ต้องระบุ project_id']);  
}
```

```
$projectIdInt = (int)$projectId;  
$stmt = $conn->prepare(  
    "DELETE FROM special_project WHERE `รหัสโครงการ` = ? LIMIT 1"  
);  
if (!$stmt) {  
    jsonResponse($conn, null, 500, ['error' => $conn->error]);  
}
```

```
$stmt->bind_param('i', $projectIdInt);  
if (!$stmt->execute()) {  
    jsonResponse($conn, $stmt, 500, ['error' => $stmt->error]);  
}
```

```
if ($stmt->affected_rows === 0) {  
    jsonResponse($conn, $stmt, 404, ['error' => 'ไม่พบข้อมูล']);  
}
```

```
    jsonResponse($conn, $stmt, 200, [  
        'status' => 'deleted',  
        'project_id' => $projectIdInt,  
    ]);  
    break;  
  
    default:  
        jsonResponse($conn, null, 400, ['error' => 'Unknown action']);  
}
```