

Presentation & Demo — Operator Instructions

Decision Packet Automation · Term Life Underwriting prototype

Run alongside Full_Narration_ReadAloud.pdf. Cue numbers below refer to the numbered paragraphs of that file, counted from the top. Paragraphs 1–12 are the intro deck; 13–32 are the live demo.

Before you record

Step	What to do
Open the deck	Decision_Packet_Automation_Intro.pptx in PowerPoint, in presenting mode, on the cover slide. Your transcript is also in the speaker notes of each slide.
Start the viewer	In a PowerShell window: <code>cd W:\Atul60176\Project</code> then <code>python src\webapp.py</code> — leave it running for the whole demo. Confirm <code>http://127.0.0.1:5000</code> loads.
Second PowerShell window	<code>cd W:\Atul60176\Project</code> — this is the one you record the pipeline run in. Increase the font size (Ctrl + Scroll) so the log lines are readable on playback.
Check the API key works	<code>python src\test_claude.py</code> — it should print 'connectivity OK'. If you get a 401, clear any stale shell variable that is shadowing the .env file: <code>\$env:OPENROUTER_API_KEY = \$null</code> then retry.
Rehearse the pipeline once	Run it on CASE-0001 before recording. It confirms the key works and warms everything up. The score can shift slightly between runs — the narration never reads CASE-0001's number out loud, so this is safe.
Open Edge with two tabs	Tab 1: Full_Narration_ReadAloud.pdf (this is what Read Aloud plays). Tab 2: <code>http://127.0.0.1:5000</code> (the viewer).
Set up Read Aloud	In the narration tab press Ctrl + Shift + U to start Read Aloud. Under Voice options pick a natural voice and keep the speed at DEFAULT — do not slow it down. The full narration measures ~7:05 at default speed against an 8-minute cap; slowing it even slightly pushes past 7:40 and eats most of that margin. Practise pausing and resuming: you will switch windows while it plays.
Recording	Capture the whole screen plus system audio so Edge's voice is on the recording. Keep the narration tab visible on a second monitor if you have one, so you can see which paragraph is highlighted.

Measured with the narration read aloud at DEFAULT speed: ~7:05 total (~3:00 on the deck, ~4:05 on the live demo, of which ~70s is the pipeline executing) — against the 8-minute cap, that is roughly 55 seconds of margin. Do not slow Read Aloud down from default: at even slightly-below-default speed the same script measures ~7:40, cutting that margin to under 20 seconds. Keep the margin for your own clicks and window switches, not for a slower voice.

Part A — Intro deck

Start Read Aloud, then advance the slide when the narration reaches the next cue. Every slide's text is on screen as it is spoken, so you do not need to add anything.

Slide	Covers	Move to this slide when you hear...
Slide 1 Cover — Decision Packet Automation	Paragraphs 1 and 2	<i>"Hi, this is Monica Rajagopal, from Team..."</i> Start here. Hold the cover for both paragraphs.
Slide 2 01 · The Challenge	Paragraph 3	<i>"Life insurers receive large volumes of unstructured..."</i> The document chips and the 'where reviewer time goes' panel are exactly what this paragraph lists — let the audience read along.
Slide 3 02 · The Solution	Paragraph 4	<i>"Our solution uses Claude AI, document intelligence..."</i> Four capability pillars: Claude AI, document intelligence, OCR, rules engine. One paragraph only — advance promptly.
Slide 4 03 · How It Works	Paragraph 5	<i>"The process begins when documents and case..."</i> The four numbered steps on screen match the four stages named at the end of the paragraph.
Slide 5 04 · Traceability	Paragraph 6	<i>"The solution then normalises this information into..."</i> Point at the evidence attributes and the timeline as they are named.
Slide 6 05 · Guardrails	Paragraph 7	<i>"Next, the tool checks whether the evidence..."</i> The four flags — missing, conflicting, outdated, uncertain — are on screen as the paragraph says them.
Slide 7 06 · The Decision Packet	Paragraphs 8 and 9	<i>"For cases with sufficient evidence, the solution..."</i> Paragraph 8 covers what is inside the packet; paragraph 9 covers the reviewer actions on the right. Stay on this slide for both.
Slide 8 07 · Business Impact	Paragraphs 10 and 11	<i>"This solution helps insurers reduce manual document..."</i> Paragraph 11 is the closing line and matches the teal band at the bottom of the slide. Hold here until it finishes.
Leave the deck — hand over to the live demo —	Paragraph 12	<i>"That is the solution in outline. Now..."</i> Exit the slideshow and switch to File Explorer while this line plays.

Part B — Live demo

Each block is one segment. Follow the actions as the matching paragraphs are spoken.

Paragraphs 13 and 14 · Case documents

Show: File Explorer

Move here when you hear: “On screen is a single term life...”

Open: `W:\Atul60176\Project\raw_docs\CASE-0001`

Show: the six documents. Switch to Details view so the file types are visible.

Say nothing: the narration covers it — just let the folder sit on screen.

Paragraphs 15 to 20 · Run the pipeline

Show: PowerShell (full screen)

Move here when you hear: “Now we run the pipeline for this...”

Run: `python src\generate_packet.py --case CASE-0001`

Expect: four INFO lines appear over roughly 60–70 seconds: Ingestion, Feature extraction, Narrative, Scoring, then 'Packet assembled'.

Do not chase the words: paragraphs 16 to 19 describe the four stages in general terms — they are NOT timed line-for-line to the terminal. API latency varies run to run (extraction alone has taken anywhere from 20 to 26 seconds here), so the terminal will sometimes be a stage ahead of, or behind, whichever paragraph is playing. That is expected — paragraph 16 even says ingestion 'finishes almost instantly', so the terminal jumping straight to Feature extraction while that paragraph is still playing is the point, not an error.

The only real sync point: paragraph 20, 'And there it is'. If you see 'Packet assembled' on screen before narration gets there, just wait a few seconds — it catches up. If Read Aloud reaches it first, glance at the terminal; it finishes very shortly after.

Paragraph 21 · Outputs on disk

Show: File Explorer

Move here when you hear: “On disk we have four files for...”

Open: `W:\Atul60176\Project\packets`

Point at: `CASE-0001.json`, `CASE-0001_features.json`, `CASE-0001_score.json`, `CASE-0001_narrative.json`

Optional: open `CASE-0001_features.json` briefly to show the citations, then close it.

Paragraph 22 · Case list

Show: Edge — viewer tab

Move here when you hear: “This is the reviewer's view. Each case...”

Go to: `http://127.0.0.1:5000`

Show: all five cases with their colour-coded risk bands, Low through Very high.

Paragraphs 23 to 31 • The packet

Show: Edge — same tab

Move here when you hear: “Opening a case gives us the full...”

Click: CASE-0001

Scroll slowly: score banner → Summary → Key Fields → Missing Information → Risk Flags → Risk Score Breakdown → Suggested Action Path → Draft Rationale → Governance.

Pace: roughly one section per narration paragraph; pause Read Aloud if you need to linger on the citations or the 19-factor table.

Paragraph 32 • Close

Show: Edge — top of the packet

Move here when you hear: “Every packet is a draft prepared for...”

Scroll to: the draft disclaimer banner at the top of the packet.

Hold: on that line while the closing narration plays, then stop the recording.

If something goes wrong

401 Unauthorized / 'User not found'

The API key is not being read. Run `$env:OPENROUTER_API_KEY = $null` to clear any stale shell variable, confirm the real key is in `Project\.env`, then re-run `python src\test_claude.py`.

The pipeline is slower than expected

Pause Read Aloud with `Ctrl + Shift + U` and resume when the run finishes. Nothing in the narration depends on exact timing.

The run fails mid-demo

The previous packet for CASE-0001 is still on disk and the viewer still serves it. Skip to the viewer and carry on — say the packet was generated ahead of time.

The viewer will not load

Check the first PowerShell window is still running `python src\webapp.py`, then reload `http://127.0.0.1:5000`.

The score changed from the rehearsal

Expected — extraction and scoring are generative. CASE-0001 scores around 10 to 12, and the Low band ends at 10, so it can legitimately show as either Low or Medium on the day. The narration never reads its score or band aloud, and only names the two stable extremes (zero and ninety eight), so it stays correct either way. Nothing to fix.

Only CASE-0001 is re-run — will the other cases still be listed?

Yes. Each case has its own packet file, and the viewer re-reads the packets folder on every page load. Running CASE-0001 rewrites only CASE-0001's files; CASE-0002 through CASE-0005 stay exactly as they are and remain on the list.

Reminder for questions afterwards: every packet is a draft for underwriter review — the prototype never approves, declines, or binds anything.