

Resumen de ejercicio chistes en Postman

1. Crea chistes y verlos en el navegador

The screenshot shows a Postman interface with a POST request to `localhost:8000/api/jokes/new`. The request body is a JSON object:

```
{  "setup": "Where do programmers hang out?",  "punchline": "The Foo bar"}
```

The response is a JSON object:

```
{  "broma": {    "setup": "Where do programmers hang out?",    "punchline": "The Foo bar",    "_id": "64efca12eb42088c016d8a96",    "createdAt": "2023-08-30T23:00:34.066Z",    "updatedAt": "2023-08-30T23:00:34.066Z"  }}
```

Below the Postman interface, a browser window shows the JSON response:

```
{  "jokes": [    {      "_id": "64efc81d2061f94f6061fb47",      "setup": "Where do programmers hang out?",      "punchline": "The Foo Bar",      "_v": 0,      "_id": "64efc8d12061f94f6061fb49",      "setup": "A SQL query walks into a bar, walks up to two tables and asks...",      "punchline": "Can I join you?",      "_v": 0,      "_id": "64efc8fc2061f94f6061fb4b",      "setup": "What kind of music do planets listen to?",      "punchline": "Nep-tunes",      "_v": 0,      "_id": "64efc91e2061f94f6061fb4d",      "setup": "How does a programmer cheer up a tree?",      "punchline": "They console.log",      "_v": 0,      "_id": "64efc9e3e3ad7215705b9cae",      "setup": "Where do programmers hang out?",      "punchline": "The Foo bar",      "createdAt": "2023-08-30T22:59:47.236Z",      "updatedAt": "2023-08-30T22:59:47.236Z",      "_v": 0,      "_id": "64efca12eb42088c016d8a96",      "setup": "Where do programmers hang out?",      "punchline": "The Foo bar",      "createdAt": "2023-08-30T23:00:34.066Z",      "updatedAt": "2023-08-30T23:00:34.066Z"    ]  }}
```

2. POST DELETE y PUT

- Mostrar una broma

The screenshot shows a Postman interface with a GET request to `localhost:8000/api/jokes/64efca12eb42088c016d8a96`. The response is a JSON object:

```
{  "broma": {    "_id": "64efca12eb42088c016d8a96",    "setup": "Where do programmers hang out?",    "punchline": "The Foo bar",    "createdAt": "2023-08-30T23:00:34.066Z",    "updatedAt": "2023-08-30T23:00:34.066Z"  }}
```

- Actualizar una broma

Overview POST localhost:8000/api/jok PUT localhost:8000/api/jok + ... No Environment

localhost:8000/api/jokes/update/64efc81d2061f94f6061fb47 Save

PUT localhost:8000/api/jokes/update/64efc81d2061f94f6061fb47 Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
1 .....
2 ..... *setup": "Where do programmers hang out?",
3 ..... *punchline": "The Foo Bar kaboom!"
4 .....
5 .....
6 .....
7 .....
8 .....
9 .....
```

Body Cookies Headers (7) Test Results Status: 200 OK Time: 31 ms Size: 403 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 .....
2 ..... "broma": {
3 .....   "_id": "64efc81d2061f94f6061fb47",
4 .....   "setup": "Where do programmers hang out?",
5 .....   "punchline": "The Foo Bar kaboom!",
6 .....   "_v": 0,
7 .....   "updatedAt": "2023-08-30T23:19:34.425Z"
8 ..... }
9 .....
```

- Eliminar una broma

Overview POST localhost:8000/api/jok PUT localhost:8000/api/jok DEL localhost:8000/api/jok + ... No Environment

localhost:8000/api/jokes/delete/64efc81d2061f94f6061fb47 Save

DELETE localhost:8000/api/jokes/delete/64efc81d2061f94f6061fb47 Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params

Key	Value	Description
Key	Value	Description

Body Cookies Headers (7) Test Results Status: 200 OK Time: 30 ms Size: 284 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 .....
2 ..... "result": {
3 .....   "acknowledged": true,
4 .....   "deletedCount": 1
5 ..... }
6 .....
```