

Student 20 **Moniga V** 192521184RC

4 / 4 submitted

Q1. Intelligent Customer Feedback Analysis

CODE

```
# Input feedback
feedback = input("Enter feedback: ")

# Preprocess text
feedback = feedback.lower().strip()
feedback = feedback.replace(" ", "").replace(".", "").replace("!", "").replace("?", "")

positive = ["good", "great", "excellent", "happy", "love"]
negative = ["bad", "poor", "worst", "hate", "slow"]

pos = 0
neg = 0

# Count keywords
for word in feedback.split():
    if word in positive:
        pos += 1
    elif word in negative:
        neg += 1

# Classify feedback
if pos > neg:
    print("Positive Feedback")
elif neg > pos:
    print("Negative Feedback")
else:
    print("Neutral Feedback")

print("Positive words:", pos)
print("Negative words:", neg)
```

INPUT

Great product,I love it

OUTPUT

```
Enter feedback: Positive Feedback
Positive words: 2
Negative words: 0
```

Q2. Comprehensive Password Strength Checker**CODE**

```
def check_password(password):
    upper = lower = digit = special = 0

    for ch in password:
        if ch.isupper():
            upper = 1
        elif ch.islower():
            lower = 1
        elif ch.isdigit():
            digit = 1
        else:
            special = 1

    score = upper + lower + digit + special

    if len(password) == 0:
        print("Empty Password")
    elif score == 1:
        print("Weak Password")
    elif score == 2:
        print("Moderate Password")
    elif score == 3:
        print("Strong Password")
    elif score == 4 and len(password) >= 8:
        print("Very Strong Password")
    else:
        print("Strong Password")

    if upper == 0:
        print("Add an uppercase letter")
    if lower == 0:
        print("Add a lowercase letter")
    if digit == 0:
        print("Add a digit")
    if special == 0:
        print("Add a special symbol")

password = input("Enter Password: ")
check_password(password)
```

INPUT

Hi

OUTPUT

```
Enter Password: Moderate Password
Add a digit
Add a special symbol
```

Q3. Structured Server Log Error Analyser**CODE**

```
def analyze_log(log):
    errors = []
    count = 0

    lines = log.split(",")

    for line in lines:
        line = line.strip()

        if "ERROR" in line or line.find("ERROR") != -1 or line.startswith("ERROR"):
            count += 1
            if line not in errors:
                errors.append(line)

    print("Total Errors:", count)
    print("Unique Error Messages:")
    for i in errors:
        print(i)

# Main Program
log = input("Enter log entries: ")
analyze_log(log)
```

INPUT INFO Started, ERROR File Missing, WARNING Low Memory, ERROR File Missing, ERROR Disk Full

OUTPUT Enter log entries: Total Errors: 3
Unique Error Messages:
ERROR File Missing
ERROR Disk Full

SIMATS Engineering • CSE • CSA0802 — Python Programming • 29-07-2026 • Category: Scenario Based Program Writing • Student Submissions Report
Q4. Email Domain Frequency Analyser**CODE**

```
def domain_frequency(data):
    emails = data.split(",")
    domains = {}

    for email in emails:
        email = email.strip()

        if "@" in email:
            domain = email.split("@")[1]

            if domain in domains:
                domains[domain] += 1
            else:
                domains[domain] = 1
        else:
            print(email, "- Invalid Email")

    print("\nDomain Frequency:")
    max_domain = ""
    max_count = 0

    for domain in domains:
        print(domain, ":", domains[domain])

        if domains[domain] > max_count:
            max_count = domains[domain]
            max_domain = domain

    print("\nMost Used Domain:", max_domain)

# Main Program
data = input("Enter email addresses:")
domain_frequency(data)
```

INPUT

abc@gmail.com, xyz@yahoo.com, test@gmail.com, hello@outlook.com, ram@gmail.com, invalidemail

OUTPUT

Enter email addresses:invalidemail - Invalid Email

Domain Frequency:
gmail.com : 3
yahoo.com : 1
outlook.com : 1

Most Used Domain: gmail.com