Vellore Institute of Technology
(Deemed to be University under section 3 of UGC Act, 1956)

AGILE DEVELOPMENTS PROCESS AND DEVOPS

ASSESSMENT-5

NAME:R.MONIKA

REGNO:23MIS0075

COURSE CODE: ISWE406P

FACULTY NAME:M.RAMALINGAM

Jenkin – Docker – Kubernetes





```
PROBLEMS    OUTPUT    DEBUG CONSOLE    TERMINAL    PORTS

Downloading from central: https://repo.maven.apache.org/maven2/org/apache/commons/commons-compress/1.28.0/commons-compress-1.28.0.jar
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/maven-archiver/3.6.5/maven-archiver-3.6.5.jar (28 kB at 515 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/commons-codec/commons-codec/1.19.0/commons-codec-1.19.0.jar
Downloaded from central: https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-io/3.6.0/plexus-io-3.6.0.jar (80 kB at 1.3 MB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/commons/commons-lang3/3.18.0/commons-lang3-3.18.0.jar
Downloaded from central: https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-interpolation/1.28/plexus-interpolation-1.28.jar (87 kB at 1.0 MB/s
Downloading from central: https://repo.maven.apache.org/maven2/io/airlift/aircompressor/0.27/aircompressor-0.27.jar
Downloaded from central: https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-archiver/4.10.4/plexus-archiver-4.10.4.jar (227 kB at 1.7 MB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/tukaani/xz/1.10/xz-1.10.jar
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/commons/commons-compress/1.28.0/commons-compress-1.28.0.jar (1.1 MB at 4.5 MB/s)
Downloading from central: https://repo.maven.apache.org/maven2/com/github/luben/zstd-jni/1.5.7-6/zstd-jni-1.5.7-6.jar
Downloaded from central: https://repo.maven.apache.org/maven2/commons-codec/commons-codec/1.19.0/commons-codec-1.19.0.jar (375 kB at 1.5 MB/s)
Downloading from central: https://repo.maven.apache.org/maven2/commons-io/commons-io/2.21.0/commons-io-2.21.0.jar
Downloaded from central: https://repo.maven.apache.org/maven2/org/tukaani/xz/1.10/xz-1.10.jar (169 kB at 627 kB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/commons/commons-lang3/3.18.0/commons-lang3-3.18.0.jar (703 kB at 2.5 MB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/io/airlift/aircompressor/0.27/aircompressor-0.27.jar (255 kB at 873 kB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/commons-io/commons-io/2.21.0/commons-io-2.21.0.jar (585 kB at 1.5 MB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/com/github/luben/zstd-jni/1.5.7-6/zstd-jni-1.5.7-6.jar (7.4 MB at 3.4 MB/s)
[INFO] Building jar: C:\Users\Monica\Desktop\my_maven_project\target\simple-java-app-1.0.jar
[INFO] ------------------------------------------------------------------------
[INFO] BUILD SUCCESS
[INFO] ------------------------------------------------------------------------
[INFO] Total time:  16.826 s
[INFO] Finished at: 2026-04-10T20:58:05+05:30
[INFO] ------------------------------------------------------------------------
PS C:\Users\Monica\Desktop\my_maven_project> git init
```

```
PS C:\Users\Monica\Desktop\my_maven_project> git init
Initialized empty Git repository in C:/Users/Monica/Desktop/my_maven_project/.git/
PS C:\Users\Monica\Desktop\my_maven_project> git add .
warning: in the working copy of 'target/maven-status/maven-compiler-plugin/compile/default-compile/createdFiles.lst', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'target/maven-status/maven-compiler-plugin/compile/default-compile/inputFiles.lst', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\Monica\Desktop\my_maven_project> git commit -m "Initial jave CI/CD commit"
[master (root-commit) 003aa4c] Initial jave CI/CD commit
 8 files changed, 40 insertions(+)
 create mode 100644 Dockerfile
 create mode 100644 pom.xml
 create mode 100644 src/main/java/com/example/App.java
 create mode 100644 target/classes/App.class
 create mode 100644 target/maven-archiver/pom.properties
 create mode 100644 target/maven-status/maven-compiler-plugin/compile/default-compile/createdFiles.lst
 create mode 100644 target/maven-status/maven-compiler-plugin/compile/default-compile/inputFiles.lst
 create mode 100644 target/simple-java-app-1.0.jar
PS C:\Users\Monica\Desktop\my_maven_project> git branch -M main
PS C:\Users\Monica\Desktop\my_maven_project> git remote add origin "https://github.com/Monika-acn/maven-jenkin.git"
PS C:\Users\Monica\Desktop\my_maven_project> git push -u origin main
Enumerating objects: 22, done.
Counting objects: 100% (22/22), done.
Delta compression using up to 12 threads
Compressing objects: 100% (11/11), done.
Writing objects: 100% (22/22), 3.42 KiB | 437.00 KiB/s, done.
```

Monika (1 hour ago) | Screen Reader Optimized | Ln 22, Col 11 | Spaces: 4 | UTF-8 | CR

```
PS C:\Users\Monica\Desktop\my_maven_project> git push -u origin main
Enumerating objects: 22, done.
Counting objects: 100% (22/22), done.
Delta compression using up to 12 threads
Compressing objects: 100% (11/11), done.
Writing objects: 100% (22/22), 3.42 KiB | 437.00 KiB/s, done.
Total 22 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Monika-acn/maven-jenkin.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
PS C:\Users\Monica\Desktop\my_maven_project> git add deployment.yaml
PS C:\Users\Monica\Desktop\my_maven_project> git commit -m "Added Kubernetes deployment file"
[main e8cf91e] Added Kubernetes deployment file
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 deployment.yaml
PS C:\Users\Monica\Desktop\my_maven_project> git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 292 bytes | 292.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Monika-acn/maven-jenkin.git
   003aa4c..e8cf91e  main -> main
PS C:\Users\Monica\Desktop\my_maven_project>
```



Pipeline script:

```
pipeline {
 agent any

 tools {
  maven 'Maven3'
 }

 environment {
  DOCKER_IMAGE = "monikaraju/java-app:latest"
  KUBECONFIG = "C:\\ProgramData\\Jenkins\\.kube\\config"
 }

 stages {

  stage('Clone Repository') {
```





Jenkins / JAVA-CICD / #20

```
NAME                   STATUS   ROLES           AGE   VERSION
desktop-control-plane  Ready    control-plane   39m   v1.34.3
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Deploy to Kubernetes)
[Pipeline] tool
[Pipeline] envVarsForTool
[Pipeline] withEnv
[Pipeline] {
[Pipeline] bat

C:\ProgramData\Jenkins\.jenkins\workspace\JAVA-CICD>kubectl apply -f deployment.yaml
deployment.apps/java-app created
service/java-service created
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] echo
CI/CD Pipeline executed successfully!
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
```

```
C:\Users\Monica\Desktop\my_maven_project>kubectl get svc
NAME              TYPE        CLUSTER-IP      EXTERNAL-IP   PORT(S)        AGE
appointment-app   NodePort    10.111.208.37   <none>        80:32135/TCP   4d8h
java-service      NodePort    10.110.77.127   <none>        80:30007/TCP   28s
kubernetes        ClusterIP   10.96.0.1       <none>        443/TCP        4d11h

C:\Users\Monica\Desktop\my_maven_project>
```



Spring Boot CI/CD Pipeline (GitHub + Jenkins + Docker + Kubernetes)

App.java:

```java
package com.example;

import org.springframework.boot.SpringApplication;
import org.springframework.boot.autoconfigure.SpringBootApplication;

@SpringBootApplication
public class App {
    public static void main(String[] args) {
        SpringApplication.run(App.class, args);
    }
}
```

HelloController.java:

```java
package com.example;

import org.springframework.web.bind.annotation.GetMapping;
import org.springframework.web.bind.annotation.RestController;

@RestController
public class HelloController {

    @GetMapping("/")
    public String home() {
        return "App Running - Version 2";
    }

    @GetMapping("/hello")
    public String hello() {
        return "Hello World!";
    }
}
```

Deployment.yaml:

```yaml
apiVersion: apps/v1
kind: Deployment
metadata:
  name: springboot-app
spec:
  replicas: 1
  selector:
    matchLabels:
      app: springboot-app
  template:
    metadata:
      labels:
        app: springboot-app
    spec:
      containers:
        - name: springboot-app
          image: springboot-app:latest
          imagePullPolicy: IfNotPresent
          ports:
            - containerPort: 8081
```

Dockerfile:

```dockerfile
FROM eclipse-temurin:17-jdk

WORKDIR /app

COPY target/springbootproject-0.0.1-SNAPSHOT.jar app.jar

EXPOSE 8081

ENTRYPOINT ["java", "-jar", "app.jar"]
```

Pom.xml:

```xml
<?xml version="1.0" encoding="UTF-8"?>
<project xmlns="http://maven.apache.org/POM/4.0.0"
         xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
         xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
         http://maven.apache.org/xsd/maven-4.0.0.xsd">

    <modelVersion>4.0.0</modelVersion>

    <parent>
        <groupId>org.springframework.boot</groupId>
        <artifactId>spring-boot-starter-parent</artifactId>
        <version>3.2.5</version>
        <relativePath/>
    </parent>

    <groupId>com.example</groupId>
    <artifactId>springbootproject</artifactId>
    <version>0.0.1-SNAPSHOT</version>
```

```
    <properties>
        <java.version>17</java.version>
    </properties>

    <dependencies>
        <dependency>
            <groupId>org.springframework.boot</groupId>
            <artifactId>spring-boot-starter-web</artifactId>
        </dependency>
    </dependencies>

    <build>
        <plugins>
            <plugin>
                <groupId>org.springframework.boot</groupId>
                <artifactId>spring-boot-maven-plugin</artifactId>
            </plugin>
        </plugins>
    </build>

</project>
```

Service.yaml:

```
apiVersion: v1
kind: Service
metadata:
  name: springboot-service
spec:
  type: NodePort
  selector:
    app: springboot-app
  ports:
    - port: 8081
      targetPort: 8081
      nodePort: 30080
```



mvn spring-boot:run



mvn clean package

```
PS C:\Users\Monica\SpringBootProject> mvn clean package
[INFO] Scanning for projects...
[INFO]
[INFO] -------------------< com.example:springbootproject >--------------------
[INFO] Building springbootproject 0.0.1-SNAPSHOT
[INFO]   from pom.xml
[INFO] --------------------------------[ jar ]---------------------------------
[INFO]
[INFO] --- clean:3.3.2:clean (default-clean) @ springbootproject ---
[INFO] Deleting C:\Users\Monica\SpringBootProject\target
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ springbootproject ---
[INFO] Copying 1 resource from src\main\resources to target\classes
[INFO] Copying 0 resource from src\main\resources to target\classes
[INFO]
[INFO] --- compiler:3.11.0:compile (default-compile) @ springbootproject ---
[INFO] Changes detected - recompiling the module! :source
[INFO] Compiling 2 source files with javac [debug release 17] to target\classes
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ springbootproject ---
[INFO] skip non existing resourceDirectory C:\Users\Monica\SpringBootProject\src\test\resources
[INFO]
[INFO] --- compiler:3.11.0:testCompile (default-testCompile) @ springbootproject ---
[INFO] No sources to compile
[INFO]
[INFO] --- surefire:3.1.2:test (default-test) @ springbootproject ---
[INFO] No tests to run.
[INFO]
[INFO] --- jar:3.3.0:jar (default-jar) @ springbootproject ---
[INFO] Building jar: C:\Users\Monica\SpringBootProject\target\springbootproject-0.0.1-SNAPSHOT.jar
[INFO]
[INFO] --- spring-boot:3.2.5:repackage (repackage) @ springbootproject ---
[INFO] Replacing main artifact C:\Users\Monica\SpringBootProject\target\springbootproject-0.0.1-SNAPSHOT.jar with repackaged archive, adding nested dependencies in BOOT-INF/.
[INFO] The original artifact has been renamed to C:\Users\Monica\SpringBootProject\target\springbootproject-0.0.1-SNAPSHOT.jar.original
[INFO] ------------------------------------------------------------------------
[INFO] BUILD SUCCESS
[INFO] ------------------------------------------------------------------------
[INFO] Total time:  4.996 s
[INFO] Finished at: 2026-04-11T21:47:01+05:30
[INFO] ------------------------------------------------------------------------
```

```
ERROR: failed to build: failed to solve: the Dockerfile cannot be empty
PS C:\Users\Monica\SpringBootProject> docker build -t springboot-app .
[+] Building 5.5s (9/9) FINISHED                                  docker:desktop-linux
 => [internal] load build definition from Dockerfile                                0.0s
 => => transferring dockerfile: 199B                                                0.0s
 => [internal] load metadata for docker.io/library/eclipse-temurin:17-jdk           2.1s
 => [auth] library/eclipse-temurin:pull token for registry-1.docker.io              0.0s
 => [internal] load .dockerignore                                                   0.1s
 => => transferring context: 2B                                                     0.0s
 => [1/3] FROM docker.io/library/eclipse-temurin:17-jdk@sha256:2ff0b91aaa4cb5dc35b47  0.1s
 => => resolve docker.io/library/eclipse-temurin:17-jdk@sha256:2ff0b91aaa4cb5dc35b47  0.1s
 => [internal] load build context                                                   1.1s
 => => transferring context: 19.77MB                                                1.1s
 => CACHED [2/3] WORKDIR /app                                                       0.0s
 => [3/3] COPY target/springbootproject-0.0.1-SNAPSHOT.jar app.jar                  0.1s
 => exporting to image                                                              1.9s
 => => exporting layers                                                             1.6s
 => => exporting manifest sha256:e85bef8e7e94da7900c4613bb5d0a0594cf723d39a43648af31  0.0s
 => => exporting config sha256:80e3ca504cb28ece643a523a83f3b8f9118515658d57730173c75  0.0s
 => => exporting attestation manifest sha256:2812e58ed7780af279d67723d489d4c48fb7045  0.0s
 => => exporting manifest list sha256:fb6e1de3d0beb88a78d90718f97008bb6b036bde84516f  0.0s
 => => naming to docker.io/library/springboot-app:latest                            0.0s
 => => unpacking to docker.io/library/springboot-app:latest                         0.2s
PS C:\Users\Monica\SpringBootProject> docker run -p 8081:8081 springboot-app
```

```
 => => unpacking to docker.io/library/springboot-app:latest                    0.2s
PS C:\Users\Monica\SpringBootProject> docker run -p 8081:8081 springboot-app

  .   ____          _            __ _ _
 /\\ / ___'_ __ _ _(_)_ __  __ _ \ \ \ \
( ( )\___ | '_ | '_| | '_ \/ _` | \ \ \ \
 \\/  ___)| |_)| | | | | || (_| |  ) ) ) )
  '  |____| .__|_| |_|_| |_\__, | / / / /
 =========|_|==============|___/=/_/_/_/
 :: Spring Boot ::                (v3.2.5)

2026-04-11T16:19:52.210Z  INFO 1 --- [           main] com.example.App                          : Starting App v0.0.1-SNAPSHOT using Java 17.0.18 with PID 1 (/app/app.jar started by root in /app)
2026-04-11T16:19:52.232Z  INFO 1 --- [           main] com.example.App                          : No active profile set, falling back to 1 default profile: "default"
2026-04-11T16:19:53.649Z  INFO 1 --- [           main] o.s.b.w.embedded.tomcat.TomcatWebServer  : Tomcat initialized with port 8081 (http)
2026-04-11T16:19:53.670Z  INFO 1 --- [           main] o.apache.catalina.core.StandardService   : Starting service [Tomcat]
2026-04-11T16:19:53.671Z  INFO 1 --- [           main] o.apache.catalina.core.StandardEngine    : Starting Servlet engine: [Apache Tomcat/10.1.20]
2026-04-11T16:19:53.731Z  INFO 1 --- [           main] o.a.c.c.C.[Tomcat].[localhost].[/]       : Initializing Spring embedded WebApplicationContext
2026-04-11T16:19:53.741Z  INFO 1 --- [           main] w.s.c.ServletWebServerApplicationContext : Root WebApplicationContext: initialization completed in 1341 ms
2026-04-11T16:19:54.456Z  INFO 1 --- [           main] o.s.b.w.embedded.tomcat.TomcatWebServer  : Tomcat started on port 8081 (http) with context path ''
2026-04-11T16:19:54.498Z  INFO 1 --- [           main] com.example.App                          : Started App in 2.962 seconds (process running for 3.914)
2026-04-11T16:20:21.656Z  INFO 1 --- [nio-8081-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/]       : Initializing Spring DispatcherServlet 'dispatcherServlet'
2026-04-11T16:20:21.658Z  INFO 1 --- [nio-8081-exec-1] o.s.web.servlet.DispatcherServlet        : Initializing Servlet 'dispatcherServlet'
2026-04-11T16:20:21.663Z  INFO 1 --- [nio-8081-exec-1] o.s.web.servlet.DispatcherServlet        : Completed initialization in 5 ms
```

```
PS C:\Users\Monica\SpringBootProject> kubectl apply -f deployment.yaml --validate=false
deployment.apps/springboot-app created
PS C:\Users\Monica\SpringBootProject> kubectl apply -f service.yaml --validate=false
service/springboot-service created
PS C:\Users\Monica\SpringBootProject> kubectl get pods
NAME                              READY   STATUS    RESTARTS   AGE
springboot-app-5f75d4bb96-nv2pj   1/1     Running   0          23s
```



```
PS C:\Users\Monica\SpringBootProject> git init
Initialized empty Git repository in C:/Users/Monica/SpringBootProject/.git/
PS C:\Users\Monica\SpringBootProject> git add .
PS C:\Users\Monica\SpringBootProject> git commit -m "Initial Spring Boot commit"
[master (root-commit) 8c8791e] Initial Spring Boot commit
 8 files changed, 117 insertions(+)
 create mode 100644 .gitignore
 create mode 100644 Dockerfile
 create mode 100644 deployment.yaml
 create mode 100644 pom.xml
 create mode 100644 service.yaml
 create mode 100644 src/main/java/com/example/App.java
 create mode 100644 src/main/java/com/example/HelloController.java
 create mode 100644 src/main/resources/application.properties
PS C:\Users\Monica\SpringBootProject> git branch -M main
PS C:\Users\Monica\SpringBootProject> git remote add origin "https://github.com/Monika-acn/spring-boot.git"
PS C:\Users\Monica\SpringBootProject> git push -u origin main
Enumerating objects: 16, done.
Counting objects: 100% (16/16), done.
Delta compression using up to 12 threads
Compressing objects: 100% (11/11), done.
Writing objects: 100% (16/16), 2.01 KiB | 514.00 KiB/s, done.
Total 16 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Monika-acn/spring-boot.git
 * [new branch]      main -> main
```



Pipeline script:

```
pipeline {
    agent any

    environment {
        KUBECONFIG = 'C:\\ProgramData\\Jenkins\\.jenkins\\.kube\\config'
    }

    stages {

        stage('Clone') {
            steps {
                git branch: 'main',
                    url: 'https://github.com/Monika-acn/spring-boot.git'
            }
        }
```

Use Groovy Sandbox ?

Pipeline Syntax

```
pipeline {

  agent any


  environment {

    KUBECONFIG = 'C:\\ProgramData\\Jenkins\\.jenkins\\.kube\\config'

  }


  stages {


    stage('Clone') {

      steps {

        git branch: 'main',

          url: 'https://github.com/Monika-acn/spring-boot.git'

      }
```

```
    }

    stage('Build') {
        steps {
            bat 'mvn clean package -DskipTests'
        }
    }

    stage('Docker Build') {
        steps {
            bat 'docker build -t springboot-app:latest .'
        }
    }

    stage('Deploy K8s') {
        steps {
            bat 'kubectl config use-context docker-desktop'
            bat 'kubectl apply -f deployment.yaml --validate=false'
            bat 'kubectl apply -f service.yaml --validate=false'
        }
    }
}

post {
    success {
```

```
        echo 'CI/CD Pipeline executed successfully!'
      }
      failure {
        echo 'Pipeline failed!'
      }
    }
}
```



```
Started by user Monika
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in C:\ProgramData\Jenkins\.jenkins\workspace\springboot_pipeline
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Clone)
[Pipeline] git
The recommended git tool is: NONE
No credentials specified
 > git.exe rev-parse --resolve-git-dir C:\ProgramData\Jenkins\.jenkins\workspace\springboot_pipeline\.git # timeout=10
Fetching changes from the remote Git repository
 > git.exe config remote.origin.url https://github.com/Monika-acn/spring-boot.git # timeout=10
Fetching upstream changes from https://github.com/Monika-acn/spring-boot.git
 > git.exe --version # timeout=10
 > git --version # 'git version 2.52.0.windows.1'
 > git.exe fetch --tags --force --progress -- https://github.com/Monika-acn/spring-boot.git +refs/heads/*:refs/remotes/origin/* # timeout=10
 > git.exe rev-parse "refs/remotes/origin/main^{commit}" # timeout=10
Checking out Revision 8c8791eb5fcfac9ee5431dd80a304a76b27224be (refs/remotes/origin/main)
 > git.exe config core.sparsecheckout # timeout=10
 > git.exe checkout -f 8c8791eb5fcfac9ee5431dd80a304a76b27224be # timeout=10
 > git.exe branch -a -v --no-abbrev # timeout=10
 > git.exe branch -D main # timeout=10
 > git.exe checkout -b main 8c8791eb5fcfac9ee5431dd80a304a76b27224be # timeout=10
Commit message: "Initial Spring Boot commit"
 > git.exe rev-list --no-walk 8c8791eb5fcfac9ee5431dd80a304a76b27224be # timeout=10
[Pipeline] }
[Pipeline] // stage
```

```
C:\ProgramData\Jenkins\.jenkins\workspace\springboot_pipeline>kubectl config use-context docker-desktop
Switched to context "docker-desktop".
[Pipeline] bat

C:\ProgramData\Jenkins\.jenkins\workspace\springboot_pipeline>kubectl apply -f deployment.yaml --validate=false
deployment.apps/springboot-app unchanged
[Pipeline] bat

C:\ProgramData\Jenkins\.jenkins\workspace\springboot_pipeline>kubectl apply -f service.yaml --validate=false
service/springboot-service unchanged
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] echo
CI/CD Pipeline executed successfully!
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Jenkins / springboot_pipeline / #2 / Stages

#2

Rerun

Started by Monika | Started 46 min ago | Queued 0 ms | Took 19 sec

Graph

Start → Clone → Build → Docker Build → Deploy K8s → Post Actions → End

Search

- Clone 1s
- Build 10s
- Docker Build 4s
- Deploy K8s 1s
- Post Actions 50ms

Post Actions — 50ms — Started 46m ago — Jenkins

CI/CD Pipeline executed successfully! — 16ms

```
CI/CD Pipeline executed successfully!
```

General

Access

- Collaborators
- Moderation options

Code and automation

- Branches
- Tags
- Rules
- Actions
- Models (Preview)
- Webhooks
- Copilot
- Environments
- Codespaces
- Pages

Security and quality

Webhooks

Add webhook

Webhooks allow external services to be notified when certain events happen. When the specified events happen, we'll send a POST request to each of the URLs you provide. Learn more in our Webhooks Guide.

✓ https://traps-sterility-stride.ngrok-fr... *(push)* — Edit | Delete

Last delivery was successful.




```
PS C:\Users\Monica\SpringBootProject> git add .
PS C:\Users\Monica\SpringBootProject> git commit -m "webhook test"
[main 37513ea] webhook test
 1 file changed, 1 insertion(+), 1 deletion(-)
PS C:\Users\Monica\SpringBootProject> git push origin main
Enumerating objects: 15, done.
Counting objects: 100% (15/15), done.
Delta compression using up to 12 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (8/8), 586 bytes | 65.00 KiB/s, done.
Total 8 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/Monika-acn/spring-boot.git
   8c8791e..37513ea  main -> main
PS C:\Users\Monica\SpringBootProject>
```

Jenkins / springboot_pipeline / #3

- Status
- Changes
- Console Output
- Edit Build Information
- Delete build '#3'
- Polling Log
- Timings
- Git Build Data
- Pipeline Overview
- Replay
- Pipeline Steps
- Workspaces
- Previous Build

Console

Download | Copy | View as plain text

```
Started by GitHub push by Monika-acn
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in C:\ProgramData\Jenkins\.jenkins\workspace\springboot_pipeline
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Clone)
[Pipeline] git
The recommended git tool is: NONE
No credentials specified
 > git.exe rev-parse --resolve-git-dir C:\ProgramData\Jenkins\.jenkins\workspace\springboot_pipeline\.git # timeout=10
Fetching changes from the remote Git repository
 > git.exe config remote.origin.url https://github.com/Monika-acn/spring-boot.git # timeout=10
Fetching upstream changes from https://github.com/Monika-acn/spring-boot.git
 > git.exe --version # timeout=10
 > git --version # 'git version 2.52.0.windows.1'
 > git.exe fetch --tags --force --progress -- https://github.com/Monika-acn/spring-boot.git +refs/heads/*:refs/remotes/origin/* # timeout=10
 > git.exe rev-parse "refs/remotes/origin/main^{commit}" # timeout=10
Checking out Revision 37513eac50923ad32193c6a9031f4aebf71d7d49 (refs/remotes/origin/main)
 > git.exe config core.sparsecheckout # timeout=10
 > git.exe checkout -f 37513eac50923ad32193c6a9031f4aebf71d7d49 # timeout=10
 > git.exe branch -a -v --no-abbrev # timeout=10
 > git.exe branch -D main # timeout=10
 > git.exe checkout -b main 37513eac50923ad32193c6a9031f4aebf71d7d49 # timeout=10
Commit message: "webhook test"
 > git.exe rev-list --no-walk 8c8791eb5fcfac9ee5431dd80a304a76b27224be # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
```

```
C:\ProgramData\Jenkins\.jenkins\workspace\springboot_pipeline>kubectl config use-context docker-desktop
Switched to context "docker-desktop".
[Pipeline] bat

C:\ProgramData\Jenkins\.jenkins\workspace\springboot_pipeline>kubectl apply -f deployment.yaml --validate=false
deployment.apps/springboot-app unchanged
[Pipeline] bat

C:\ProgramData\Jenkins\.jenkins\workspace\springboot_pipeline>kubectl apply -f service.yaml --validate=false
service/springboot-service unchanged
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] echo
CI/CD Pipeline executed successfully!
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```