

Opis instalacji środowiska i uruchomienie aplikacji Hello World w środowisku **IntelliJ IDEA Ultimate** (oprac. Na podst. Wykładu Spring 1 D. Koniecznego)


1.	Rejestracja użytkownika na stronie poprzez podanie adresu mail w domenie pwr
	https://account.jetbrains.com/login
	Not registered yet?
	Create JetBrains Account
	Your email address
	Sign Up
2.	Link aktywacyjny zostanie przesłany mailem
	JetBrains Account <no_reply@jetbrains.com></no_reply@jetbrains.com>
	Hello!
	Thank you for creating your JetBrains Account.
	To complete your registration, click the link below: <u>Confirm your account</u>
	Yours truly, The JetBrains Team <a href="https://www.jetbrains.com">https://www.jetbrains.com</a> The Drive to Develop
3.	Wybór opcji "Apply for a free student or teacher license"
	No Available Licenses
	We found no JetBrains product licenses associated with your JetBrains Account. You can:
	<ul> <li>Buy new personal license</li> <li>Contact the person who manages commercial licenses in your company and request an invitation to use them</li> <li>Apply for a free student or teacher license for educational purposes</li> </ul>
4.	Individual licenses for students and teachers
	Get free access to all JetBrains IDEs for personal
	use at school or at home.
	Who can get free individual licenses for education
	Students and faculty from accredited educational institutions (high schools, colleges, and universities) are welcome to apply.
	Students need to be enrolled in an accredited educational program that takes one or more years of full-time study to complete.
	Not sure about the license terms? Check out the FAQ or read the full terms here.
	Apply now







## Zakładanie pierwszego projektu:









```
import org.springframework.boot.SpringApplication;
       import org.springframework.boot.autoconfigure.SpringBootApplication;
       @SpringBootApplication
       public class HelloWorldApplication {
         public static void main(String[] args) {
           SpringApplication.run(HelloWorldApplication.class, args);
       Klasa HelloWorldController
10.
      HelloWorldController
       package com.example.helloworld;
       import org.springframework.stereotype.Controller;
       import org.springframework.web.bind.annotation.RequestMapping;
       @Controller
       public class HelloWorldController {
         @RequestMapping("/")
         public String hello(){
11.
       Plik hello.html
       <!DOCTYPE html>
       <html lang="en">
         <meta charset="UTF-8">
         <title>hello Screen</title>
       </head>
       <body>
      <h1>Hello</h1>
       Hello World!
       </body>
       </html>
12.
      Uruchomienie aplikacji
```

