

Index

Page numbers followed by f indicate figure, t indicate table

A

Abundance, 253–255
 in binomial mixture model, 256–257, 271–273, 271f
 distribution and, 260–261
 naïve analysis and, 272, 273f
 for species distribution, 260
 vegetation and, 257–262
AD model builder (program), 277
Adder, 219–228, 220f
ADMB (program), 277
ADMB foundation, 277
AIC. *See* Akaike's information criterion
Akaike's information criterion (AIC), 25, 124, 156, 159, 207, 233
Algorithm
 computing, 18
 Metropolis-Hastings, 20
 Newton-Raphson, 9
Alps, 220
Analysis of Covariance. *See* ANCOVA
Analysis of Variance. *See* ANOVA
ANCOVA. *See also* Binomial ANCOVA;
 Poisson ANCOVA
 analysis of, 82–89
 ANOVA converted to, 127
 ANOVA distinguished from, 141–142
 data generation for, 143–144
 effects parameterization and, 143
 interaction-effects, 84, 88f
 main-effects, 85–86, 87f
 R analysis, 145
 Swiss hare data, 150
 WinBUGS analysis, 145–149
ANOVA, 41, 66
 ANCOVA converted from, 127
 ANCOVA distinguished from, 141–142
 continuous covariate, 141–142
 main-effects, 79
 means parameterization for one-way, 76–77

 parameterizations for one-way, 78
 types of, 115
ANOVA (one-way), 76–78
 fixed-effects, Bayesian analysis using WinBUGS, 120–122
 fixed-effects, data generation, 119–120
 fixed-effects, ML analysis using R, 120
 fixed-effects compared to random-effects, 116–118
 parameterization of, 116
 random-effects, Bayesian analysis using WinBUGS, 125–127
 random-effects, data generation, 122–123, 123f
 random-effects, REML using R, 124
 Swiss hare data, 127
ANOVA (two-way), 78–82
 bias assessment, 133–134
 data generation, 131–133
 fixed-effects, 129–139
 interaction-effects, R analysis, 134–135
 interaction-effects using WinBUGS, 137–138
 main-effects, R analysis, 134
 main-effects using WinBUGS, 135–137
 parameterization, 130
 predictions, 138–139, 139f
 Swiss hare data, 139
Apparent occurrence, 240
Arable, grasslands and, 101, 167–177
Asp viper, 142, 142f, 152, 152f
Assumption violations, 101
Asymptotic, 2
Autocorrelation, 42, 204
Axioms, of probability, 4, 16–17

B

Backwards compatibility, 32
Balanced data, 240
Bayes rule, 16–17
Bayesian (approach to statistics)

- Bayesian (approach to statistics) (*Cont.*)
- advantages of, 2–4
 - asymptotics and, 2
 - classical statistics compared to, 6, 15–19
 - combining information, 3
 - computers aiding, 19
 - definition, 1–2
 - error propagation, 2–3
 - inference, 8–9, 16–17
 - intuitive appeal, 3–4
 - literature on, 9–10
 - modern algorithms, 19
 - numerical tractability, 2
 - probability, interpretation in, 3–4, 15
 - resistance to, 4
 - summary of, 53–54
 - vague prior and, 55–56, 275
- Bayesian p -value, 104, 227
- linear regression and, 107–109
- Belief
- degree-of-, 20
 - prior, 17–18
- Bell-shaped cloud, 260
- Bernoulli (distribution), 63–64
- presence-absence data and, 238
- Between-chain variance, 22
- BGR statistic
- convergence monitoring and, 54–55
- Bias, 101
- detection probability and, 251
 - Maximum likelihood and, 2
 - two-way ANOVA, assessing, 133–134
 - un-, 2, 133
- Binomial
- counts, 211
 - distribution, 211–213
 - noise, 222, 231
 - regression, multiple, 228
 - sampling variation, 233f
 - t-test, 213–216
- Binomial ANCOVA, 219
- data generation, 221–223
 - Pearson residual, 224
 - R analysis, 223
 - Swiss hare data, 228
 - WinBUGS analysis, 224–228
- Binomial distribution, 16, 58, 60
- inbuilt variance, 63
 - picture, 64f
 - sampling situation, 62
 - uses, 168
 - in WinBUGS, 63–64
- Binomial mixed-effects model, 229
- data generation, 230–231
 - Poisson GLMM compared to, 230
 - random-coefficients model, 229–230, 231–235
- Binomial mixture model, 253
- abundance, 256–257, 271–273, 271f
 - assumptions, 255–256
 - convergence, 265–266
 - data generation, 257–262
 - naïve analysis and, 261f, 262
 - posterior predictive check, 268f
 - site-occupancy model compared to, 256, 259
 - Swiss hare data, 274
 - WinBUGS analysis, 262–273
- Biological distribution, 265
- Biological process, 241, 243–244, 255–256, 259
- Biometrics (journal), 18
- Biometrika (journal), 18
- Bird. *See specific species*
- Bivariate Normal (distribution), 161–162
- Black adder, 219–228, 220f
- Black Forest, 220
- Block, experimental, 117
- BOA, 48
- Boosted regression tree, 240
- Boxplot, 98f, 132f
- Brooks-Gelman-Rubin (BGR). *See* BGR statistic
- Brown hare, 168–169, 169f
- BRugs, 47
- BUGS, 8. *See also* WinBUGS
- Bugs(), 31–32, 51, 95
- Burn-in, 9, 22
- nonzero, 42
 - specifying, 39
- Butterflies, 130, 130f
- population data for, 131–133

C

- C++, 4, 277
- Calcareous, 239–240
- Cambridge, 29
- Canned routine, 190, 203
- Capture-recapture, 256
- Catalonia, 230
- Categorical variables, 59, 67
- Centering, 149
- Chain(s). *See also* Markov chain Monte Carlo

- requesting, 47–48
 - variance, 22
 - Chiltern gentian, 212–216, 216f, 239–252, 239f
 - Chi-squared, 167, 268f
 - CI. *See* Confidence interval
 - Click-point, 5
 - Closed population, 242
 - CODA, 48
 - Coherence, 4
 - Coin-flip, 211–212
 - Colonization, 242
 - Complementary log-log, 220
 - Conditional distribution, 20
 - Condor, 3
 - Confidence interval (CI), 111–113
 - Confound, occurrence/detection, 240, 254, 260
 - Continuous
 - discrete compared to, 60
 - index, 242
 - response and explanatory variable, 73–76
 - uniform distribution, 62
 - wetness index, 221, 222f
 - Continuous covariate, 82, 193, 219
 - ANOVA, 141–142
 - Contrast
 - custom, 122
 - estimate, 177
 - Converged MCMC, 21–22, 41, 173–174
 - Convergence
 - in binomial mixture model, 265–266
 - non-, 26t, 27, 31
 - of Poisson GLMM, 208–209
 - Rhat and, 173
 - Convergence diagnostics, 148
 - Convergence monitoring, 21–23
 - BGR statistic and, 54–55
 - Copy-pasting, 32
 - Cordulegaster bidentata*, 194f
 - Coronella austriaca*, 116f
 - Correlation, 43–44
 - Counting window, 65
 - consistency of, 188
 - Counts
 - binomial, 211
 - land use, 170
 - mite, 195
 - naïve analysis, 238–239
 - overdispersion in, 180
 - Poisson distribution, 169, 211
 - replicate, 255, 260
 - ZIP, 185
 - Courier font, 31
 - Covariate, 24
 - design matrix and values of, 75–76
 - of mixed-model, 151
 - normalize, 154
 - offset and, 188–189
 - of Poisson ANCOVA, 193
 - site, 252
 - site-occupancy model and, 241–242
 - survey, 252, 273–274
 - time, 239
 - transformation, 149
 - uniform, 231
 - WinBUGS and standardization of, 147–149
 - Crash, in WinBUGS, 45, 263–264
 - Creativity
 - statistics and, 275
 - in WinBUGS, 30–31
 - Credible interval (CRI), 23
 - Bayesian CRI v. frequentist CI, 43
 - creating, 42
 - Hypothesis testing, 24–25
 - for linear regression, 110–111, 111f
 - CRI. *See* Credible interval
 - Cross-classification, 81, 131
 - Cross-leaved gentian, 212–216, 212f, 216f
 - Cross-validation, 24
 - Curvilinear graphs, 66
 - Custom
 - contrast, 122
 - hypothesis test, 121
 - tests, 146
 - CV, 56
- D
- Data sets
 - actual, 8
 - assemble, 105, 123, 194–195, 229–230
 - bundle, 50
 - generation of, 48–49
 - ideal, 8
 - loading, 36
 - simulated, 7–8
 - Debug
 - false, 51
 - true, 52
 - Decision tree, 275
 - Decline

- Decline (*Cont.*)
 population in, 15, 103
 probability of, 105–106
- Degree-of-belief, 20
- Delta method, 23
- Density, 39, 42, 56
 of land use, 169
- Derived quantity, 56, 95, 99, 146, 177
- Design matrix
 covariate values, 75–76
 without intercept, 154
 linear predictor and, 67, 71–72, 144
 parameterizations associated with, 77
 R function for, 68–69
 specification of, 58–59
- Detection
 imperfect, 251–252, 254–257
 occurrence confounded with, 240, 254, 260
- Detection probability, 238, 240
 bias and, 251
 importance of, 251
 in site-occupancy model, 241, 250–251, 250f
- Detection-nondetection data, 212, 215
- Deterministic systems, 29, 277
 stochastic systems compared to, 58
- Deviance, 68–69
- Deviance information criterion (DIC), 25
- Df, 94, 98, 145, 180, 182–183
- DIC. *See* Deviance information criterion
- Diffuse prior, 18
- Discrepancy measure, 172, 248
- Discrete
 continuous compared to, 60
 explanatory variables, 68
- Disease, 27
- Dispersal, 256
- Dispersion, 101, 194, 223. *See also* overdispersion
- Distance sampling, 256
- Distribution, 204, 220. *See also specific distribution types*
 abundance and, 260–261
 binomial, 211–213
 choosing type of, 60
 conditional, 20
 equilibrium, 21–22
 exponential family, 5
 gamma, 65
- Double-indexing, 120, 198
- Dragonfly, 193–194, 194f
- Dummy variable, 70, 92
- Dynamic, site-occupancy model, 22, 242
- ## E
- Ecology, 253
- Ectoparasite, 193, 196f
- Effective number of parameters (pD), 25
- Effects parameterization, 72, 77
 ANCOVA, 143
 interaction-effects, 83, 86
 t-test, 92–93
- Equal variances, 92–97
- Equation. *See specific types*
- Equilibrium distribution, 21–22
- Error propagation, 216
 Bayesian approach and, 2–3
 false-positive, 244
- Estimable. *See also* Maximum likelihood estimate
 contrast, 177
 fixed-effects, 118
- Exchangeable, 117
- Experimental block, 117
- Explanatory variable, 242
 combining effects of multiple, 78–82
 continuous response and continuous, 73–76
 discrete, 68
- Exponential family distributions, 5
- Extinction, 242
- Extra-binomial, 180
- Extra-Poisson, 180
- Eye-opener, WinBUGS as, 275
- ## F
- Factor. *See also* fixed-effects; mixed-effect; two-factor ANOVA
 levels, 18
 scale reduction, 199
 two-level, 152
 unrecognized, 59
- Falco peregrinus*, 34f
- False-positive, 244
- Fixed-effects
 one-way ANOVA, Bayesian analysis using WinBUGS, 120–122
 one-way ANOVA, data generation, 119–120
 one-way ANOVA, ML analysis using R, 120
 one-way ANOVA, random-effects compared to, 116–118
 two-way ANOVA, 129–139

in WinBUGS, 166
 Flat prior, 18
 Fortran, 4, 277
 Frog, 113
 F-test, 117

G

GAM, 240
 Gamma (distribution), 65
 Gaussian bell curve, 61
 Gelman-Rubin, 22
 Generalized linear mixed model (GLMM),
 5, 5t. *See also* Binomial GLMM and
 Poisson GLMM. *See also* Mixed model.
 See also Non-standard (GLMM).
 Generalized linear model (GLM), 5, 5t,
 8, 24, 67. *See also* ANCOVA;
 Binomial ANCOVA; Poisson
 ANCOVA
 components, 168
 recognition of, 141–142
 unification of models under, 167–168
 General-purpose software, 1, 4, 11, 275
 GenStat (program), 5
Gentiana cruciata, 212f
Gentianella germanica, 239–252, 239f
 Gibbs sampling, 9, 100
 basis of, 20
 starting, 40–41
 GLM. *See* Generalized linear model
 Glm(), 6, 66–67, 174, 180
 Glmer(), 6, 235
 GLMM. *See* Generalized linear mixed
 model
 Goodness-of-fit
 code assessing, 265
 linear regression and, 106–109
 measuring, 24
 Graphical check, 107, 267
 Grassland, 242
 arable sites and, 101, 167–177
 Greenfinch, 64

H

Habitat suitability, 68, 127
 Hare. *See* Swiss hare data
 Heterogeneous variance, 97, 98f
 Hierarchical model, 241, 276–277
 non-, 25
 High-dimensional integrals, 19
 Higher-order interactions, 142
 Highest-posterior density interval

(HPDI), 23
 obtaining, 43
 History button, 38–39, 42, 51
 Homogeneous slopes, 275
 Homogeneous variance, 101
 Homoscedasticity, 97, 107
 HPDI. *See* Highest-posterior density
 interval
 Hurdle model, 185
 Hyperparameter, 122–123, 152, 162
 Hyperprior, 125, 164
 Hypothesis testing, 24
 CRI for, 24–25
 custom, 121

I

Identifiability, parameter, 24
 assessing, 26–27
 definition of, 26
 simulation for, 27
 Identity (link function), 168
 Ignorance, 18
 specifying, 3, 61
 Imperfect detection, 251–252, 254–257
 Implicit assumption, 170, 205, 220
 Impute (data), 45
 Inbuilt variance (in Poisson and Binomial
 distributions), 63, 65
 Poisson ANCOVA and, 194
 Indicator variable, 71, 143
 Inference. *See also* Scope (of inference)
 Bayesian, 8–9, 16–17
 summarizing, 39
 Informative prior, 19, 277
 posterior distribution and, 56
 Initial value, 22
 defining, 51
 loading, 37
 for MCMC, 35
 Intensity (Poisson), 169, 180
 Interaction-effects
 ANCOVA, 84, 88f
 effects parameterization, 83, 86
 main-effects compared to, 129–130
 means parameterization, 81, 83, 86
 specifying, 82–83
 two-way ANOVA, R analysis, 134–135
 two-way ANOVA, WinBUGS, 137–138
 Intercept, 72, 75, 84
 design matrix without, 154
 random-coefficients mixed-model
 ANCOVA, with correlation of

slope and, 161–165
 random-coefficients mixed-model
 ANCOVA, without correlation of
 slope and, 158–161
 Inventory, plant, 212, 239–240, 242
 Iteratively reweighted least squares, 9

J

JAGS (program), 277
 Jura, 193–194, 212, 221, 240, 242

K

Kruskal-Wallis test, 275

L

Lacerta agilis, 254f
 Land use, 139, 180–181, 209, 228
 counts and, 170
 density of, 169
Lanius collurio, 204f
Lanius senator, 230f
 Latent effect, 184
 Latent state, 187–188, 251
 Lattice, 31, 205, 206f
 Least-squares
 in classical analysis, 138
 iteratively reweighted, 9
 method of, 71
Lepus europaeus, 169f
 Likelihood, 16, 95, 99
 Likelihood ratio test (LRT), 171
 Linear mixed model (LMM). *See* Mixed model
 Linear model (LM), 5, 5t, 24
 explanatory variable specified, 66, 75
 normal distribution, 70
 of t-test compared to linear regression, 103
 usefulness of, 58–59
 in WinBUGS, 66–67
 Linear predictor, 168, 204, 213, 220
 design matrix and, 67, 71–72, 144
 residuals and, 70
 Linear regression
 Bayesian *p*-value, 107–109
 CI v. CRI, 111–113
 data generation, 104–105
 goodness of fit, 106–109
 LM of t-test compared to, 103
 model adequacy, 105–106
 posterior predictive distributions PPD,
 107–109
 predictions, 109–111, 110–111f

R analysis, 105
 residual plot, 107, 107f
 simple, 73–76
 Swiss hare data, 113
 WinBUGS analysis, 105–113
 Link function, 204, 213, 220
 identity, 168
 LM. *See* Linear model
 Lm(), 6, 66–67
 Lme4, 31
 Lmer(), 165, 235
 LMM. *See* Linear mixed model
 Log (link function), 168
 Logistic regression, 104, 167, 251
 Logit (link function), 168, 220
 Logit-linear regression, 242–243
 Log-linear model, 167, 197–199
 Log-normal, 61, 95, 183, 225
 Log-transformation, 169
 Low-information prior, 18
 LRT. *See* likelihood ratio test

M

Main-effects
 ANCOVA, 85–86, 87f
 ANOVA, 79
 interaction-effects compared to, 129–130
 means parameterization, 80, 84–85
 two-way ANOVA, R analysis, 134
 two-way ANOVA, WinBUGS, 135–137
 MARK (program), 67, 246, 262
 Markov chain Monte Carlo (MCMC), 9, 18
 compiling, 36–37
 converged, 21–22, 41, 173–174
 definition of, 19–20
 history, 20
 initial values, 35
 posterior distribution, 20
 reversible-jump, 25
 sampling error, 250
 time-series plot, 22f
 MASS, 31, 162
 Massif Central, 193–194
 Matlab (program), 10
 Matrix, 53, 71, 74
 multiplication, 123, 132, 144
 variance-covariance, 162
 X, 71
 Maximum likelihood (ML). *See also*
 Restricted maximum likelihood
 bias and, 2
 Maximum likelihood estimate (MLE), 16

- MC error, 43
- MCMC. *See* Markov chain Monte Carlo
- Means parameterization, 73
- ANOVA, one-way, 76–77
- of interaction-effects, 81, 83, 86
- of main-effects, 80, 84–85
- t-test, 92
- Metapopulation, 240, 253, 257
- Metropolis-Hastings algorithm, 20
- Minimally informative prior, 18
- Missing data, 113
- Missing value, 257
- Mite, 193–194
- counts, 195
- load, 199–201
- Mixed-effect. *See* mixed model; Binomial mixed-effects model; *See* Poisson mixed-effects model
- Mixed-model. *See also* Binomial mixed-effects model; Generalized linear mixed model
- benefits, 152
- covariates, 151
- data generation for, 154–156
- linear, 5, 5t, 151–166
- non-linear, 277
- random-coefficients model, with slope/intercept correlation, 161–165
- random-coefficients model, without slope/intercept correlation, 158–161
- random-coefficients model, 153
- random-intercepts model, Bayesian analysis with WinBUGS, 156–158
- random-intercepts model, REML analysis with R, 156
- random-intercepts model, 153, 156–158
- REML, 154
- REML analysis using R, 156
- Mixture model. *See* Binomial mixture model
- ML. *See* Maximum likelihood
- MLE. *See* Maximum likelihood estimate
- Model adequacy
- checking, 24
- for linear regression, 105–106
- posterior predictive check, 108–109, 109f, 248
- posterior predictive distributions, 108
- for t-test, 96
- Model averaging, 25
- Model criticism, 24
- Model matrix, 69–70, 143
- “Model of the mean,” 33–34, 68–69
- result summary, 41–44
- setting up, 34–40
- Model selection, 24
- challenge, 26
- DIC, 25
- Monitoring, convergence, 21–23
- Morph, zigzag, 219–220
- Motorbike, 8
- Motorcycle, 48
- Mourning cloak, 130, 130f
- Multiple binomial regression, 228
- Multi-way ANOVA, 115. *See also* ANOVA (two-way)
- MVN, 161
- N
- Naïve analysis
- abundance and, 272, 273f
- binomial mixture model, 261f, 262
- counts, 238–239
- for site-occupancy model, 246, 246f
- Negative-binomial (distribution), 65
- Neighboring model, 270
- Netherlands, The, 254–274
- Newton-Raphson algorithm, 9
- N-mixture model. *See* Binomial mixture model
- Node, 38, 42
- Non-Bayesian, 6, 19
- Nonconvergence, 26t, 27, 31
- Nondetection. *See* detection-nondetection data
- Nonhierarchical, 25
- Nonidentifiable parameter, 139
- Non-linear mixed models, 277
- Non-normal, 229
- Non-standard (GLMM). *See* Binomial mixture model; Site-occupancy model
- Normal distribution, 34, 58
- mathematical description, 61
- picture, 61f
- uses, 168
- in WinBUGS, 61–62
- Normalize covariate, 154
- Nymphalis antiopa*, 130f
- O
- Observation process, 265
- modeling, 244
- Occupancy, 215–216, 216f

- Occurrence
 - apparent, 240
 - detection confounded with, 240, 254, 260
 - probability of, 238, 240, 242, 243f
 - OD. *See* overdispersion
 - ODC format, 34
 - Offset, 179
 - analysis methods for, 189–190
 - covariates and, 188–189
 - OpenBUGS (program), 47, 277
 - Optimization, 30
 - Outlier, 108
 - Overdispersion (OD)
 - correcting, 180
 - data generation, 180–181
 - in counts, 180
 - R analysis, 181–183
 - Swiss hare data, 191
 - WinBUGS analysis, 183–184
 - zero-inflation as, 179
 - Overparameterization, 79
- P
- Pachyderm, 17
 - Parameter estimability, 7, 21, 27
 - Parameter identifiability, 24
 - assessing, 26–27
 - definition of, 26
 - simulation for, 27
 - Parameter vector, 71, 144, 195, 222
 - Parameterization, 7, 67, 72. *See also*
 - effects parameterization;
 - means parameterization
 - ANOVA, one-way, and, 78
 - design matrices, 77
 - of one-way ANOVA, 116
 - over-, 79
 - re-, 72
 - for two-way ANOVA, 130
 - Parametric statistical modeling, 59
 - Parasite data sets, 195, 196f
 - Parsimony, 18, 145, 196, 223
 - PD, 25
 - Pearson residual, 171, 173, 174f
 - for Binomial ANCOVA, 224
 - posterior predictive check and, 175f, 225, 226f
 - Peregrine falcon, 34f, 48
 - body mass, 33
 - summary of results, 41–44
 - wingspan, 92
 - Poisson ANCOVA
 - covariates, 193
 - data generation, 194–196
 - inbuilt variance, 194
 - predictions, 199–201
 - R analysis, 196–197
 - Swiss hare data, 202
 - WinBUGS analysis, 197–201
 - Poisson distribution, 60
 - for counts, 169, 211
 - data generation, 170
 - inbuilt variance, 65
 - posterior distribution, 175
 - predictions, 175
 - R analysis, 171
 - R code, 65, 66f
 - Swiss hare data, 177
 - t-test, 168–169
 - in WinBUGS, 65
 - WinBUGS analysis, 171–177
 - zero-truncated, 185
 - Poisson GLMM, 203
 - binomial mixed-effects model
 - compared to, 230
 - convergence, 208–209
 - data generation, 205
 - R analysis, 207
 - random-coefficients model, 206–209
 - Swiss hare data, 209
 - WinBUGS analysis, 207–209
 - Poisson regression, 202
 - Poisson-gamma (mixture), 65
 - Poisson-log-normal (distribution), 183
 - Polynomial, 24, 109, 242
 - Poisson regression, 202
 - Population, 10
 - closed, 242
 - covariate, 257
 - in decline, 15, 103
 - density, 10
 - trends, 109, 112–113, 119, 203
 - Postcondition violated, 251
 - Posterior distribution, 16–17, 19
 - graphical summaries for, 55
 - informative prior and, 56
 - numerical summaries, 55
 - samples from, 19
 - summarizing, 23
 - Posterior draws, 51
 - Posterior predictive check (PPC), 104–105, 171

- for binomial mixture model, 268f
 - for model adequacy, 108–109, 109f, 225, 226f, 248
 - Pearson residuals and, 175f, 225, 226f
 - for residuals, 173–174
 - for site-occupancy model, 246
 - Posterior predictive distributions (PPD), 106
 - linear regression and, 107–109
 - model adequacy and, 108
 - PPC. *See* Posterior predictive check
 - PPD. *See* Posterior predictive distributions
 - Predation, size-dependent, 131
 - Prediction(s), 236
 - forming, 24
 - for linear regression, 109–111, 110–111f
 - for Poisson ANCOVA, 199–201
 - for Poisson distribution, 175
 - for two-way ANOVA, 138–139, 139f
 - Prediction interval, 110
 - PRESENCE (program), 246, 262
 - Presence-absence data, 212, 244
 - Bernoulli distribution and, 238
 - Prevalence, 27
 - Prior(s), 135. *See also specific types*
 - belief, 17–18
 - inference affected by change in, 270
 - uniform, 267
 - Prior distribution, 16–17
 - problems with, 17–18
 - Prior sensitivity, 251, 274
 - analysis for, 252
 - Probability
 - axioms of, 4, 16–17
 - Bayesian approach and interpretation of, 3–4, 15
 - classical interpretation of, 15
 - of decline, 105–106
 - degree-of-belief, 20
 - detection, 238, 240–241
 - of occurrence, 238, 240, 242, 243f
 - theory, 14
 - Probability distributions, 20
 - parameters of, 59–60
 - random variables and, 59
 - Prussian soldiers, 65
 - Pscl, 186
 - Pseudo-code, 31
 - P-value. *See* Bayesian *p*-value
 - PyMC (program), 277
 - Pyrenees, 142–145, 193, 195–196
- Q
- Quadratic effect, 257
 - Quasibinomial, 180
 - Quasi-likelihood, 180
 - Quasipoisson, 182
- R
- R (program), 5–6, 8
 - basic knowledge of, 10
 - Poisson distribution code in, 65, 66f
 - in R2WinBUGS used with WinBUGS, 49–55
 - WinBUGS integrated with, 6
 - WinBUGS run from, 30
 - working directory set for, 49–51
 - workspace, 51–52, 55
 - R function. *See also specific types*
 - common, 6
 - defining types of, 51, 53
 - for design matrix, 68–69
 - R2WinBUGS, 22, 30, 47
 - WinBUGS with R program used through, 49–55
 - Random variables
 - Poisson, 211
 - probability distributions and, 59
 - Random-coefficients model
 - for binomial mixed-effects model, 229–230, 231–235
 - for mixed-model ANCOVA, 153
 - for mixed-model ANCOVA with slope/intercept correlation, 161–165
 - for mixed-model ANCOVA without slope/intercept correlation, 158–161
 - for Poisson GLMM, 206–209
 - for Poisson mixed-effects model, *See* for Poisson GLMM
 - Swiss hare data, 166
 - Random-effects
 - in Bayesian analysis, 235
 - definition of, 115
 - ZIP, 185
 - Random-intercepts model
 - for mixed-model ANCOVA, Bayesian analysis with WinBUGS, 156–158
 - for mixed-model ANCOVA, REML analysis with R, 156
 - Raptor, 177

- Red-backed shrike, 203–204, 204f, 229–236, 230f
- Refresh setting, 40
- Regression. *See also* Linear regression
 linear, 73–76
 logistic, 104, 167, 251
 logit-linear, 242–243
 multinomial, 167
 multiple binomial, 228
 Poisson, 202
 ZIP, 184
- REML. *See* restricted maximum likelihood
- Reparameterization, 72
- Repeated measurement, 240, 257
- Replicate counts, 255, 260
- Reptiles, 254
- Residual(s), 24. *See also* Pearson residual
 assumptions, 69–70
 linear predictor and, 70
 PPC for, 173–174
 raw, 224
 t-test, checking, 97
- Residual plot, of linear regression, 107, 107f
- Residual standard error, 49
- Restricted maximum likelihood (REML), 5
 mixed model, 154
 mixed model ANCOVA analysis
 using R and, 156
 random-effects one-way ANOVA
 using R and, 124
- Reversible-jump (MCMC), 25
- Rhat, 22, 54, 148
 convergence and, 173
- R-squared, 94, 145
- ## S
- Sample Monitor Tool, 37, 41
- Sampling error
 exercise, 93
 MCMC, 250
 statistics and understanding, 48–49
 understanding, 7
- Sampling variance. *See* Sampling error
- Sand lizard, 254–274, 254f
- SAS (program), 5, 10
- Scale reduction factor, 199
- Scope (of inference), 152
- SD. *See* Standard deviation
- Sex, 59, 92
- Shrinkage estimators, 118
 fixed/random, 236
- Simulated data sets, 7–8
- Simulation, 27. *See also* specific simulations
- Site-covariate, 252
- Site-occupancy model, 104, 237, 239
 binomial mixture model compared to, 256, 259
 confusions with, 238–239
 covariates, 241–242
 data generation, 242–246
 detection probability, 241, 250–251, 250f
 dynamic, 22, 242
 naïve analysis, 246, 246f
 posterior predictive check, 246
 probability of occurrence, 240
 starting values, 263
 Swiss hare data, 252
 truth, 251–252
 WinBUGS analysis, 246–251
- Slope
 random-coefficients mixed-model
 ANCOVA, with correlation of
 intercept and, 161–165
 random-coefficients mixed-model
 ANCOVA, without correlation of
 intercept and, 158–161
- Slovenia, 239
- Smooth snake, 116, 116f
- Snake, 142, 142f, 219–228, 220f
 data set for, 67–68, 68t
 smooth, 116, 116f
- Snout-vent length (SVL), 115–116
- Software. *See* specific software
- Sombre goldenring, 193–194, 194f
- Splines, 242
- Standard deviation (SD), 7, 42, 49
 for Bernoulli distribution, 64
 residual, 123
- Standard error, 7
- Standardization, covariate, 147–149
- Starting value
 random, 51
 for site-occupancy model, 263
- State-space (model), 241
- Statistical analysis, 5, 5t
- Statisticians, 275–276
- Statistics. *See also* Bayesian (approach to statistics)
 Bayesian v. classical, 6, 15–19
 creativity and, 275
 definition/use of, 14
 sampling error and, 48–49
- Stochastic systems, 7
 binomial mixture model and, 255

deterministic systems compared to, 58
in life, 14

Straight-line relationships, 66, 156

Structural

model parameters, 152, 266

model parts, 25

model problems, 43

Survey-covariate, 252, 273–274

Survival, 10, 59, 211–212

SVL. *See* Snout-vent length

Swiss hare data, 56

ANCOVA, 150

Binomial ANCOVA, 228

binomial mixture model, 274

linear regression, 113

one-way ANOVA, 127

overdispersion, 191

Poisson ANCOVA, 202

Poisson distribution, 177

Poisson GLMM, 209

random-coefficients model, 166

site-occupancy model, 252

t-test, 101

two-way ANOVA, 139

T

Tichodroma muraria, 104f

Transect, 254

Transformation, covariate, 149

Treatment contrasts, 71

Trellis plot, 206f, 232–233f

constructing, 155, 155f

Trends, population, 109, 112–113, 119, 203

True state, 242–244, 253

partially observed, 247

T-test, 69–73

binomial, 213–216

data generation, 92–93, 97–98

effects parameterization, 92–93

with equal variances, 92–97

as LM, 91

LM of linear regression compared to, 103

means parameterization, 92

model adequacy, 96

Poisson distribution, 168–169

residuals, 97

Swiss hare data, 101

with unequal variances, 97–100

Tutorial, WinBUGS, 11

U

Unbalanced data, 257

Unbiased, 2, 133

Uncertainty interval, 110

Unequal variances, 97–100

Uniform distribution, 58

continuous, 62

picture, 63f

Uninformative prior, 18

V

Vague prior, 18–19, 158, 277

Bayesian approach with,

55–56, 275

Variance(s). *See also specific variances*

Bayesian compared to

frequentist, 96

chain, 22

comparing, 101

modeling, 100–101

t-test and equal, 92–97

t-test and unequal, 97–100

Variance component, 51

Variance-components model, 152

Variance-covariance matrix, 162

Vegetation, 257–262

covariable, 261

Vipera aspis, 142f, 152f

Vipera berus, 220f

W

Wallcreeper, 103–104, 104f

Website

for book, 31–32, 34, 49, 250

for WinBUGS, 10

Welch test, 98

WinBUGS

advantages, 4–5

ANCOVA, 145–149

Binomial ANCOVA, 224–228

binomial distribution, 63–64

binomial mixture model, 262–273

covariate standardization, 147–149

crash, 45, 263–264

creativity, 30–31

as eye-opener, 275

fixed-effects, 166

fixed-effects one-way ANOVA,

120–122

freedom of, 30–31

Gibbs sampling, 21

interaction-effects two-way ANOVA,

137–138

linear regression analysis, 105–113

- WinBUGS (*Cont.*)
- literature on, 9–10
 - main-effects two-way ANOVA, 135–137
 - mixed-model ANCOVA, 156–158
 - normal distribution, 61–62
 - overdispersion, 183–184
 - Poisson ANCOVA, 197–201
 - Poisson distribution, 171–177
 - Poisson distribution, 65
 - Poisson GLMM, 207–209
 - power of, 29
 - practical implementation of complex models in, 263–264, 270–271
 - R integrated with, 6
 - R2WinBUGS, 49–55
 - random-effects in, 166
 - random-effects one-way ANOVA, 125–127
 - site-occupancy model, 246–251
 - technicalities, 31–32
 - t-test analysis, 94–97
 - tutorial, 11
 - website for, 10
 - ZIP model, 187–188
- Within-chain variance, 22
- Woodchat shrike, 229–236, 230f
- Working directory, 31–32
- setting R, 49–51
- Workspace, R, 51–52, 55
- X
- X matrix, 71
- Z
- Zeroes, 177
- avoiding, 263
- Zeroinfl(), 186
- Zero-inflated binomial (ZIB), 184
- Zero-inflated Poisson (ZIP)
- counts, 185
 - data generation, 185–186
 - hurdle model compared to, 185
 - R analysis, 186–187