

References

- Aitkin, M., Francis, B., Hinde, J., Darnell, R., 2009. Statistical Modelling in R. Oxford University Press, Oxford, UK.
- Altwegg, R., Wheeler, M., Erni, B., 2008. Climate and the range dynamics of species with imperfect detection. *Biol. Lett.* 4, 581–584.
- Andrewartha, H.G., Birch, L.C., 1954. The Distribution and Abundance of Animals. University of Chicago Press, Chicago.
- Araujo, M.B., Guisan, A., 2006. Five (or so) challenges for species distribution modeling. *J. Biogeogr.* 33, 1677–1688.
- Bailey, L.L., Hines, J.E., Nichols, J.D., MacKenzie, D.I., 2007. Sampling design trade-offs in occupancy studies with imperfect detection: examples and software. *Ecol. Appl.* 17, 281–290.
- Bernardo, J.M., 2003. Bayesian Statistics. Encyclopedia of Life Support Systems (EOLSS). Probability and Statistics. UNESCO, Oxford, UK. <http://www.uv.es/~bernardo/BayesStat2.pdf> (accessed 4 May 2009).
- Bolker, B.M., 2008. Ecological Models and Data in R. Princeton University Press, NJ.
- Borchers, D.L., Buckland, S.T., Zucchini, W., 2002. Estimating Animal Abundance. Springer, London.
- Borchers, D.L., Efford, M.G., 2008. Spatially explicit maximum likelihood methods for capture-recapture studies. *Biometrics* 64, 377–385.
- Brooks, S.P., 2003. Bayesian computation: a statistical revolution. *Philos. Trans. R. Soc. Lond. A.* 361, 2681–2697.
- Buckland, S.T., Anderson, D.R., Burnham, K.P., Laake, J.L., Borchers, D.L., Thomas, L., 2001. Introduction to Distance Sampling. Oxford University Press, Oxford.
- Burnham, K.P., Anderson, D.R., 2002. Model Selection and Multimodel Inference: Practical Information-Theoretic Approach. Springer, New York.
- Clark, J.S., 2007. Models for Ecological Data: An Introduction. Princeton University Press, NJ.
- Clark, J.S., Ferraz, G., Oguege, N., Hays, H., DiCostanzo, J., 2005. Hierarchical Bayes for structured, variable populations: from recapture data to life-history prediction. *Ecology* 86, 2232–2244.
- Crawley, M.J., 2005. Statistics. An Introduction Using R. Wiley, Chichester, West Sussex.
- Dalgaard, P., 2001. Introductory Statistics with R. Springer, New York.
- de Valpine, P., 2009. Shared challenges and common ground for Bayesian and classical analysis of hierarchical statistical models. *Ecol. Appl.* 19, 584–588.
- de Valpine, P., Hastings, A., 2002. Fitting population models incorporating process noise and observation error. *Ecol. Monogr.* 72, 57–76.
- Dellaportas, P., Forster, J.J., Ntzoufras, I., 2002. On Bayesian model and variable selection using MCMC. *Stat. Comput.* 12, 27–36.
- Dennis, B., 1996. Discussion: should ecologists become Bayesians? *Ecol. Appl.* 6, 1095–1103.
- Dennis, B., Ponciano, J.M., Lele, S.R., Taper, M.L., Staples, D.F., 2006. Estimating density dependence, process noise, and observation error. *Ecol. Monogr.* 76, 323–341.
- Dodd Jr., C.K., Dorazio, R.M., 2004. Using counts to simultaneously estimate abundance and detection probabilities in salamander surveys. *Herpetologica* 60, 468–478.

- Dorazio, R.M., 2007. On the choice of statistical models for estimating occurrence and extinction from animal surveys. *Ecology* 88, 2773–2782.
- Efford, M.G., 2004. Density estimation in live-trapping studies. *Oikos* 106, 598–610.
- Efford, M.G., Dawson, D.K., Borchers, D.L., 2009. Population density estimated from locations of individuals on a passive detector array. *Ecology* 90, 2676–2682.
- Elith, J., *et al.* 2006. Novel methods improve prediction of species' distributions from occurrence data. *Ecography* 29, 129–151.
- Ellison, A.M., 1996. An introduction to Bayesian inference for ecological research and environmental decision-making. *Ecol. Appl.* 6, 1036–1046.
- Fiske, I., Chandler, R., 2010. unmarked: models for data from unmarked animals. R package version 0.9.0. <http://cran.r-project.org/web/packages/unmarked/index.html> (accessed 1 March 2010).
- Gelfand, A.E., Schmidt, A.E., Wu, S., Silander Jr., J.A., Latimer, A., Rebelo, A.G., 2005. Modelling species diversity through species level hierarchical modelling. *Appl. Stat.* 54, 1–20.
- Gelman, A., 2005. Analysis of variance: why it is more important than ever (with discussion). *Ann. Stat.* 33, 1–53.
- Gelman, A., 2006. Prior distributions for variance parameters in hierarchical models. *Bayesian Anal.* 1, 514–534.
- Gelman, A., Carlin, J.B., Stern, H.S., Rubin, D.B., 2004. *Bayesian Data Analysis*. Second ed. CRC/Chapman & Hall, Boca Raton, FL.
- Gelman, A., Hill, J., 2007. *Data Analysis Using Regression and Multilevel/Hierarchical Models*. Cambridge University Press, Cambridge.
- Gelman, A., Meng, X.-L., Stern, H.S., 1996. Posterior predictive assessment of model fitness via realized discrepancies (with discussion). *Stat. Sin.* 6, 733–807.
- Geman, S., Geman, S., 1984. Stochastic relaxation, Gibbs distributions, and the Bayesian restoration of images. *IEEE Trans. Pattern. Anal. Mach. Intell.* 6, 721–741.
- Gilks, W.R., Thomas, A., Spiegelhalter, D.J., 1994. A language and program for complex Bayesian modeling. *Statistician* 43, 169–178.
- Gu, W., Swihart, R.K., 2004. Absent or undetected? Effects of non-detection of species occurrence on wildlife-habitat models. *Biol. Conserv.* 116, 195–203.
- Hanski, I., 1998. Metapopulation dynamics. *Nature* 396, 41–49.
- Hastings, W.K., 1970. Monte Carlo sampling methods using Markov chains and their applications. *Biometrika* 57, 97–109.
- Joseph, L.N., Elkin, C., Martin, T.G., Possingham, H.P., 2009. Modeling abundance using N-mixture models: the importance of considering ecological mechanisms. *Ecol. Appl.* 19, 631–642.
- Kadane, J.B., Lazar, N.A., 2004. Methods and criteria for model selection. *J. Am. Stat. Assoc.* 99, 279–290.
- Kéry, M., 2002. Inferring the absence of a species – A case study of snakes. *J. Wildl. Manage* 66, 330–338.
- Kéry, M., 2004. Extinction rate estimates for plant populations in revisitation studies: the importance of detectability. *Conserv. Biol.* 18, 570–574.
- Kéry, M., 2008. Estimating abundance from bird counts: binomial mixture models uncover complex covariate relationships. *Auk* 125, 336–345.
- Kéry, M., Dorazio, R.M., Soldaat, L., van Strien, A., Zuurderwijk, A., Royle, J.A., 2009. Trend estimation in populations with imperfect detection. *J. Appl. Ecol.* 46, 1163–1172.
- Kéry, M., Gardner, B., Monnerat, C., 2010b. Predicting species distributions from checklist data using site-occupancy models. *J. Biogeogr.* (in press)
- Kéry, M., Juillerat, L., 2004. Sex ratio estimation and survival analysis for *Orthetrum coerulescens* (Odonata, Libellulidae). *Can. J. Zool.* 82, 399–406.
- Kéry, M., and Royle, J.A., 2009. Inference about species richness and community structure using species-specific occupancy models in the national Swiss breeding bird survey MHB. pp. 639–656 in Thomson, D.L., Cooch, E.G., and Conroy, M.J. (eds.) *Modeling*

- Demographic Processes in Marked Populations*. Series: Environmental and Ecological Statistics, Vol. 3, Springer.
- Kéry, M., Royle, J.A., 2010. Hierarchical modeling and estimation of abundance in metapopulation designs. *J. Anim. Ecol.* 79, 453–461.
- Kéry, M., Royle, J.A., Schmid, H., 2005. Modeling avian abundance from replicated counts using binomial mixture models. *Ecol. Appl.* 15, 1450–1461.
- Kéry, M., Royle, J.A., Schmid, H., Schaub, M., Volet, B., Häfliger, G., Zbinden, N., 2010a. Site-occupancy distribution modeling to correct population-trend estimates derived from opportunistic observations. *Conserv. Biol.* (in press).
- Kéry, M., Schmidt, B.R., 2008. Imperfect detection and its consequences for monitoring for conservation. *Community Ecol.* 9, 207–216.
- Kéry, M., Spillmann, J.H., Truong, C., Holderegger, R., 2006. How biased are estimates of extinction probability in revisitation studies? *J. Ecol.* 94, 980–986.
- King, R., Morgan, B.J.T., Gimenez, O., Brooks, S.P., 2009. *Bayesian Analysis for Population Ecology*. Chapman and Hall/CRC, Boca Raton, FL.
- Krebs, C.J., 2001. *Ecology: The Experimental Analysis of Distribution and Abundance*. Fifth ed. Benjamin Cummings, Menlo Park, CA.
- Kuo, L., Mallick, B., 1998. Variable selection for regression models. *Sankhya* 60B, 65–81.
- Lambert, P.C., Sutton, A.J., Burton, P.R., Abrams, K.R., Jones, D.R., 2005. How vague is vague? A simulation study of the impact of the use of vague prior distributions in MCMC using WinBUGS. *Stat. Med.* 24, 2401–2428.
- Latimer, A.M., Wu, S., Gelfand, A.E., Silander Jr., J.A., 2006. Building statistical models to analyse species distributions. *Ecol. Appl.* 16, 33–50.
- Le Cam, L., 1990. Maximum likelihood: an introduction. *Int. Stat. Rev.* 58, 153–171.
- Lee, Y., Nelder, J.A., 2006. Double hierarchical generalised linear models. *Appl. Stat.* 55, 139–185.
- Lee, Y., Nelder, J.A., Pawitan, Y., 2006. *Generalized Linear Models with Random Effects. Unified Analysis via H-likelihood*. Chapman and Hall/CRC, Boca Raton, FL.
- Lele, S.R., Dennis, B., 2009. Bayesian methods for hierarchical models: are ecologists making a Faustian bargain? *Ecol. Appl.* 19, 581–584.
- Lindley, D.V., 1983. Theory and practice of Bayesian statistics. *Statistician* 32, 1–11.
- Lindley, D.V., 2006. *Understanding Uncertainty*. Wiley, Hoboken, NJ.
- Link, W.A., Barker, R.J., 2006. Model weights and the foundations of multimodel inference. *Ecology* 87, 2626–2635.
- Link, W.A., Barker, R.J., 2010. *Bayesian Inference with Ecological Examples*. Academic Press, San Diego, CA.
- Link, W.A., Cam, E., Nichols, J.D., Cooch, E.G., 2002. Of BUGS and birds: Markov chain Monte Carlo for hierarchical modeling in wildlife research. *J. Wildl. Manage.* 66, 277–291.
- Link, W.A., Sauer, J.R., 2002. A hierarchical analysis of population change with application to Cerulean warblers. *Ecology* 83, 2832–2840.
- Littell, R.C., Milliken, G.A., Stroup, W.W., Wolfinger, R.D., Schabenberger, O., 2008. *SAS for Mixed Models*. Second ed. SAS Institute, Cary, NC.
- Little, R.J.A., 2006. Calibrated Bayes: a Bayes/Frequentist roadmap. *Am. Stat.* 60, 213–223.
- Lunn, D., Spiegelhalter, D., Thomas, A., Best, N., 2009. The BUGS project: evolution, critique and future directions. *Stat. Med.* 28, 3049–3067.
- MacKenzie, D.I., 2006. Modeling the probability of resource use: the effect of, and dealing with, detecting a species imperfectly. *J. Wildl. Manage.* 70, 367–374.
- MacKenzie, D.I., Kendall, W.L., 2002. How should detection probability be incorporated into estimates of relative abundance? *Ecology* 83, 2387–2393.
- MacKenzie, D.I., Nichols, J.D., Hines, J.E., Knutson, M.G., Franklin, A.B., 2003. Estimating site occupancy, colonization and local extinction when a species is detected imperfectly. *Ecology* 84, 2200–2207.

- MacKenzie, D.I., Nichols, J.D., Lachman, G.B., Droege, S., Royle, J.A., Langtimm, C.A., 2002. Estimating site occupancy rates when detection probability rates are less than one. *Ecology* 83, 2248–2255.
- MacKenzie, D.I., Nichols, J.D., Royle, J.A., Pollock, K.H., Hines, J.E., Bailey, L.L., 2006. *Occupancy Estimation and Modeling: Inferring Patterns and Dynamics of Species Occurrence*. Elsevier, San Diego, CA.
- MacKenzie, D.I., Royle, J.A., 2005. Designing occupancy studies: general advice and allocating survey effort. *J. Appl. Ecol.* 42, 1105–1114.
- Martin, T.G., Kuhnert, P.M., Mergersen, K., Possingham, H.P., 2005. The power of expert opinion in ecological models using Bayesian methods: impact of grazing on birds. *Ecol. Appl.* 15, 266–280.
- Mazzetta, C., Brooks, S., Freeman, S.N., 2007. On smoothing trends in population index modeling. *Biometrics* 63, 1007–1014.
- McCarthy, M.A., 2007. *Bayesian Methods for Ecology*. Cambridge University Press, Cambridge.
- McCarthy, M.A., Masters, P., 2005. Profiting from prior information in Bayesian analyses of ecological data. *J. Appl. Ecol.* 42, 1012–1019.
- McCullagh, P., Nelder, J.A., 1989. *Generalized Linear Models*. Second ed. Chapman and Hall, London.
- McCulloch, C.E., Searle, S.R., 2001. *Generalized, Linear, and Mixed Models*. Wiley, New York.
- Metropolis, N., Rosenbluth, A.W., Rosenbluth, M.N., Teller, A.H., Teller, E., 1953. Equation of state calculations by fast computing machines. *J. Chem. Phys.* 21, 1087–1092.
- Millar, R.B., 2009. Comparison of hierarchical Bayesian models for over-dispersed count data using DIC and Bayes factors. *Biometrics* 65, 962–969.
- Monneret, R.-J., 2006. *Le faucon pèlerin*. Delachaux and Niestlé, Paris, France.
- Nelder, J.A., Wedderburn, R.W.M., 1972. Generalized linear models. *J. R. Stat. Soc. Ser. A.* 135, 370–384.
- Ntzoufras, I., 2009. *Bayesian Modeling Using WinBUGS*. Wiley, Hoboken, NJ.
- Pellet, J., Schmidt, B.R., 2005. Monitoring distributions using call surveys: estimating site occupancy, detection probabilities and inferring absence. *Biol. Conserv.* 123, 27–35.
- Pinheiro, J.C., Bates, D.M., 2000. *Mixed-Effects Models in S and S-Plus*. Springer, New York.
- Ponciano, J.M., Taper, M.L., Dennis, B., Lele, S.R., 2009. Hierarchical models in ecology: confidence intervals, hypothesis testing, and model selection using data cloning. *Ecology* 90, 356–362.
- Powell, L.A., 2007. Approximating variance of demographic parameters using the delta method: a reference for avian biologists. *Condor* 109, 949–954.
- R Development Core Team 2007. *R: A language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria. <http://www.R-project.org> (accessed 4 May 2009).
- Robinson, G.K., 1991. That BLUP is a good thing: the estimation of random effects (with discussion). *Stat. Sci.* 6, 15–51.
- Royle, J.A., 2004a. N-mixture models for estimating population size from spatially replicated counts. *Biometrics* 60, 108–115.
- Royle, J.A., 2004b. Generalized estimators of avian abundance from count survey data. *Anim. Biodivers. Conserv.* 27, 375–386.
- Royle, J.A., 2008. Modeling individual effects in the Cormack-Jolly-Seber model: a state-space formulation. *Biometrics* 64, 364–370.
- Royle, J.A., Dorazio, R.M., 2006. Hierarchical models of animal abundance and occurrence. *J. Agric. Biol. Environ. Stat.* 11, 249–263.
- Royle, J.A., Dorazio, R.M., 2008. *Hierarchical Modeling and Inference in Ecology*. Academic Press, Amsterdam.
- Royle, J.A., Karanth, K.U., Gopalaswamy, A.M., Kumar, N.S., 2009. Bayesian inference in camera trapping studies for a class of spatial capture-recapture models. *Ecology* 90, 3233–3244.

- Royle, J.A., Kéry, M., 2007. A Bayesian state-space formulation of dynamic occupancy models. *Ecology* 88, 1813–1823.
- Royle, J.A., Kéry, M., Gautier, R., Schmid, H., 2007. Hierarchical spatial models of abundance and occurrence from imperfect survey data. *Ecol. Monogr.* 77, 465–481.
- Royle, J.A., Nichols, J.D., 2003. Estimating abundance from repeated presence-absence data or point counts. *Ecology* 84, 777–790.
- Royle, J.A., Nichols, J.D., Kéry, M., 2005. Modeling occurrence and abundance of species with imperfect detection. *Oikos* 110, 353–359.
- Royle, J.A., Young, K.G., 2008. A hierarchical model for spatial capture-recapture data. *Ecology* 89, 2281–2289.
- Sauer, J.R., Link, W.A., 2002. Hierarchical modeling of population stability and species group attributes from survey data. *Ecology* 86, 1743–1751.
- Schmidt, B.R., 2005. Monitoring the distribution of pond-breeding amphibians when species are detected imperfectly. *Aquat. Conserv. Mar. Freshwater Ecosyst.* 15, 681–692.
- Schmidt, B.R., 2008. Neue statistische Verfahren zur Analyse von Monitoring- und Verbreitungsdaten von Amphibien und Reptilien. *Zeitschrift für Feldherpetologie* 15, 1–14.
- Smith, A.F.M., Gelfand, A.E., 1992. Bayesian statistics without tears: A sampling-resampling perspective. *Am. Stat.* 46, 84–88.
- Spiegelhalter, D., Best, N.G., Carlin, B.P., van der Linde, A., 2002. Bayesian measures of complexity and fit (with discussion). *J. R. Stat. Soc. Series B.* 64, 583–639.
- Spiegelhalter, D., Thomas, A., Best, N.G., 2003. WinBUGS User Manual, Version 1.4. MCR Biostatistics Unit, Cambridge.
- Sturtz, S., Ligges, U., Gelman, A., 2005. R2WinBUGS: a package for running WinBUGS from R. *J. Stat. Softw.* 12, 1–16.
- Swain, D.P., Jonsen, I.D., Simon, J.E., Myers, R.A., 2009. Assessing threats to species at risk using stage-structured state-space models: mortality trends in skate populations. *Ecol. Appl.* 19, 1347–1364.
- Tyre, A.J., Tenhumberg, B., Field, S.A., Niejalke, D., Parris, K., Possingham, H.P., 2003. Improving precision and reducing bias in biological surveys: Estimating false-negative error rates. *Ecological Applications* 13, 1790–1801.
- Venables, W.N., Ripley, B.D., 2002. *Modern Applied Statistics with S*. Springer, New York.
- Ver Hoef, J.M., Jansen, J.K., 2007. Space-time zero-inflated count models of Harbour seals. *Environmetrics* 18, 697–712.
- Wade, P.R., 2000. Bayesian methods in conservation biology. *Conserv. Biol.* 14, 1308–1316.
- Webster, R.A., Pollock, K.H., Simons, T.R., 2008. Bayesian spatial modeling of data from avian point count surveys. *J. Agric. Biol. Environ. Stat.* 13, 121–139.
- Welham, S., Cullis, B., Gogel, B., Gilmour, A., Thompson, R., 2004. Prediction in linear mixed models. *Aust. N. Z. J. Stat.* 46, 325–347.
- Wenger, S.J., Freeman, M.C., 2008. Estimating species occurrence, abundance, and detection probability using zero-inflated distributions. *Ecology* 89, 2953–2959.
- White, G.C., Burnham, K.P., 1999. Program MARK: survival estimation from populations of marked animals. *Bird Study* 46 (Suppl.), 120–138.
- Wikle, C.K., 2003. Hierarchical Bayesian models for predicting the spread of ecological processes. *Ecology* 84, 1382–1394.
- Williams, B.K., Nichols, J.D., Conroy, M.J., 2002. *Analysis and Management of Animal Populations*. Academic Press, San Diego, CA.
- Woodworth, G.G., 2004. *Biostatistics. A Bayesian Introduction*. Wiley, Hoboken, NJ.
- Yoccoz, N.G., Nichols, J.D., Boulinier, T., 2001. Monitoring biological diversity in space and time. *Trends Ecol. Evol.* 16, 446–453.
- Zeileis, A., Kleiber, C., Jackman, S., 2008. Regression models for count data in R. *J. Stat. Softw.* 27, <<http://www.jstatsoft.org/v27/i08/>> (accessed 4 May 2009).