


CMU base forecasts: five-horizon median curves around the peaks


COVID 2024/25 summer | FLU 2024/25 winter | counts per 100k residents


Each curve: one reference week, horizons -1 to 3. Darker = later reference week relative to the local peak.






























Horizontal axis: target week ending. Target date = reference date + 7h days. Raw CMU submissions; missing rounds stay missing.


Observed counts and peak dates use the latest stored reports and are retrospective. Reference dates label weeks, not exact submission times.


CMU base forecasts: five-horizon median curves around the peaks


COVID 2024/25 winter | FLU 2024/25 winter | counts per 100k residents


Each curve: one reference week, horizons -1 to 3. Darker = later reference week relative to the local peak.





























Horizontal axis: target week ending. Target date = reference date + 7h days. Raw CMU submissions; missing rounds stay missing.

Observed counts and peak dates use the latest stored reports and are retrospective. Reference dates label weeks, not exact submission times.


CMU base forecasts: five-horizon median curves around the peaks

COVID 2024/25 summer | FLU 2024/25 summer | counts per 100k residents

Each curve: one reference week, horizons -1 to 3. Darker = later reference week relative to the local peak.

United States | COVID

Peak: 06 Sep 2025 | 11 submitted reference weeks




United States | FLU

No peak in 2024/25 summer

California | COVID

Peak: 06 Sep 2025 | 11 submitted reference weeks




California | FLU

No peak in 2024/25 summer

Texas | COVID

Peak: 30 Aug 2025 | 11 submitted reference weeks




Texas | FLU

No peak in 2024/25 summer

New York | COVID

Peak: 20 Sep 2025 | 10 submitted reference weeks




New York | FLU

No peak in 2024/25 summer


Pennsylvania | COVID

Peak: 20 Sep 2025 | 10 submitted reference weeks



Pennsylvania | FLU

No peak in 2024/25 summer




Horizontal axis: target week ending. Target date = reference date + 7h days. Raw CMU submissions; missing rounds stay missing.


Observed counts and peak dates use the latest stored reports and are retrospective. Reference dates label weeks, not exact submission times.


CMU base forecasts: five-horizon median curves around the peaks


COVID 2025/26 winter | FLU 2025/26 winter | counts per 100k residents


Each curve: one reference week, horizons -1 to 3. Darker = later reference week relative to the local peak.





























Horizontal axis: target week ending. Target date = reference date + 7h days. Raw CMU submissions; missing rounds stay missing.

Observed counts and peak dates use the latest stored reports and are retrospective. Reference dates label weeks, not exact submission times.

CMU base forecasts: five-horizon median curves around the peaks

COVID 2025/26 summer | FLU 2025/26 summer | counts per 100k residents

Each curve: one reference week, horizons -1 to 3. Darker = later reference week relative to the local peak.

United States | COVID


No peak in 2025/26 summer

United States | FLU

No peak in 2025/26 summer

California | COVID

Peak: 19 Sep 2026 | 11 submitted reference weeks




California | FLU

No peak in 2025/26 summer

Texas | COVID

Peak: 05 Sep 2026 | 11 submitted reference weeks



Texas | FLU

No peak in 2025/26 summer

New York | COVID

No peak in 2025/26 summer

New York | FLU

No peak in 2025/26 summer

Pennsylvania | COVID

No peak in 2025/26 summer

Pennsylvania | FLU

No peak in 2025/26 summer

Week -5
Week -4
Week -3
Week -2
Week -1
Week 0
Week +1
Week +2
Week +3
Week +4
Week +5
Latest reported counts
Peak (retrospective)
h = -1 (nowcast)
h = 0 to 3

Horizontal axis: target week ending. Target date = reference date + 7h days. Raw CMU submissions; missing rounds stay missing.
Observed counts and peak dates use the latest stored reports and are retrospective. Reference dates label weeks, not exact submission times.