

covid | design hub_first_months | feedback delay 0 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | 52 locations


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision



outer_multiplier




—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over locations and horizons) on each tracker's scale

covid | design hub_first_months | feedback delay 1 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | 52 locations


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision




outer_multiplier



—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value

Mean quantile loss relative to the original forecasts (mean over locations and horizons) on each tracker's scale


covid | design hub_first_months | feedback delay 0 + revisions (re-run) (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | 52 locations




Mean quantile loss relative to the original forecasts (mean over locations and horizons) on each tracker's scale

flu | design hub_first_months | feedback delay 0 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | 52 locations


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision



outer_multiplier




—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over locations and horizons) on each tracker's scale

flu | design hub_first_months | feedback delay 1 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | 52 locations


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision



outer_multiplier




—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over locations and horizons) on each tracker's scale

flu | design hub_first_months | feedback delay 0 + revisions (re-run) (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | 52 locations


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision



outer_multiplier




—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over locations and horizons) on each tracker's scale

covid | design hub_first_months | feedback delay 0 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | California (06)


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision




outer_multiplier





—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale


covid | design hub_first_months | feedback delay 1 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | California (06)















































—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale


covid | design hub_first_months | feedback delay 0 + revisions (re-run) (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | California (06)













































log1p tracker (loss of log(counts + 1)) --- identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale

flu | design hub_first_months | feedback delay 0 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | California (06)


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision



outer_multiplier




—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale

flu | design hub_first_months | feedback delay 1 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | California (06)


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision



outer_multiplier




—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale

flu | design hub_first_months | feedback delay 0 + revisions (re-run) (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | California (06)


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision



outer_multiplier




—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale

covid | design hub_first_months | feedback delay 0 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Texas (48)


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision




outer_multiplier



—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value

Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale

covid | design hub_first_months | feedback delay 1 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Texas (48)




Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale

covid | design hub_first_months | feedback delay 0 + revisions (re-run) (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Texas (48)


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale

flu | design hub_first_months | feedback delay 0 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Texas (48)


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision



outer_multiplier




—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale


flu | design hub_first_months | feedback delay 1 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Texas (48)


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale


flu | design hub_first_months | feedback delay 0 + revisions (re-run) (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Texas (48)













































log1p tracker (loss of log(counts + 1)) --- identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale

covid | design hub_first_months | feedback delay 0 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | New York (36)


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision



outer_multiplier




—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale

covid | design hub_first_months | feedback delay 1 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | New York (36)


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision




outer_multiplier





—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale


covid | design hub_first_months | feedback delay 0 + revisions (re-run) (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | New York (36)













































log1p tracker (loss of log(counts + 1)) --- identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale

flu | design hub_first_months | feedback delay 0 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | New York (36)


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision



outer_multiplier




—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale

flu | design hub_first_months | feedback delay 1 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | New York (36)


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision



outer_multiplier




—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale

flu | design hub_first_months | feedback delay 0 + revisions (re-run) (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | New York (36)


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision



outer_multiplier




—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale

covid | design hub_first_months | feedback delay 0 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Pennsylvania (42)


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision



outer_multiplier




—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale

covid | design hub_first_months | feedback delay 1 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Pennsylvania (42)


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision



outer_multiplier




log1p tracker (loss of log(counts + 1)) --- identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale

vid | design hub_first_months | feedback delay 0 + revisions (re-run) (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Pennsylvania (4


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision



outer_multiplier



—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale

flu | design hub_first_months | feedback delay 0 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Pennsylvania (42)


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale

flu | design hub_first_months | feedback delay 1 (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Pennsylvania (42)


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision



outer_multiplier




—— log1p tracker (loss of log(counts + 1)) - - - identity tracker (loss in counts per 100k residents) o chosen value


Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale

lu | design hub_first_months | feedback delay 0 + revisions (re-run) (latest-at-use-v2) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Pennsylvania (42


fixed_multiplier




slope_min_multiplier




median_rate




H




restart_lambda




leaky_multiplier




restart_recent_k




context_delta




decline_kappa




switch_strength




switch_threshold




switch_width




switch_weight_path




switch_weight_nowcast



switch_weight_revision



outer_multiplier



log1p tracker (loss of log(counts + 1)) identity tracker (loss in counts per 100k residents) chosen value

Mean quantile loss relative to the original forecasts (mean over horizons; circled: chosen on the pool) on each tracker's scale