
Frozen rate-grid weights

covid | horizon 2 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9 (mixtures with one weight vector per level): the weights of each level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Rows 'All levels': one weight vector for all levels (the mixture, or its common-weight variant), learned from the mean quantile loss over the levels; two-vector mixtures: baseline and declining vectors; context: G or the gate (line), c (points).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

covid | horizon 2 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9 (mixtures with one weight vector per level): the weights of each level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Rows 'All levels': one weight vector for all levels (the mixture, or its common-weight variant), learned from the mean quantile loss over the levels; two-vector mixtures: baseline and declining vectors; context: G or the gate (line), c (points).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

covid | horizon 2 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9 (mixtures with one weight vector per level): the weights of each level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Rows 'All levels': one weight vector for all levels (the mixture, or its common-weight variant), learned from the mean quantile loss over the levels; two-vector mixtures: baseline and declining vectors; context: G or the gate (line), c (points).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

covid | horizon 2 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9 (mixtures with one weight vector per level): the weights of each level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Rows 'All levels': one weight vector for all levels (the mixture, or its common-weight variant), learned from the mean quantile loss over the levels; two-vector mixtures: baseline and declining vectors; context: G or the gate (line), c (points).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

covid | horizon 2 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9 (mixtures with one weight vector per level): the weights of each level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Rows 'All levels': one weight vector for all levels (the mixture, or its common-weight variant), learned from the mean quantile loss over the levels; two-vector mixtures: baseline and declining vectors; context: G or the gate (line), c (points).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

covid | horizon 2 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9 (mixtures with one weight vector per level): the weights of each level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Rows 'All levels': one weight vector for all levels (the mixture, or its common-weight variant), learned from the mean quantile loss over the levels; two-vector mixtures: baseline and declining vectors; context: G or the gate (line), c (points).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

covid | horizon 2 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9 (mixtures with one weight vector per level): the weights of each level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Rows 'All levels': one weight vector for all levels (the mixture, or its common-weight variant), learned from the mean quantile loss over the levels; two-vector mixtures: baseline and declining vectors; context: G or the gate (line), c (points).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

covid | horizon 2 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9 (mixtures with one weight vector per level): the weights of each level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Rows 'All levels': one weight vector for all levels (the mixture, or its common-weight variant), learned from the mean quantile loss over the levels; two-vector mixtures: baseline and declining vectors; context: G or the gate (line), c (points).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

covid | horizon 2 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9 (mixtures with one weight vector per level): the weights of each level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Rows 'All levels': one weight vector for all levels (the mixture, or its common-weight variant), learned from the mean quantile loss over the levels; two-vector mixtures: baseline and declining vectors; context: G or the gate (line), c (points).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

covid | horizon 2 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9 (mixtures with one weight vector per level): the weights of each level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Rows 'All levels': one weight vector for all levels (the mixture, or its common-weight variant), learned from the mean quantile loss over the levels; two-vector mixtures: baseline and declining vectors; context: G or the gate (line), c (points).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

covid | horizon 2 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9 (mixtures with one weight vector per level): the weights of each level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Rows 'All levels': one weight vector for all levels (the mixture, or its common-weight variant), learned from the mean quantile loss over the levels; two-vector mixtures: baseline and declining vectors; context: G or the gate (line), c (points).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

covid | horizon 2 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks

Rows alpha = 0.1-0.9 (mixtures with one weight vector per level): the weights of each level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Rows 'All levels': one weight vector for all levels (the mixture, or its common-weight variant), learned from the mean quantile loss over the levels; two-vector mixtures: baseline and declining vectors; context: G or the gate (line), c (points).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

covid | horizon 2 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)

Equal weights | **Learned, no sharing** | **Learned + sharing**

alpha = 0.1 | alpha = 0.2 | alpha = 0.3 | alpha = 0.4 | alpha = 0.5 | alpha = 0.6 | alpha = 0.7 | alpha = 0.8 | alpha = 0.9 | All levels: weights

Forecast, alpha = 0.2 (counts per 100k residents)

Forecast, alpha = 0.5 (counts per 100k residents)

Forecast, alpha = 0.8 (counts per 100k residents)

Rate grid: equal

Rate grid: learned, no sharing

Rate grid: learned, common weights

Rate grid: learned + sharing

Rate grid: learned + sharing, common weights

Jan 2025 | Jul 2025 | Jan 2026 | Jul 2026

Experts: weights and forecasts

m=0 | m=0.01 | m=0.015 | m=0.02 | m=0.03 | m=0.05 | m=0.075 | m=0.1 | m=0.15 | m=0.2 | m=0.3


Latest reported counts
Each expert: its weight colour
Mixture: thick, in the colour of its method
Common-weight variant: dashed

Target date | Weight at issuance for each target | Vertical dotted lines: peaks

Rows alpha = 0.1-0.9 (mixtures with one weight vector per level): the weights of each level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).
Rows 'All levels': one weight vector for all levels (the mixture, or its common-weight variant), learned from the mean quantile loss over the levels; two-vector mixtures: baseline and declining vectors; context: G or the gate (line), c (points).
Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

covid | horizon 2 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9 (mixtures with one weight vector per level): the weights of each level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Rows 'All levels': one weight vector for all levels (the mixture, or its common-weight variant), learned from the mean quantile loss over the levels; two-vector mixtures: baseline and declining vectors; context: G or the gate (line), c (points).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

covid | horizon 2 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks

Rows alpha = 0.1-0.9 (mixtures with one weight vector per level): the weights of each level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Rows 'All levels': one weight vector for all levels (the mixture, or its common-weight variant), learned from the mean quantile loss over the levels; two-vector mixtures: baseline and declining vectors; context: G or the gate (line), c (points).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.