# covid | all 52 locations pooled | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

**Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)**

- Weekly starts: most recent, learned + sharing
- Delphi REF-op (covid prod)
- Weekly starts: most recent, slow + fast, learned + sharing
- Delphi sqrt 0.018 (flu prod)
- Score experts: equal weights
- Rate grid: learned, common weights
- Weekly starts: equal
- Starts equal + outer
- Leaky MultiQT
- Rate grid: learned + sharing, common weights

Colours as in the trade-off plots of R/04.
Pale: common weights for all levels.
Black outline: + outer MultiQT.





Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.

# covid | United States (US) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

**Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)**

- Weekly starts: most recent, learned + sharing
- Delphi REF-op (covid prod)
- Weekly starts: most recent, slow + fast, learned + sharing
- Delphi sqrt 0.018 (flu prod)
- Score experts: equal weights
- Score experts: learned weights
- Rate grid: equal
- Leaky MultiQT
- Weekly starts: learned + sharing
- Starts learned + sharing + outer

Colours as in the trade-off plots of R/04.
Black outline: + outer MultiQT.

















Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.

# covid | California (06) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

**Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)**

- Weekly starts: most recent, learned + sharing
- Weekly starts: most recent, slow + fast, learned + sharing
- Delphi REF-op (covid prod)
- Delphi sqrt 0.018 (flu prod)
- Weekly starts: equal
- Leaky MultiQT
- Starts equal + outer
- Score experts: equal weights
- Weekly starts: learned + sharing
- Starts learned + sharing + outer

Colours as in the trade-off plots of R/04.
Black outline: + outer MultiQT.




Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.

# covid | Texas (48) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

**Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)**

- Weekly starts: most recent, learned + sharing
- Weekly starts: most recent, slow + fast, learned + sharing
- Delphi REF-op (covid prod)
- Delphi sqrt 0.018 (flu prod)
- Leaky MultiQT
- Weekly starts: learned + sharing
- Score experts: equal weights
- Starts learned + sharing + outer
- Rate grid: equal
- Rate grid: learned + sharing, common weights

Colours as in the trade-off plots of R/04.
Pale: common weights for all levels.
Black outline: + outer MultiQT.


# covid | New York (36) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents


**Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)**

- Delphi REF-op (covid prod)
- Weekly starts: most recent, learned + sharing
- Score experts: equal weights
- Delphi sqrt 0.018 (flu prod)
- Rate grid: learned, common weights
- Rate grid: learned + sharing, common weights
- Weekly starts: most recent, slow + fast, learned + sharing
- Rate grid: sharing, common weights + outer
- Leaky MultiQT (log1p tracker)
- Leaky MultiQT

Colours as in the trade-off plots of R/04.
Pale: common weights for all levels.
Black outline: + outer MultiQT.





Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.


# covid | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents


**Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)**


- Weekly starts: most recent, learned + sharing
- Delphi REF-op (covid prod)
- Delphi sqrt 0.018 (flu prod)
- Weekly starts: most recent, slow + fast, learned + sharing
- Rate grid: learned, common weights
- Score experts: equal weights
- Rate grid: learned + sharing, common weights
- Rate grid: learned, no sharing
- Rate grid: sharing, common weights + outer
- Weekly starts: equal

Colours as in the trade-off plots of R/04.
Pale: common weights for all levels.
Black outline: + outer MultiQT.





Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.

# flu | all 52 locations pooled | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

**Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)**

- Delphi sqrt 0.018 (flu prod)
- Delphi REF-op (covid prod)
- Weekly starts: most recent, learned + sharing
- Weekly starts: equal
- Starts equal + outer
- Rate grid: learned, common weights
- Weekly starts: learned + sharing
- Starts learned + sharing + outer
- Fixed MultiQT
- First start only

Colours as in the trade-off plots of R/04.
Pale: common weights for all levels.
Black outline: + outer MultiQT.





Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.
Identical forecasts in every case of a design: First start only = Fixed MultiQT (delay 0, delay 1, re-run)


# flu | United States (US) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

**Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)**

- Starts equal + outer
- Weekly starts: equal
- Weekly starts: learned + sharing
- Starts learned + sharing + outer
- Delphi sqrt 0.018 (flu prod)
- Delphi REF-op (covid prod)
- Score experts: equal weights
- Fixed MultiQT
- First start only
- Weekly starts: most recent, learned + sharing

Colours as in the trade-off plots of R/04.
Black outline: + outer MultiQT.












Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.
Identical forecasts in every case of a design: First start only = Fixed MultiQT (delay 0, delay 1, re-run)


# flu | California (06) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents


**Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)**

- Weekly starts: most recent, learned + sharing
- Delphi REF-op (covid prod)
- Weekly starts: most recent, slow + fast, learned + sharing
- Delphi sqrt 0.018 (flu prod)
- Studentized median (base width)
- Rate grid: learned + sharing, common weights
- Score experts: equal weights
- Studentized full base (base width)
- Rate grid: sharing, common weights + outer
- Weekly starts: equal

Colours as in the trade-off plots of R/04.
Pale: common weights for all levels.
Black outline: + outer MultiQT.











Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.

# flu | Texas (48) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

**Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)**

- Rate grid: equal
- Rate grid: sharing, common weights + outer
- Rate grid: learned + sharing, common weights
- Rate grid: learned + sharing
- Rate grid: sharing + outer
- Studentized full base (level RMS)
- Score experts: equal weights
- Starts learned + sharing + outer
- Weekly starts: learned + sharing
- Starts equal + outer

Colours as in the trade-off plots of R/04.
Pale: common weights for all levels.
Black outline: + outer MultiQT.





Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.


# flu | New York (36) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

**Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)**

- Delphi sqrt 0.018 (flu prod)
- Weekly starts: most recent, learned + sharing
- Delphi REF-op (covid prod)
- Rate grid: learned, common weights
- Weekly starts: most recent, slow + fast, learned + sharing
- Weekly starts: equal
- Starts equal + outer
- Weekly starts: learned + sharing
- Starts learned + sharing + outer
- Fixed MultiQT


Colours as in the trade-off plots of R/04.
Pale: common weights for all levels.
Black outline: + outer MultiQT.











Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.

# flu | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

**Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)**

- Delphi sqrt 0.018 (flu prod)
- Rate grid: learned, common weights
- Weekly starts: most recent, learned + sharing
- Delphi REF-op (covid prod)
- Weekly starts: equal
- Starts equal + outer
- Rate grid: learned + sharing, common weights
- Rate grid: sharing, common weights + outer
- Weekly starts: learned + sharing
- Rate grid: learned, no sharing

Colours as in the trade-off plots of R/04.
Pale: common weights for all levels.
Black outline: + outer MultiQT.




Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.