covid | all 52 locations pooled | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design

Feedback delay 0 | Feedback delay 1 | Feedback re-run

Loss reduction: overall | Loss reduction: up to peak (weeks -7 to 0) | Loss reduction: after peak (weeks 1 to 8) | Coverage error: overall | Coverage error: up to peak (weeks -7 to 0) | Coverage error: after peak (weeks 1 to 8)

Single trackers

Fixed MultiQT
Leaky MultiQT
Delphi REF-op (covid prod)
Delphi sqrt 0.018 (flu prod)

Log1p tracker

Fixed MultiQT (log1p tracker)
Leaky MultiQT (log1p tracker)

Rate-grid experts

Rate grid: equal
Rate grid: learned, no sharing
Rate grid: learned, common weights
Rate grid: learned + sharing
Rate grid: learned + sharing, common weights
Rate grid: sharing + outer
Rate grid: sharing, common weights + outer

Weekly starts: immediate admission

First start only
Weekly starts: equal
Weekly starts: learned + sharing
Weekly starts: most recent, learned + sharing
Weekly starts: most recent, slow + fast, learned + sharing
Starts equal + outer
Starts learned + sharing + outer

Score-based experts

Score experts: equal weights
Score experts: learned weights

Studentized median

Studentized median (residual RMS)
Studentized median (residual RMS), median start
Studentized median (base width)
Median, constant sigma
Median, constant sigma, median start

Studentized full base


Studentized full base (base width)
Studentized full base (level RMS)

-50% -40% -30% -20% -10% 0% 10% | 0 0.05 0.1 0.15 0.2 0.25

Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Each design uses the settings tuned with it.

covid | United States (US) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design

Feedback delay 0 · Feedback delay 1 · Feedback re-run



Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Each design uses the settings tuned with it.

covid | California (06) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design

Feedback delay 0 · Feedback delay 1 · Feedback re-run

Loss reduction: overall | Loss reduction: up to peak (weeks -7 to 0) | Loss reduction: after peak (weeks 1 to 8) | Coverage error: overall | Coverage error: up to peak (weeks -7 to 0) | Coverage error: after peak (weeks 1 to 8)

Single trackers

- Fixed MultiQT
- Leaky MultiQT
- Delphi REF-op (covid prod)
- Delphi sqrt 0.018 (flu prod)

Log1p tracker

- Fixed MultiQT (log1p tracker)
- Leaky MultiQT (log1p tracker)

Rate-grid experts

- Rate grid: equal
- Rate grid: learned, no sharing
- Rate grid: learned, common weights
- Rate grid: learned + sharing
- Rate grid: learned + sharing, common weights
- Rate grid: sharing + outer
- Rate grid: sharing, common weights + outer

Weekly starts: immediate admission

- First start only
- Weekly starts: equal
- Weekly starts: learned + sharing
- Weekly starts: most recent, learned + sharing
- Weekly starts: most recent, slow + fast, learned + sharing
- Starts equal + outer
- Starts learned + sharing + outer

Score-based experts

- Score experts: equal weights
- Score experts: learned weights

Studentized median

- Studentized median (residual RMS)
- Studentized median (residual RMS), median start
- Studentized median (base width)
- Median, constant sigma
- Median, constant sigma, median start

Studentized full base

- Studentized full base (base width)
- Studentized full base (level RMS)


Loss reduction: -100% -50% 0% 50% 100%

Coverage error: 0 0.1 0.2 0.3 0.4

Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Each design uses the settings tuned with it.

covid | Texas (48) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design

Feedback delay 0 · Feedback delay 1 · Feedback re-run



Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Each design uses the settings tuned with it.

covid | New York (36) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design

Feedback delay 0 · Feedback delay 1 · Feedback re-run

Loss reduction: overall · Loss reduction: up to peak (weeks -7 to 0) · Loss reduction: after peak (weeks 1 to 8) · Coverage error: overall · Coverage error: up to peak (weeks -7 to 0) · Coverage error: after peak (weeks 1 to 8)

Single trackers

- Fixed MultiQT
- Leaky MultiQT
- Delphi REF-op (covid prod)
- Delphi sqrt 0.018 (flu prod)

Log1p tracker

- Fixed MultiQT (log1p tracker)
- Leaky MultiQT (log1p tracker)

Rate-grid experts

- Rate grid: equal
- Rate grid: learned, no sharing
- Rate grid: learned, common weights
- Rate grid: learned + sharing
- Rate grid: learned + sharing, common weights
- Rate grid: sharing + outer
- Rate grid: sharing, common weights + outer

Weekly starts: immediate admission

- First start only
- Weekly starts: equal
- Weekly starts: learned + sharing
- Weekly starts: most recent, learned + sharing
- Weekly starts: most recent, slow + fast, learned + sharing
- Starts equal + outer
- Starts learned + sharing + outer

Score-based experts

- Score experts: equal weights
- Score experts: learned weights

Studentized median

- Studentized median (residual RMS)
- Studentized median (residual RMS), median start
- Studentized median (base width)
- Median, constant sigma
- Median, constant sigma, median start

Studentized full base

- Studentized full base (base width)
- Studentized full base (level RMS)

Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Each design uses the settings tuned with it.

covid | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design

Feedback delay 0 | Feedback delay 1 | Feedback re-run

Loss reduction: overall | Loss reduction: up to peak (weeks -7 to 0) | Loss reduction: after peak (weeks 1 to 8) | Coverage error: overall | Coverage error: up to peak (weeks -7 to 0) | Coverage error: after peak (weeks 1 to 8)

Single trackers

- Fixed MultiQT
- Leaky MultiQT
- Delphi REF-op (covid prod)
- Delphi sqrt 0.018 (flu prod)

Log1p tracker

- Fixed MultiQT (log1p tracker)
- Leaky MultiQT (log1p tracker)

Rate-grid experts

- Rate grid: equal
- Rate grid: learned, no sharing
- Rate grid: learned, common weights
- Rate grid: learned + sharing
- Rate grid: learned + sharing, common weights
- Rate grid: sharing + outer
- Rate grid: sharing, common weights + outer

Weekly starts: immediate admission

- First start only
- Weekly starts: equal
- Weekly starts: learned + sharing
- Weekly starts: most recent, learned + sharing
- Weekly starts: most recent, slow + fast, learned + sharing
- Starts equal + outer
- Starts learned + sharing + outer

Score-based experts

- Score experts: equal weights
- Score experts: learned weights

Studentized median

- Studentized median (residual RMS)
- Studentized median (residual RMS), median start
- Studentized median (base width)
- Median, constant sigma
- Median, constant sigma, median start

Studentized full base

- Studentized full base (base width)
- Studentized full base (level RMS)


Loss reduction: -100% -50% 0%

Coverage error: 0 0.05 0.1 0.15 0.2 0.25

Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Each design uses the settings tuned with it.

flu | all 52 locations pooled | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design

Feedback delay 0 · Feedback delay 1 · Feedback re-run



Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Each design uses the settings tuned with it.

flu | United States (US) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design

Feedback delay 0 · Feedback delay 1 · Feedback re-run

Loss reduction: overall · Loss reduction: up to peak (weeks -7 to 0) · Loss reduction: after peak (weeks 1 to 8) · Coverage error: overall · Coverage error: up to peak (weeks -7 to 0) · Coverage error: after peak (weeks 1 to 8)

Single trackers

- Fixed MultiQT
- Leaky MultiQT
- Delphi REF-op (covid prod)
- Delphi sqrt 0.018 (flu prod)

Log1p tracker

- Fixed MultiQT (log1p tracker)
- Leaky MultiQT (log1p tracker)

Rate-grid experts

- Rate grid: equal
- Rate grid: learned, no sharing
- Rate grid: learned, common weights
- Rate grid: learned + sharing
- Rate grid: learned + sharing, common weights
- Rate grid: sharing + outer
- Rate grid: sharing, common weights + outer

Weekly starts: immediate admission

- First start only
- Weekly starts: equal
- Weekly starts: learned + sharing
- Weekly starts: most recent, learned + sharing
- Weekly starts: most recent, slow + fast, learned + sharing
- Starts equal + outer
- Starts learned + sharing + outer

Score-based experts

- Score experts: equal weights
- Score experts: learned weights

Studentized median

- Studentized median (residual RMS)
- Studentized median (residual RMS), median start
- Studentized median (base width)
- Median, constant sigma
- Median, constant sigma, median start


Studentized full base

- Studentized full base (base width)
- Studentized full base (level RMS)

Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Each design uses the settings tuned with it.

flu | California (06) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design


Feedback delay 0 · Feedback delay 1 · Feedback re-run



Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Each design uses the settings tuned with it.

flu | Texas (48) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design


Feedback delay 0 · Feedback delay 1 · Feedback re-run



Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Each design uses the settings tuned with it.

flu | New York (36) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design


Feedback delay 0 · Feedback delay 1 · Feedback re-run



Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Each design uses the settings tuned with it.

flu | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design

Feedback delay 0 · Feedback delay 1 · Feedback re-run



Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Each design uses the settings tuned with it.