
Frozen rate-grid weights

covid | horizon 2 | United States (US) | evaluation: Jun 2025 to the end of season 2025/26 | log1p(counts) updates | feedback delay 0 week(s)




Target date | Weight at issuance for each target | Dotted lines: peaks

Rows alpha = 0.1-0.9: one weight vector per quantile level. Last row: one weight vector for all levels, learned from the mean pinball loss.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Diverse expert weights

covid | horizon 2 | United States (US) | evaluation: Jun 2025 to the end of season 2025/26 | log1p(counts) updates | feedback delay 0 week(s)




Target date | Weight at issuance for each target | Dotted lines: peaks

Rows alpha = 0.1-0.9: one weight vector per quantile level. Last row: one weight vector for all levels, learned from the mean pinball loss.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

covid | horizon 2 | California (06) | evaluation: Jun 2025 to the end of season 2025/26 | log1p(counts) updates | feedback delay 0 week(s)




Target date | Weight at issuance for each target | Dotted lines: peaks

Rows alpha = 0.1-0.9: one weight vector per quantile level. Last row: one weight vector for all levels, learned from the mean pinball loss.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Diverse expert weights

covid | horizon 2 | California (06) | evaluation: Jun 2025 to the end of season 2025/26 | log1p(counts) updates | feedback delay 0 week(s)




Target date | Weight at issuance for each target | Dotted lines: peaks

Rows alpha = 0.1-0.9: one weight vector per quantile level. Last row: one weight vector for all levels, learned from the mean pinball loss.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

covid | horizon 2 | Texas (48) | evaluation: Jun 2025 to the end of season 2025/26 | log1p(counts) updates | feedback delay 0 week(s)




Target date | Weight at issuance for each target | Dotted lines: peaks

Rows alpha = 0.1-0.9: one weight vector per quantile level. Last row: one weight vector for all levels, learned from the mean pinball loss.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Diverse expert weights

covid | horizon 2 | Texas (48) | evaluation: Jun 2025 to the end of season 2025/26 | log1p(counts) updates | feedback delay 0 week(s)




Target date | Weight at issuance for each target | Dotted lines: peaks

Rows alpha = 0.1-0.9: one weight vector per quantile level. Last row: one weight vector for all levels, learned from the mean pinball loss.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

covid | horizon 2 | New York (36) | evaluation: Jun 2025 to the end of season 2025/26 | log1p(counts) updates | feedback delay 0 week(s)




Target date | Weight at issuance for each target | Dotted lines: peaks

Rows alpha = 0.1-0.9: one weight vector per quantile level. Last row: one weight vector for all levels, learned from the mean pinball loss.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Diverse expert weights

covid | horizon 2 | New York (36) | evaluation: Jun 2025 to the end of season 2025/26 | log1p(counts) updates | feedback delay 0 week(s)




Target date | Weight at issuance for each target | Dotted lines: peaks

Rows alpha = 0.1-0.9: one weight vector per quantile level. Last row: one weight vector for all levels, learned from the mean pinball loss.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

covid | horizon 2 | Pennsylvania (42) | evaluation: Jun 2025 to the end of season 2025/26 | log1p(counts) updates | feedback delay 0 week(s)




Target date | Weight at issuance for each target | Dotted lines: peaks

Rows alpha = 0.1-0.9: one weight vector per quantile level. Last row: one weight vector for all levels, learned from the mean pinball loss.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Diverse expert weights

covid | horizon 2 | Pennsylvania (42) | evaluation: Jun 2025 to the end of season 2025/26 | log1p(counts) updates | feedback delay 0 week(s)




Target date | Weight at issuance for each target | Dotted lines: peaks

Rows alpha = 0.1-0.9: one weight vector per quantile level. Last row: one weight vector for all levels, learned from the mean pinball loss.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

covid | horizon 2 | Illinois (17) | evaluation: Jun 2025 to the end of season 2025/26 | log1p(counts) updates | feedback delay 0 week(s)




Target date | Weight at issuance for each target | Dotted lines: peaks

Rows alpha = 0.1-0.9: one weight vector per quantile level. Last row: one weight vector for all levels, learned from the mean pinball loss.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Diverse expert weights

covid | horizon 2 | Illinois (17) | evaluation: Jun 2025 to the end of season 2025/26 | log1p(counts) updates | feedback delay 0 week(s)



Target date | Weight at issuance for each target | Dotted lines: peaks

Rows alpha = 0.1-0.9: one weight vector per quantile level. Last row: one weight vector for all levels, learned from the mean pinball loss.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.