


COVID | Fixed-rate MultiQT at quantile level alpha = 0.01: |coverage - alpha| vs quantile loss

Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.










▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)
■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)
· m = 0.01
• m = 0.03
● m = 0.1
● m = 0.3


COVID | Fixed-rate MultiQT at quantile level alpha = 0.025: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.

























































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)
■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)
· m = 0.01
• m = 0.03
● m = 0.1
● m = 0.3


COVID | Fixed-rate MultiQT at quantile level alpha = 0.05: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.























































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)


■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)


· m = 0.01
• m = 0.03
● m = 0.1
● m = 0.3


COVID | Fixed-rate MultiQT at quantile level alpha = 0.1: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.






















































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)


■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)


· m = 0.01
• m = 0.03


● m = 0.1
● m = 0.3


COVID | Fixed-rate MultiQT at quantile level alpha = 0.15: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.























































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)
■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)
m = 0.01
m = 0.03
m = 0.1
m = 0.3


COVID | Fixed-rate MultiQT at quantile level alpha = 0.2: |coverage - alpha| vs quantile loss

Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.




COVID | Fixed-rate MultiQT at quantile level alpha = 0.25: |coverage - alpha| vs quantile loss

Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.




COVID | Fixed-rate MultiQT at quantile level alpha = 0.3: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.





COVID | Fixed-rate MultiQT at quantile level alpha = 0.35: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.























































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)

■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)

· m = 0.01
• m = 0.03
● m = 0.1
● m = 0.3


COVID | Fixed-rate MultiQT at quantile level alpha = 0.4: |coverage - alpha| vs quantile loss

Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.




COVID | Fixed-rate MultiQT at quantile level alpha = 0.45: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.



COVID | Fixed-rate MultiQT at quantile level alpha = 0.5: |coverage - alpha| vs quantile loss

Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.






▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)


■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)


· m = 0.01
• m = 0.03
● m = 0.1
● m = 0.3


COVID | Fixed-rate MultiQT at quantile level alpha = 0.55: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.























































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)


■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)


· m = 0.01
• m = 0.03
● m = 0.1
● m = 0.3


COVID | Fixed-rate MultiQT at quantile level alpha = 0.6: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.






















































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)


■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)


· m = 0.01
• m = 0.03


● m = 0.1
● m = 0.3


COVID | Fixed-rate MultiQT at quantile level alpha = 0.65: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.























































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)


■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)


· m = 0.01
• m = 0.03
● m = 0.1
● m = 0.3


COVID | Fixed-rate MultiQT at quantile level alpha = 0.7: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.






















































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)


■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)

· m = 0.01
• m = 0.03

● m = 0.1
● m = 0.3


COVID | Fixed-rate MultiQT at quantile level alpha = 0.75: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.





COVID | Fixed-rate MultiQT at quantile level alpha = 0.8: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.























































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)


■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)


· m = 0.01
• m = 0.03
● m = 0.1
● m = 0.3


COVID | Fixed-rate MultiQT at quantile level alpha = 0.85: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.























































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)


■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)


· m = 0.01
• m = 0.03
● m = 0.1
● m = 0.3


COVID | Fixed-rate MultiQT at quantile level alpha = 0.9: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.


























































































COVID | Fixed-rate MultiQT at quantile level alpha = 0.95: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.






















































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)


■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)


· m = 0.01
• m = 0.03


● m = 0.1
● m = 0.3


COVID | Fixed-rate MultiQT at quantile level alpha = 0.975: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.






















































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)


■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)


· m = 0.01
• m = 0.03


● m = 0.1
● m = 0.3


COVID | Fixed-rate MultiQT at quantile level alpha = 0.99: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.






















































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)
■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)
· m = 0.01
• m = 0.03
● m = 0.1
● m = 0.3

FLU | Fixed-rate MultiQT at quantile level alpha = 0.01: |coverage - alpha| vs quantile loss

Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.




FLU | Fixed-rate MultiQT at quantile level alpha = 0.025: |coverage - alpha| vs quantile loss

Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.




FLU | Fixed-rate MultiQT at quantile level alpha = 0.05: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.





FLU | Fixed-rate MultiQT at quantile level alpha = 0.1: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.






















































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)

■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)


· m = 0.01
• m = 0.03

● m = 0.1
● m = 0.3


FLU | Fixed-rate MultiQT at quantile level alpha = 0.15: |coverage - alpha| vs quantile loss

Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.


United States | horizon -1
Weeks before / after / overall: 7 / 8 / 32




United States | horizon 0
Weeks before / after / overall: 7 / 8 / 32




United States | horizon 1
Weeks before / after / overall: 6 / 8 / 32




United States | horizon 2
Weeks before / after / overall: 5 / 8 / 32




United States | horizon 3
Weeks before / after / overall: 4 / 8 / 31




California | horizon -1
Weeks before / after / overall: 8 / 8 / 32




California | horizon 0
Weeks before / after / overall: 8 / 8 / 32




California | horizon 1
Weeks before / after / overall: 8 / 8 / 32




California | horizon 2
Weeks before / after / overall: 8 / 8 / 32




California | horizon 3
Weeks before / after / overall: 8 / 8 / 31




Texas | horizon -1
Weeks before / after / overall: 7 / 8 / 32




Texas | horizon 0
Weeks before / after / overall: 7 / 8 / 32




Texas | horizon 1
Weeks before / after / overall: 6 / 8 / 32




Texas | horizon 2
Weeks before / after / overall: 5 / 8 / 32




Texas | horizon 3
Weeks before / after / overall: 4 / 8 / 31




New York | horizon -1
Weeks before / after / overall: 7 / 8 / 32




New York | horizon 0
Weeks before / after / overall: 7 / 8 / 32




New York | horizon 1
Weeks before / after / overall: 6 / 8 / 32




New York | horizon 2
Weeks before / after / overall: 5 / 8 / 32




New York | horizon 3
Weeks before / after / overall: 4 / 8 / 31




Pennsylvania | horizon -1
Weeks before / after / overall: 7 / 8 / 32




Pennsylvania | horizon 0
Weeks before / after / overall: 7 / 8 / 32




Pennsylvania | horizon 1
Weeks before / after / overall: 6 / 8 / 32




Pennsylvania | horizon 2
Weeks before / after / overall: 5 / 8 / 32




Pennsylvania | horizon 3
Weeks before / after / overall: 4 / 8 / 31




Illinois | horizon -1
Weeks before / after / overall: 7 / 8 / 32




Illinois | horizon 0
Weeks before / after / overall: 7 / 8 / 32




Illinois | horizon 1
Weeks before / after / overall: 6 / 8 / 32



Illinois | horizon 2
Weeks before / after / overall: 5 / 8 / 32




Illinois | horizon 3
Weeks before / after / overall: 4 / 8 / 31



▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)
■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)
· m = 0.01
• m = 0.03
● m = 0.1
● m = 0.3


FLU | Fixed-rate MultiQT at quantile level alpha = 0.2: |coverage - alpha| vs quantile loss

Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.




FLU | Fixed-rate MultiQT at quantile level alpha = 0.25: |coverage - alpha| vs quantile loss

Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.




FLU | Fixed-rate MultiQT at quantile level alpha = 0.3: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.





FLU | Fixed-rate MultiQT at quantile level alpha = 0.35: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.























































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)
■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)
· m = 0.01
• m = 0.03
● m = 0.1
● m = 0.3


FLU | Fixed-rate MultiQT at quantile level alpha = 0.4: |coverage - alpha| vs quantile loss

Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.



FLU | Fixed-rate MultiQT at quantile level alpha = 0.45: |coverage - alpha| vs quantile loss

Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.



FLU | Fixed-rate MultiQT at quantile level alpha = 0.5: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.


FLU | Fixed-rate MultiQT at quantile level alpha = 0.55: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.


FLU | Fixed-rate MultiQT at quantile level alpha = 0.6: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.






















































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)


■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)


· m = 0.01
• m = 0.03


● m = 0.1
● m = 0.3


FLU | Fixed-rate MultiQT at quantile level alpha = 0.65: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.






















































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)


■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)

· m = 0.01
• m = 0.03

● m = 0.1
● m = 0.3


FLU | Fixed-rate MultiQT at quantile level alpha = 0.7: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.





FLU | Fixed-rate MultiQT at quantile level alpha = 0.75: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.






















































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)


■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)


· m = 0.01
• m = 0.03


● m = 0.1
● m = 0.3


FLU | Fixed-rate MultiQT at quantile level alpha = 0.8: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.























































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)


■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)


· m = 0.01
• m = 0.03
● m = 0.1
● m = 0.3


FLU | Fixed-rate MultiQT at quantile level alpha = 0.85: |coverage - alpha| vs quantile loss


Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.























































































▲ Before peak (weeks -7 to 0)
● After peak (weeks 1 to 8)

■ Overall (Jun 2025 to the end of season 2025/26)
○ Open symbol: m = 0 (original forecasts)

· m = 0.01
• m = 0.03
● m = 0.1
● m = 0.3


FLU | Fixed-rate MultiQT at quantile level alpha = 0.9: |coverage - alpha| vs quantile loss

Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.




FLU | Fixed-rate MultiQT at quantile level alpha = 0.95: |coverage - alpha| vs quantile loss

Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.



FLU | Fixed-rate MultiQT at quantile level alpha = 0.975: |coverage - alpha| vs quantile loss

Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.



FLU | Fixed-rate MultiQT at quantile level alpha = 0.99: |coverage - alpha| vs quantile loss

Log1p-count tracking | eta = m * S0, S0 frozen after 20 released rows (warmup replayed) | Feedback delay 0 week(s) | Scored against latest reported counts in counts per 100k residents | Lower left is better.

