
Frozen rate-grid weights

covid | horizon 2 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: one weight vector per quantile level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Last row: one weight vector for all levels, learned from the mean quantile loss over the levels.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

covid | horizon 2 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: one weight vector per quantile level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Every mixture: one weight vector for all levels (repeated in every row), learned from the mean quantile loss over the levels.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

covid | horizon 2 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: one weight vector per quantile level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Every weekly-start mixture has one weight vector per level, except the most recent starts (equal weights).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

covid | horizon 2 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: one weight vector per quantile level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Last row: one weight vector for all levels, learned from the mean quantile loss over the levels.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

covid | horizon 2 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: one weight vector per quantile level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Every mixture: one weight vector for all levels (repeated in every row), learned from the mean quantile loss over the levels.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

covid | horizon 2 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: one weight vector per quantile level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Every weekly-start mixture has one weight vector per level, except the most recent starts (equal weights).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

covid | horizon 2 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks

Rows alpha = 0.1-0.9: one weight vector per quantile level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Last row: one weight vector for all levels, learned from the mean quantile loss over the levels.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

covid | horizon 2 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)

A: one vector

B: soft switch, three signals

C: soft switch, target signal

D: context vectors, blended

E: faster lambda in decline

alpha = 0.1

alpha = 0.2

alpha = 0.3

alpha = 0.4

alpha = 0.5

alpha = 0.6

alpha = 0.7

alpha = 0.8

alpha = 0.9

Common (all levels)

Forecast, alpha = 0.2 (counts per 100k residents)

Forecast, alpha = 0.5 (counts per 100k residents)

Forecast, alpha = 0.8 (counts per 100k residents)

Score experts: one vector (A)

Score experts: soft switch, three signals (B)

Score experts: soft switch, target signal (C)

Score experts: context vectors, blended (D)

Score experts: faster lambda in decline (E)

Jan 2025 Jul 2025 Jan 2026 Jul 2026

Experts: weights and forecasts

- Original
- Fixed MultiQT
- Leaky MultiQT
- Studentized median (base width)
- Studentized full base (base width)
- Studentized full base (level scales)
- Studentized full base (level RMS)

- Latest reported counts
- Each expert: its weight colour
- Mixture: thick, in the colour of its method
- Common-weight variant (last row): dashed

Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: one weight vector per quantile level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Every mixture: one weight vector for all levels (repeated in every row), learned from the mean quantile loss over the levels.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

covid | horizon 2 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: one weight vector per quantile level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Every weekly-start mixture has one weight vector per level, except the most recent starts (equal weights).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

covid | horizon 2 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: one weight vector per quantile level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Last row: one weight vector for all levels, learned from the mean quantile loss over the levels.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

covid | horizon 2 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: one weight vector per quantile level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Every mixture: one weight vector for all levels (repeated in every row), learned from the mean quantile loss over the levels.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

covid | horizon 2 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: one weight vector per quantile level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Every weekly-start mixture has one weight vector per level, except the most recent starts (equal weights).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

covid | horizon 2 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: one weight vector per quantile level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Last row: one weight vector for all levels, learned from the mean quantile loss over the levels.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

covid | horizon 2 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: one weight vector per quantile level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Every mixture: one weight vector for all levels (repeated in every row), learned from the mean quantile loss over the levels.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

covid | horizon 2 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 0 (latest-at-use-v2)



Target date | Weight at issuance for each target | Vertical dotted lines: peaks

Rows alpha = 0.1-0.9: one weight vector per quantile level; below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (per-level mixtures after crossing repair, before any outer correction).

Every weekly-start mixture has one weight vector per level, except the most recent starts (equal weights).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.