
covid | the 10 largest locations without Florida pooled | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents


Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)

- Weekly starts: most recent, learned + sharing
- Spread scale: most recent starts, learned + sharing
- Power scale: most recent starts, learned + sharing
- Leaky MultiQT
- Sign-flip experts: level RMS
- Two-phase power scale (decline probability)
- Leaky MultiQT, leak bank with learned weights
- Weekly starts: most recent, slow + fast, learned + sharing
- Weekly starts: equal
- Delphi REF-op (covid prod)

Colours as in the trade-off plots of R/04.








Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.

covid | United States (US) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents


Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)


- Spread scale: most recent starts, learned + sharing
- Weekly starts: most recent, learned + sharing
- Power scale: most recent starts, learned + sharing
- Sign-flip experts: level RMS
- Leaky MultiQT
- Weekly starts: most recent, slow + fast, learned + sharing
- Studentized full base (level RMS)
- Delphi REF-op (covid prod)
- Leaky MultiQT (log1p tracker)
- Two-phase power scale (decline probability)

Colours as in the trade-off plots of R/04.









Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.

covid | California (06) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)

- Weekly starts: most recent, learned + sharing
- Weekly starts: most recent, slow + fast, learned + sharing
- Power scale: most recent starts, learned + sharing
- Spread scale: most recent starts, learned + sharing
- Leaky MultiQT
- Sign-flip experts: level RMS
- Delphi REF-op (covid prod)
- Leaky MultiQT, leak bank with learned weights
- Weekly starts: equal
- Leaky MultiQT (log1p tracker)

Colours as in the trade-off plots of R/04.



Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.

covid | Texas (48) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)

- Weekly starts: most recent, slow + fast, learned + sharing
- Weekly starts: most recent, learned + sharing
- Power scale: most recent starts, learned + sharing
- Spread scale: most recent starts, learned + sharing
- Leaky MultiQT
- Sign-flip experts: level RMS
- Weekly starts: equal
- Delphi REF-op (covid prod)
- Leaky MultiQT, leak bank with learned weights
- Score experts: learned weights

Colours as in the trade-off plots of R/04.



Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.

covid | New York (36) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)

- Weekly starts: most recent, learned + sharing
- Power scale: most recent starts, learned + sharing
- Leaky MultiQT
- Leaky MultiQT (log1p tracker)
- Delphi REF-op (covid prod)
- Spread scale: most recent starts, learned + sharing
- Two-phase power scale (decline probability)
- Studentized full base (level RMS)
- Leaky MultiQT, leak bank with learned weights
- Weekly starts: equal

Colours as in the trade-off plots of R/04.




Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.


covid | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents


Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)

- Weekly starts: most recent, learned + sharing
- Spread scale: most recent starts, learned + sharing
- Power scale: most recent starts, learned + sharing
- Two-phase power scale (decline probability)
- Sign-flip experts: level RMS
- Leaky MultiQT
- Leaky MultiQT, leak bank with learned weights
- Sign-flip experts: power scale
- Weekly starts: equal
- Weekly starts: most recent, slow + fast, learned + sharing

Colours as in the trade-off plots of R/04.








Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.


flu | the 10 largest locations without Florida pooled | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents


Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)

- Weekly starts: most recent, learned + sharing
- Weekly starts: equal
- Leaky MultiQT
- Leaky MultiQT, leak bank with learned weights
- Leaky MultiQT, leak chosen online
- Power scale: most recent starts, learned + sharing
- Spread scale: most recent starts, learned + sharing
- Fixed MultiQT
- Delphi sqrt 0.018 (flu prod)
- Rate grid: learned, common weights

Colours as in the trade-off plots of R/04.
Pale: common weights for all levels.







Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.


flu | United States (US) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents


Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)

- Weekly starts: equal
- Sign-flip experts: level RMS
- Leaky MultiQT
- Fixed MultiQT
- Delphi sqrt 0.018 (flu prod)
- Leaky MultiQT, leak bank with learned weights
- Leaky MultiQT, leak chosen online
- Weekly starts: most recent, learned + sharing
- Delphi REF-op (covid prod)
- Power scale: most recent starts, learned + sharing

Colours as in the trade-off plots of R/04.








Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.

flu | California (06) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)

- Power scale: most recent starts, learned + sharing
- Weekly starts: most recent, learned + sharing
- Spread scale: most recent starts, learned + sharing
- Leaky MultiQT (log1p tracker)
- Leaky MultiQT
- Sign-flip experts: base width
- Weekly starts: most recent, slow + fast, learned + sharing
- Leaky MultiQT, leak bank with learned weights
- Leaky MultiQT, leak chosen online
- Delphi REF-op (covid prod)

Colours as in the trade-off plots of R/04.




Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.

flu | Texas (48) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)

- Studentized full base (level RMS)
- Rate grid: equal
- Fixed MultiQT
- Weekly starts: equal
- Leaky MultiQT
- Leaky MultiQT, leak bank with learned weights
- Rate grid: learned, common weights
- Sign-flip experts: level RMS
- Weekly starts: most recent, learned + sharing
- Rate grid: learned, no sharing

Colours as in the trade-off plots of R/04.
Pale: common weights for all levels.




Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.


flu | New York (36) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents


Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)

- Power scale: most recent starts, learned + sharing
- Spread scale: most recent starts, learned + sharing
- Weekly starts: most recent, learned + sharing
- Sign-flip experts: power scale
- Leaky MultiQT, leak chosen online
- Leaky MultiQT, leak bank with learned weights
- Delphi sqrt 0.018 (flu prod)
- Weekly starts: equal
- Leaky MultiQT
- Delphi REF-op (covid prod)

Colours as in the trade-off plots of R/04.







Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.

flu | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

Bars, top to bottom: the 10 best on this page (quantile loss after peak, all designs and horizons)

- Weekly starts: most recent, learned + sharing
- Leaky MultiQT, leak chosen online
- Power scale: most recent starts, learned + sharing
- Leaky MultiQT
- Weekly starts: equal
- Leaky MultiQT, leak bank with learned weights
- Spread scale: most recent starts, learned + sharing
- Rate grid: learned, common weights
- Fixed MultiQT
- Delphi sqrt 0.018 (flu prod)

Colours as in the trade-off plots of R/04.
Pale: common weights for all levels.

all feedback designs | all horizons | 15 cases

delay 0 | all horizons | 5 cases

delay 1 | all horizons | 5 cases

re-run | all horizons | 5 cases

delay 0 | horizon -1 | 1 case

delay 0 | horizon 0 | 1 case

delay 0 | horizon 1 | 1 case

delay 0 | horizon 2 | 1 case

delay 0 | horizon 3 | 1 case

delay 1 | horizon -1 | 1 case

delay 1 | horizon 0 | 1 case

delay 1 | horizon 1 | 1 case

delay 1 | horizon 2 | 1 case

delay 1 | horizon 3 | 1 case

re-run | horizon -1 | 1 case

re-run | horizon 0 | 1 case

re-run | horizon 1 | 1 case

re-run | horizon 2 | 1 case

re-run | horizon 3 | 1 case

Overall | Up to peak (weeks -7 to 0) | After peak (weeks 1 to 8)

Coverage error

Loss bar: 100 * (1 - pooled loss / pooled loss of the base), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the base.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the base's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the base forecasts.