covid | the 10 largest locations without Florida pooled | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design

Feedback delay 0 · Feedback delay 1 · Feedback re-run

Loss reduction: overall · Loss reduction: up to peak (weeks -7 to 0) · Loss reduction: after peak (weeks 1 to 8) · Coverage error: overall · Coverage error: up to peak (weeks -7 to 0) · Coverage error: after peak (weeks 1 to 8)

Single trackers
- Fixed MultiQT — 8% 10% 14% | 34% 46% 50% | 24% 14% 12%
- Leaky MultiQT — 32% 38% 46% | 34% 34% 42% | 14% 16% 12%
- Delphi REF-op (covid prod) — 34% 36% 40% | 44% 44% 52% | 22% 16% 8%
- Delphi sqrt 0.018 (flu prod) — 16% 12% 16% | 48% 56% 80% | 26% 14% 14%

Log1p tracker
- Fixed MultiQT (log1p tracker) — 26% 18% 20% | 36% 52% 68% | 32% 20% 16%
- Leaky MultiQT (log1p tracker) — 38% 32% 34% | 44% 44% 48% | 24% 12% 8%

Leak chosen online
- Leaky MultiQT, leak chosen online — 16% 24% 16% | 48% 48% 58% | 12% 4% 6%
- Leaky MultiQT, leak bank with learned weights — 20% 28% 32% | 42% 44% 46% | 12% 10% 10%

Rate-grid experts
- Rate grid: equal — 6% 6% 6% | 30% 22% 34% | 8% 12% 12%
- Rate grid: learned, no sharing — 8% 10% 10% | 38% 48% 56% | 18% 10% 12%
- Rate grid: learned, common weights — 6% 8% 10% | 38% 48% 60% | 24% 18% 12%

Weekly starts: immediate admission
- Weekly starts: equal — 10% 14% 20% | 34% 46% 50% | 22% 16% 14%
- Weekly starts: most recent, learned + sharing — 52% 52% 54% | 52% 52% 58% | 30% 28% 28%
- Weekly starts: most recent, slow + fast, learned + sharing — 36% 42% 40% | 40% 40% 42% | 24% 16% 22%

Score-based experts
- Score experts: learned weights — 26% 24% 36% | 52% 64% 72% | 14% 10% 10%

Studentized full base
- Studentized full base (level RMS) — 8% 10% 8% | 12% 26% 38% | 18% 14% 6%
- Studentized full base (PIT) — 26% 12% 16% | 34% 56% 66% | 32% 14% 12%

Power scale
- Studentized full base (power scale) — 10% 14% 14% | 34% 54% 70% | 24% 14% 14%
- Power scale: rate grid, learned, common weights — 12% 10% 18% | 44% 50% 70% | 26% 14% 12%
- Power scale: most recent starts, learned + sharing — 50% 52% 56% | 58% 54% 64% | 26% 16% 24%

Spread scale
- Studentized full base (spread scale) — 24% 8% 10% | 36% 58% 76% | 32% 14% 6%
- Spread scale: rate grid, learned, common weights — 16% 0% 6% | 48% 54% 78% | 26% 6% 8%
- Spread scale: most recent starts, learned + sharing — 50% 46% 54% | 60% 60% 64% | 20% 14% 16%

Sign-flip experts
- Sign-flip experts: power scale — 28% 20% 24% | 82% 92% 86% | 14% 6% 16%
- Sign-flip experts: level RMS — 44% 40% 30% | 86% 84% 88% | 24% 8% 8%
- Sign-flip experts: base width — 20% 12% 12% | 84% 92% 86% | 16% 6% 12%


Two-phase trackers
- Two-phase power scale (decline probability) — 26% 26% 32% | 28% 56% 74% | 48% 20% 16%

Loss reduction axes: -20% -10% 0% 10% 20%. Coverage error axes: 0 0.05 0.1 0.15 0.2.

Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Every tracker learns at the adaptive rate (no tuning).

covid | United States (US) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design


Feedback delay 0 · Feedback delay 1 · Feedback re-run



Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Every tracker learns at the adaptive rate (no tuning).

covid | California (06) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design

Feedback delay 0 · Feedback delay 1 · Feedback re-run



Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Every tracker learns at the adaptive rate (no tuning).

covid | Texas (48) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design

Feedback delay 0 · Feedback delay 1 · Feedback re-run

Loss reduction: overall · Loss reduction: up to peak (weeks -7 to 0) · Loss reduction: after peak (weeks 1 to 8) · Coverage error: overall · Coverage error: up to peak (weeks -7 to 0) · Coverage error: after peak (weeks 1 to 8)

Single trackers
- Fixed MultiQT
- Leaky MultiQT
- Delphi REF-op (covid prod)
- Delphi sqrt 0.018 (flu prod)

Log1p tracker
- Fixed MultiQT (log1p tracker)
- Leaky MultiQT (log1p tracker)

Leak chosen online
- Leaky MultiQT, leak chosen online
- Leaky MultiQT, leak bank with learned weights

Rate-grid experts
- Rate grid: equal
- Rate grid: learned, no sharing
- Rate grid: learned, common weights

Weekly starts: immediate admission
- Weekly starts: equal
- Weekly starts: most recent, learned + sharing
- Weekly starts: most recent, slow + fast, learned + sharing

Score-based experts
- Score experts: learned weights

Studentized full base
- Studentized full base (level RMS)
- Studentized full base (PIT)

Power scale
- Studentized full base (power scale)
- Power scale: rate grid, learned, common weights
- Power scale: most recent starts, learned + sharing

Spread scale
- Studentized full base (spread scale)
- Spread scale: rate grid, learned, common weights
- Spread scale: most recent starts, learned + sharing

Sign-flip experts
- Sign-flip experts: power scale
- Sign-flip experts: level RMS
- Sign-flip experts: base width

Two-phase trackers
- Two-phase power scale (decline probability)

Loss reduction: -20% -10% 0% 10% 20% · Coverage error: 0 0.05 0.1 0.15 0.2 0.25

Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Every tracker learns at the adaptive rate (no tuning).

covid | New York (36) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design

Feedback delay 0 · Feedback delay 1 · Feedback re-run

Loss reduction: overall · Loss reduction: up to peak (weeks -7 to 0) · Loss reduction: after peak (weeks 1 to 8) · Coverage error: overall · Coverage error: up to peak (weeks -7 to 0) · Coverage error: after peak (weeks 1 to 8)

Single trackers
- Fixed MultiQT
- Leaky MultiQT
- Delphi REF-op (covid prod)
- Delphi sqrt 0.018 (flu prod)

Log1p tracker
- Fixed MultiQT (log1p tracker)
- Leaky MultiQT (log1p tracker)

Leak chosen online
- Leaky MultiQT, leak chosen online
- Leaky MultiQT, leak bank with learned weights

Rate-grid experts
- Rate grid: equal
- Rate grid: learned, no sharing
- Rate grid: learned, common weights

Weekly starts: immediate admission
- Weekly starts: equal
- Weekly starts: most recent, learned + sharing
- Weekly starts: most recent, slow + fast, learned + sharing

Score-based experts
- Score experts: learned weights

Studentized full base
- Studentized full base (level RMS)
- Studentized full base (PIT)

Power scale
- Studentized full base (power scale)
- Power scale: rate grid, learned, common weights
- Power scale: most recent starts, learned + sharing

Spread scale
- Studentized full base (spread scale)
- Spread scale: rate grid, learned, common weights
- Spread scale: most recent starts, learned + sharing

Sign-flip experts
- Sign-flip experts: power scale
- Sign-flip experts: level RMS
- Sign-flip experts: base width


Two-phase trackers
- Two-phase power scale (decline probability)

Loss reduction: -20% -15% -10% -5% 0% 5%
Coverage error: 0 0.05 0.1 0.15 0.2

Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Every tracker learns at the adaptive rate (no tuning).

covid | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design

Feedback delay 0 | Feedback delay 1 | Feedback re-run



Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Every tracker learns at the adaptive rate (no tuning).

flu | the 10 largest locations without Florida pooled | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design

Feedback delay 0 · Feedback delay 1 · Feedback re-run

Loss reduction: overall · Loss reduction: up to peak (weeks -7 to 0) · Loss reduction: after peak (weeks 1 to 8) · Coverage error: overall · Coverage error: up to peak (weeks -7 to 0) · Coverage error: after peak (weeks 1 to 8)

Single trackers

Fixed MultiQT
Leaky MultiQT
Delphi REF-op (covid prod)
Delphi sqrt 0.018 (flu prod)

Log1p tracker

Fixed MultiQT (log1p tracker)
Leaky MultiQT (log1p tracker)

Leak chosen online

Leaky MultiQT, leak chosen online
Leaky MultiQT, leak bank with learned weights

Rate-grid experts

Rate grid: equal
Rate grid: learned, no sharing
Rate grid: learned, common weights

Weekly starts: immediate admission

Weekly starts: equal
Weekly starts: most recent, learned + sharing
Weekly starts: most recent, slow + fast, learned + sharing

Score-based experts

Score experts: learned weights

Studentized full base

Studentized full base (level RMS)
Studentized full base (PIT)

Power scale

Studentized full base (power scale)
Power scale: rate grid, learned, common weights
Power scale: most recent starts, learned + sharing

Spread scale

Studentized full base (spread scale)
Spread scale: rate grid, learned, common weights
Spread scale: most recent starts, learned + sharing

Sign-flip experts

Sign-flip experts: power scale
Sign-flip experts: level RMS
Sign-flip experts: base width

Two-phase trackers

Two-phase power scale (decline probability)

Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Every tracker learns at the adaptive rate (no tuning).

flu | United States (US) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design

Feedback delay 0 · Feedback delay 1 · Feedback re-run

Loss reduction: overall · Loss reduction: up to peak (weeks -7 to 0) · Loss reduction: after peak (weeks 1 to 8) · Coverage error: overall · Coverage error: up to peak (weeks -7 to 0) · Coverage error: after peak (weeks 1 to 8)

Single trackers

- Fixed MultiQT
- Leaky MultiQT
- Delphi REF-op (covid prod)
- Delphi sqrt 0.018 (flu prod)

Log1p tracker

- Fixed MultiQT (log1p tracker)
- Leaky MultiQT (log1p tracker)

Leak chosen online

- Leaky MultiQT, leak chosen online
- Leaky MultiQT, leak bank with learned weights

Rate-grid experts

- Rate grid: equal
- Rate grid: learned, no sharing
- Rate grid: learned, common weights

Weekly starts: immediate admission

- Weekly starts: equal
- Weekly starts: most recent, learned + sharing
- Weekly starts: most recent, slow + fast, learned + sharing

Score-based experts

- Score experts: learned weights

Studentized full base

- Studentized full base (level RMS)
- Studentized full base (PIT)

Power scale

- Studentized full base (power scale)
- Power scale: rate grid, learned, common weights
- Power scale: most recent starts, learned + sharing

Spread scale

- Studentized full base (spread scale)
- Spread scale: rate grid, learned, common weights
- Spread scale: most recent starts, learned + sharing

Sign-flip experts

- Sign-flip experts: power scale
- Sign-flip experts: level RMS
- Sign-flip experts: base width


Two-phase trackers

- Two-phase power scale (decline probability)

Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Every tracker learns at the adaptive rate (no tuning).

flu | California (06) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design


Feedback delay 0 · Feedback delay 1 · Feedback re-run



Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Every tracker learns at the adaptive rate (no tuning).

flu | Texas (48) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design


Feedback delay 0 · Feedback delay 1 · Feedback re-run



Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Every tracker learns at the adaptive rate (no tuning).

flu | New York (36) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design


Feedback delay 0 · Feedback delay 1 · Feedback re-run



Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Every tracker learns at the adaptive rate (no tuning).

flu | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents | every method under each feedback design

Feedback delay 0 · Feedback delay 1 · Feedback re-run



Values and axes as in the evaluation tree. Loss bars: 100 * (1 - pooled loss / pooled loss of the base) over the page's cases of a design, each case's mean loss weighted by its weeks; positive = smaller loss.
Numbers right of the loss panels: share of the cases in which the method's loss is below the base's (at least 5 cases). Coverage error: mean over the levels of |coverage - alpha|, weighted by the weeks; dashed: the base.
Top to bottom within a method: feedback delay 0, delay 1, re-run (darker to lighter). Every tracker learns at the adaptive rate (no tuning).