
covid | all 52 locations pooled | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

op to bottom: the 10 best on this page (quantile loss after peak, all designs and ho

- Weekly starts: most recent, equal
- Studentized full base (level RMS)
- Delphi REF-op (covid prod)
- Fixed MultiQT
- Decline MultiQT
- Score experts: learned, original in decline
- Delphi sqrt 0.018 (flu prod)
- Score experts: equal weights
- Leaky MultiQT
- Score experts: learned weights

in the trade-off plots of R/04.



Loss bar: 100 * (1 - pooled loss / pooled loss of the original), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the original.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the original's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the original forecasts.
At horizon -1 (no target signal) Decline MultiQT gives the original forecast and the learned score mixture does not back off.

covid | United States (US) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

op to bottom: the 10 best on this page (quantile loss after peak, all designs and ho

- Studentized full base (level RMS)
- Weekly starts: most recent, equal
- Decline MultiQT
- Delphi REF-op (covid prod)
- Score experts: learned, original in decline
- Fixed MultiQT
- Score experts: learned weights
- Leaky MultiQT
- Delphi sqrt 0.018 (flu prod)
- Score experts: equal weights

in the trade-off plots of R/04.


Loss bar: 100 * (1 - pooled loss / pooled loss of the original), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the original.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the original's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the original forecasts.
At horizon -1 (no target signal) Decline MultiQT gives the original forecast and the learned score mixture does not back off.


covid | California (06) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents


op to bottom: the 10 best on this page (quantile loss after peak, all designs and ho


- Weekly starts: most recent, equal
- Studentized median (residual RMS)
- Decline MultiQT
- Delphi REF-op (covid prod)
- Fixed MultiQT
- Studentized full base (level RMS)
- Score experts: learned, original in decline
- Leaky MultiQT
- Score experts: equal weights
- Score experts: learned weights

in the trade-off plots of R/04.










Loss bar: 100 * (1 - pooled loss / pooled loss of the original), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the original.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the original's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the original forecasts.
At horizon -1 (no target signal) Decline MultiQT gives the original forecast and the learned score mixture does not back off.

covid | Texas (48) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

op to bottom: the 10 best on this page (quantile loss after peak, all designs and ho

- Weekly starts: most recent, equal
- Studentized median (residual RMS)
- Delphi REF-op (covid prod)
- Score experts: learned, original in decline
- Studentized full base (level RMS)
- Decline MultiQT
- Leaky MultiQT
- Fixed MultiQT
- Score experts: learned weights
- Score experts: equal weights

in the trade-off plots of R/04.




Loss bar: 100 * (1 - pooled loss / pooled loss of the original), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the original.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the original's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the original forecasts.
At horizon -1 (no target signal) Decline MultiQT gives the original forecast and the learned score mixture does not back off.


covid | New York (36) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents


op to bottom: the 10 best on this page (quantile loss after peak, all designs and ho


- Decline MultiQT
- Studentized full base (level RMS)
- Delphi REF-op (covid prod)
- Leaky MultiQT
- Weekly starts: most recent, equal
- Fixed MultiQT
- Score experts: learned, original in decline
- Score experts: learned weights
- Studentized median (base width)
- Score experts: equal weights

in the trade-off plots of R/04.









Loss bar: 100 * (1 - pooled loss / pooled loss of the original), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the original.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the original's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the original forecasts.
At horizon -1 (no target signal) Decline MultiQT gives the original forecast and the learned score mixture does not back off.

covid | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

op to bottom: the 10 best on this page (quantile loss after peak, all designs and ho

- Studentized full base (level RMS)
- Weekly starts: most recent, equal
- Delphi REF-op (covid prod)
- Decline MultiQT
- Fixed MultiQT
- Delphi sqrt 0.018 (flu prod)
- Score experts: learned, original in decline
- Score experts: equal weights
- Leaky MultiQT
- Score experts: learned weights

in the trade-off plots of R/04.



Loss bar: 100 * (1 - pooled loss / pooled loss of the original), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the original.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the original's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the original forecasts.
At horizon -1 (no target signal) Decline MultiQT gives the original forecast and the learned score mixture does not back off.

flu | all 52 locations pooled | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents


op to bottom: the 10 best on this page (quantile loss after peak, all designs and ho

- Fixed MultiQT
- Studentized full base (level RMS)
- Delphi sqrt 0.018 (flu prod)
- Weekly starts: most recent, equal
- Delphi REF-op (covid prod)
- Weekly starts: equal
- Decline MultiQT
- Starts equal + outer
- Score experts: learned, original in decline
- Rate grid: learned, no sharing

in the trade-off plots of R/04.
ne: + outer MultiQT.

all feedback designs | all horizons | 780 cases


delay 0 | all horizons | 260 cases




delay 1 | all horizons | 260 cases

re-run | all horizons | 260 cases


delay 0 | horizon -1 | 52 cases




delay 0 | horizon 0 | 52 cases




delay 0 | horizon 1 | 52 cases




delay 0 | horizon 2 | 52 cases




delay 0 | horizon 3 | 52 cases




delay 1 | horizon -1 | 52 cases




delay 1 | horizon 0 | 52 cases




delay 1 | horizon 1 | 52 cases




delay 1 | horizon 2 | 52 cases




delay 1 | horizon 3 | 52 cases




re-run | horizon -1 | 52 cases




re-run | horizon 0 | 52 cases




re-run | horizon 1 | 52 cases



re-run | horizon 2 | 52 cases



re-run | horizon 3 | 52 cases



Loss bar: 100 * (1 - pooled loss / pooled loss of the original), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the original.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the original's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the original forecasts.
At horizon -1 (no target signal) Decline MultiQT gives the original forecast and the learned score mixture does not back off.

flu | United States (US) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

op to bottom: the 10 best on this page (quantile loss after peak, all designs and ho

- Studentized full base (level RMS)
- Decline MultiQT
- Fixed MultiQT
- Starts equal + outer
- Weekly starts: equal
- Delphi sqrt 0.018 (flu prod)
- Delphi REF-op (covid prod)
- Weekly starts: most recent, equal
- First start only
- Weekly starts: learned

in the trade-off plots of R/04.
ne: + outer MultiQT.

Loss bar: 100 * (1 - pooled loss / pooled loss of the original), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the original.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the original's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the original forecasts.
At horizon -1 (no target signal) Decline MultiQT gives the original forecast and the learned score mixture does not back off.


flu | California (06) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents


op to bottom: the 10 best on this page (quantile loss after peak, all designs and ho

- Weekly starts: most recent, equal
- Score experts: learned, original in decline
- Delphi REF-op (covid prod)
- Score experts: learned weights
- Score experts: equal weights
- Fixed MultiQT
- Studentized median (base width)
- Studentized full base (base width)
- Studentized full base (level RMS)
- Delphi sqrt 0.018 (flu prod)

in the trade-off plots of R/04.









Loss bar: 100 * (1 - pooled loss / pooled loss of the original), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the original.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the original's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the original forecasts.
At horizon -1 (no target signal) Decline MultiQT gives the original forecast and the learned score mixture does not back off.

flu | Texas (48) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

op to bottom: the 10 best on this page (quantile loss after peak, all designs and ho

- Decline MultiQT
- Rate grid: equal
- Studentized full base (level RMS)
- Slope rate
- Starts equal + outer
- First start only
- Weekly starts: equal
- Rate grid: learned + sharing, common weights
- Rate grid: sharing, common weights + outer
- Fixed MultiQT

in the trade-off plots of R/04.
non weights for all levels.
ne: + outer MultiQT.


Loss bar: 100 * (1 - pooled loss / pooled loss of the original), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the original.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the original's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the original forecasts.
At horizon -1 (no target signal) Decline MultiQT gives the original forecast and the learned score mixture does not back off.

flu | New York (36) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

op to bottom: the 10 best on this page (quantile loss after peak, all designs and ho

- Score experts: learned, original in decline
- Delphi sqrt 0.018 (flu prod)
- Weekly starts: most recent, equal
- Delphi REF-op (covid prod)
- Fixed MultiQT
- Score experts: equal weights
- Decline MultiQT
- Leaky MultiQT
- Rate grid: learned, no sharing
- Weekly starts: learned

in the trade-off plots of R/04.




Loss bar: 100 * (1 - pooled loss / pooled loss of the original), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the original.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the original's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the original forecasts.
At horizon -1 (no target signal) Decline MultiQT gives the original forecast and the learned score mixture does not back off.

flu | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | loss in counts per 100k residents

op to bottom: the 10 best on this page (quantile loss after peak, all designs and ho

- Rate grid: learned, common weights
- Fixed MultiQT
- Delphi sqrt 0.018 (flu prod)
- Score experts: learned, original in decline
- Weekly starts: most recent, equal
- Decline MultiQT
- Delphi REF-op (covid prod)
- Rate grid: learned, no sharing
- Studentized full base (level RMS)
- Weekly starts: equal

in the trade-off plots of R/04.
non weights for all levels.



Loss bar: 100 * (1 - pooled loss / pooled loss of the original), pooled over the node's cases (location x horizon x feedback design), each case's mean loss weighted by its number of weeks; to the right: positive = smaller loss than the original.
Numbers right of each loss panel: share of the node's cases in which the method's loss is below the original's (nodes with at least 5 cases). Up to peak / after peak: the weeks around every local peak of the latest counts.
Below each loss panel: coverage error, the mean over the quantile levels of |coverage - alpha| over the weeks of the window, averaged over the cases of the node weighted by their weeks; dashed: the original forecasts.
At horizon -1 (no target signal) Decline MultiQT gives the original forecast and the learned score mixture does not back off.