




covid | design hub_first_months | feedback delay 0 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | 52 locations


















Calibration error against mean quantile loss relative to the original forecasts (means over locations and horizons) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


covid | design hub_first_months | feedback delay 1 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | 52 locations














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over locations and horizons) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


covid | design hub_first_months | feedback delay 0 + revisions (re-run) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | 52 locations














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over locations and horizons) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


flu | design hub_first_months | feedback delay 0 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | 52 locations














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over locations and horizons) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


flu | design hub_first_months | feedback delay 1 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | 52 locations














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over locations and horizons) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


flu | design hub_first_months | feedback delay 0 + revisions (re-run) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | 52 locations














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over locations and horizons) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


covid | design hub_first_months | feedback delay 0 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | California (06)














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


covid | design hub_first_months | feedback delay 1 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | California (06)














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


covid | design hub_first_months | feedback delay 0 + revisions (re-run) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | California (06)














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


flu | design hub_first_months | feedback delay 0 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | California (06)














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


flu | design hub_first_months | feedback delay 1 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | California (06)














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


flu | design hub_first_months | feedback delay 0 + revisions (re-run) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | California (06)














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


covid | design hub_first_months | feedback delay 0 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Texas (48)














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


covid | design hub_first_months | feedback delay 1 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Texas (48)














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


covid | design hub_first_months | feedback delay 0 + revisions (re-run) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Texas (48)














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


flu | design hub_first_months | feedback delay 0 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Texas (48)


















Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


flu | design hub_first_months | feedback delay 1 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Texas (48)














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


flu | design hub_first_months | feedback delay 0 + revisions (re-run) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Texas (48)














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


covid | design hub_first_months | feedback delay 0 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | New York (36)














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


covid | design hub_first_months | feedback delay 1 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | New York (36)














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


covid | design hub_first_months | feedback delay 0 + revisions (re-run) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | New York (36)














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


flu | design hub_first_months | feedback delay 0 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | New York (36)














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


flu | design hub_first_months | feedback delay 1 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | New York (36)












log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


flu | design hub_first_months | feedback delay 0 + revisions (re-run) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | New York (36)





Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


covid | design hub_first_months | feedback delay 0 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Pennsylvania (42)














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


covid | design hub_first_months | feedback delay 1 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Pennsylvania (42)












log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


covid | design hub_first_months | feedback delay 0 + revisions (re-run) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Pennsylvania (42)





Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


flu | design hub_first_months | feedback delay 0 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Pennsylvania (42)














log1p tracker (loss of log(counts + 1))
identity tracker (loss in counts per 100k residents)
rate within the tolerance (filled) or above it (open)
chosen value (circled)
original forecasts (0 %)
symbol size: grid value (larger = larger)


Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.


flu | design hub_first_months | feedback delay 1 | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Pennsylvania (42)















Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.

flu | design hub_first_months | feedback delay 0 + revisions (re-run) | tuning period Nov 2024 to May 2025 | horizons -1 to 3 | Pennsylvania (42)



Calibration error against mean quantile loss relative to the original forecasts (means over horizons; circled: chosen on the pool) on the scale of each tracker; lower left is better
Tracker rates: the lowest calibration error among the rates whose loss lies within 1% of the original loss above the lowest loss (filled symbols).
H: the lowest loss. Ties: the smaller value.