

flu | horizon -1 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Single trackers

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)




flu | horizon -1 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Log1p tracker

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)




flu | horizon -1 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Rate-grid experts


Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)





flu | horizon -1 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Weekly starts: immediate admission


Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)























- Latest reported counts
- Base
- First start only (m=0.05)
- Weekly starts: equal (m=0.05)
- Weekly starts: learned + sharing (m=0.05, H=8)
- Weekly starts: most recent 8, learned + sharing (m=0.05, H=8)
- Weekly starts: most recent 8, slow + fast, learned + sharing (m=0.03 + 0.3, H=8)
- Starts equal + outer (outer m=0.001)
- Starts learned + sharing + outer (H=8, outer m=0.001)

flu | horizon -1 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Score-based experts

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)

alpha = 0.1

alpha = 0.2

alpha = 0.3

alpha = 0.4

alpha = 0.5

alpha = 0.6

alpha = 0.7

alpha = 0.8

alpha = 0.9

Hospitalizations (counts per 100k residents)


Quantile loss

Jan 2025 Jul 2025 Jan 2026 Jul 2026

• Latest reported counts — Base - - Score experts: equal weights — Score experts: learned weights per level (H=8)


flu | horizon -1 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Studentized median


Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)




flu | horizon -1 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Studentized full base

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)








Latest reported counts
Base
Fixed MultiQT (eta=0.05*S0)
Studentized full base (base 80% width, eta=0.3)
Studentized full base (level RMS of 5, eta=0.1)


flu | horizon -1 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Single trackers


Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)




flu | horizon -1 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Log1p tracker

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)










Latest reported counts
Base
Fixed MultiQT (eta=0.05*S0)
Leaky MultiQT (eta=0.1*S0, leak 0.1)
Fixed MultiQT, log1p tracker (eta=0.1*S0)
Leaky MultiQT, log1p tracker (eta=0.2*S0, leak 0.1)


flu | horizon -1 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Rate-grid experts


Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)
























- Latest reported counts
- Base
- Fixed MultiQT (eta=0.05*S0)
- Rate grid: equal
- Rate grid: learned, no sharing (H=8)
- Rate grid: learned, no sharing, common weights (H=8)
- Rate grid: learned + sharing (H=8)
- Rate grid: learned + sharing, common weights (H=8)
- Rate grid: sharing + outer (H=8, outer m=0.001)
- Rate grid: sharing, common weights + outer (H=8, outer m=0.001)


flu | horizon -1 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Weekly starts: immediate admission

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)




flu | horizon -1 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Score-based experts

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)




flu | horizon -1 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Studentized median


Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)




flu | horizon -1 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Studentized full base

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)








Latest reported counts
Base
Fixed MultiQT (eta=0.05*S0)
Studentized full base (base 80% width, eta=0.3)
Studentized full base (level RMS of 5, eta=0.1)


flu | horizon -1 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Single trackers


Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)




flu | horizon -1 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Log1p tracker

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)










Latest reported counts
Base
Fixed MultiQT (eta=0.05*S0)
Leaky MultiQT (eta=0.1*S0, leak 0.1)
Fixed MultiQT, log1p tracker (eta=0.1*S0)
Leaky MultiQT, log1p tracker (eta=0.2*S0, leak 0.1)


flu | horizon -1 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Rate-grid experts


Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)
























- Latest reported counts
- Base
- Fixed MultiQT (eta=0.05*S0)
- Rate grid: equal
- Rate grid: learned, no sharing (H=8)
- Rate grid: learned, no sharing, common weights (H=8)
- Rate grid: learned + sharing (H=8)
- Rate grid: learned + sharing, common weights (H=8)
- Rate grid: sharing + outer (H=8, outer m=0.001)
- Rate grid: sharing, common weights + outer (H=8, outer m=0.001)


flu | horizon -1 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Weekly starts: immediate admission

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)




flu | horizon -1 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Score-based experts

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)




flu | horizon -1 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Studentized median


Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)




flu | horizon -1 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Studentized full base

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)









flu | horizon -1 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Single trackers

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)




flu | horizon -1 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Log1p tracker

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)




flu | horizon -1 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Rate-grid experts


Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)




flu | horizon -1 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Weekly starts: immediate admission

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)








- Latest reported counts
- Base
- First start only (m=0.05)
- Weekly starts: equal (m=0.05)
- Weekly starts: learned + sharing (m=0.05, H=8)
- Weekly starts: most recent 8, learned + sharing (m=0.05, H=8)
- Weekly starts: most recent 8, slow + fast, learned + sharing (m=0.03 + 0.3, H=8)
- Starts equal + outer (outer m=0.001)
- Starts learned + sharing + outer (H=8, outer m=0.001)


flu | horizon -1 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Score-based experts

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)




flu | horizon -1 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Studentized median


Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)





flu | horizon -1 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Studentized full base


Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)
























Latest reported counts
Base
Fixed MultiQT (eta=0.05*S0)
Studentized full base (base 80% width, eta=0.3)
Studentized full base (level RMS of 5, eta=0.1)


flu | horizon -1 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Single trackers

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)



flu | horizon -1 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Log1p tracker

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)



flu | horizon -1 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Rate-grid experts

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)

alpha = 0.1

alpha = 0.2

alpha = 0.3

alpha = 0.4

alpha = 0.5

alpha = 0.6

alpha = 0.7

alpha = 0.8

alpha = 0.9

Hospitalizations (counts per 100k residents)


Quantile loss


Jan 2025 Jul 2025 Jan 2026 Jul 2026


- Latest reported counts
- Base
- Fixed MultiQT (eta=0.05*S0)
- Rate grid: equal
- Rate grid: learned, no sharing (H=8)
- Rate grid: learned, no sharing, common weights (H=8)
- Rate grid: learned + sharing (H=8)
- Rate grid: learned + sharing, common weights (H=8)
- Rate grid: sharing + outer (H=8, outer m=0.001)
- Rate grid: sharing, common weights + outer (H=8, outer m=0.001)


flu | horizon -1 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Weekly starts: immediate admission


Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)
























- Latest reported counts
- Base
- First start only (m=0.05)
- Weekly starts: equal (m=0.05)
- Weekly starts: learned + sharing (m=0.05, H=8)
- Weekly starts: most recent 8, learned + sharing (m=0.05, H=8)
- Weekly starts: most recent 8, slow + fast, learned + sharing (m=0.03 + 0.3, H=8)
- Starts equal + outer (outer m=0.001)
- Starts learned + sharing + outer (H=8, outer m=0.001)


flu | horizon -1 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Score-based experts

Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)




flu | horizon -1 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Studentized median


Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)





flu | horizon -1 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1 | Studentized full base


Issued alpha-quantile forecasts and their weekly quantile loss in counts per 100k residents against the latest reported counts | Vertical dotted lines: peaks | Gray: tuning period (not scored)














Latest reported counts
Base
Fixed MultiQT (eta=0.05*S0)
Studentized full base (base 80% width, eta=0.3)
Studentized full base (level RMS of 5, eta=0.1)