
Frozen rate-grid weights

flu | horizon -1 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

flu | horizon -1 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

flu | horizon -1 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights: slow + fast copies

flu | horizon -1 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1

Most recent starts, slow + fast: learned + sharing



Target date | Weight at issuance for each target | Vertical dotted lines: peaks

Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).


Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

flu | horizon -1 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1

Score-based expert weights

flu | horizon -1 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

flu | horizon -1 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights: slow + fast copies

flu | horizon -1 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1

Most recent starts, slow + fast: learned + sharing




Target date | Weight at issuance for each target | Vertical dotted lines: peaks

Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

flu | horizon -1 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

flu | horizon -1 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

flu | horizon -1 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights: slow + fast copies

flu | horizon -1 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1

Most recent starts, slow + fast: learned + sharing




Target date | Weight at issuance for each target | Vertical dotted lines: peaks

Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

flu | horizon -1 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

flu | horizon -1 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

flu | horizon -1 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights: slow + fast copies

flu | horizon -1 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1

Most recent starts, slow + fast: learned + sharing




Target date | Weight at issuance for each target | Vertical dotted lines: peaks

Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

flu | horizon -1 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

flu | horizon -1 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

flu | horizon -1 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights: slow + fast copies

flu | horizon -1 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback delay 1

Most recent starts, slow + fast: learned + sharing



Target date | Weight at issuance for each target | Vertical dotted lines: peaks

Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.