
Frozen rate-grid weights

flu | horizon 2 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

flu | horizon 2 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run



Experts: weights and forecasts

- Base
- Fixed MultiQT
- Leaky MultiQT
- Studentized full base (level RMS)
- Delphi sqrt 0.018 (flu prod)

- Latest reported counts
- Each expert, while weighted: its weight colour
- Mixture: dashed, in the colour of its method

Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

flu | horizon 2 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run



Target date | Weight at issuance for each target | Vertical dotted lines: peaks

Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights: slow + fast copies

flu | horizon 2 | United States (US) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run

Most recent starts, slow + fast: learned + sharing

Target date | Weight at issuance for each target | Vertical dotted lines: peaks

Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).


Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights


flu | horizon 2 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run

Equal weights | Learned, no sharing | Learned + sharing


alpha = 0.1 | alpha = 0.2 | Forecast, alpha = 0.2 (counts per 100k residents)




alpha = 0.3 | alpha = 0.4 | alpha = 0.5 | Forecast, alpha = 0.5 (counts per 100k residents)



alpha = 0.6 | alpha = 0.7 | alpha = 0.8 | Forecast, alpha = 0.8 (counts per 100k residents)



alpha = 0.9 | All levels: weights | All levels: forecast, alpha = 0.5 (counts per 100k residents)



Experts: weights and forecasts

m=0 | m=0.01 | m=0.015 | m=0.02 | m=0.03 | m=0.05 | m=0.075 | m=0.1 | m=0.15 | m=0.2 | m=0.3 | m=0.45

Latest reported counts
Each expert, while weighted: its weight colour
Mixture: dashed, in the colour of its method

Target date | Weight at issuance for each target | Vertical dotted lines: peaks

Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).
Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.
Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

flu | horizon 2 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run

Equal weights

Learned weights

alpha = 0.1

alpha = 0.2

Forecast, alpha = 0.2
(counts per 100k residents

Score experts: equal weights

Score experts: learned weights

alpha = 0.3

alpha = 0.4

alpha = 0.5

Forecast, alpha = 0.5
(counts per 100k residents

alpha = 0.6

alpha = 0.7

alpha = 0.8

Forecast, alpha = 0.8
(counts per 100k residents

alpha = 0.9

All levels:
weights

All levels:
forecast, alpha = 0.5
(counts per 100k residents

Jan 2025 | Jul 2025 | Jan 2026 | Jul 2026

Experts: weights and forecasts

- Base
- Fixed MultiQT
- Leaky MultiQT
- Studentized full base (level RMS)
- Delphi sqrt 0.018 (flu prod)

- Latest reported counts
- Each expert, while weighted: its weight colour
- Mixture: dashed, in the colour of its method

Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

flu | horizon 2 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights: slow + fast copies

flu | horizon 2 | California (06) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run

Most recent starts, slow + fast: learned + sharing




Target date | Weight at issuance for each target | Vertical dotted lines: peaks

Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

flu | horizon 2 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

flu | horizon 2 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run



Experts: weights and forecasts

- Base
- Fixed MultiQT
- Leaky MultiQT
- Studentized full base (level RMS)
- Delphi sqrt 0.018 (flu prod)

- Latest reported counts
- Each expert, while weighted: its weight colour
- Mixture: dashed, in the colour of its method

Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

flu | horizon 2 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run



Target date | Weight at issuance for each target | Vertical dotted lines: peaks

Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights: slow + fast copies

flu | horizon 2 | Texas (48) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run

Most recent starts, slow + fast: learned + sharing

Weekly starts, m=0.03 — first start Nov 2024 (dark) to last Oct 2026 (light)

Weekly starts, m=0.3 — first start Nov 2024 (dark) to last Oct 2026 (light)

Latest reported counts
Each expert, while weighted: its weight colour
Mixture: dashed, in the colour of its method


Target date | Weight at issuance for each target | Vertical dotted lines: peaks

Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

flu | horizon 2 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

flu | horizon 2 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

flu | horizon 2 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights: slow + fast copies

flu | horizon 2 | New York (36) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run

Most recent starts, slow + fast: learned + sharing




Target date | Weight at issuance for each target | Vertical dotted lines: peaks

Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Frozen rate-grid weights

flu | horizon 2 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Score-based expert weights

flu | horizon 2 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run



Experts: weights and forecasts

- Base
- Fixed MultiQT
- Leaky MultiQT
- Studentized full base (level RMS)
- Delphi sqrt 0.018 (flu prod)

- Latest reported counts
- Each expert, while weighted: its weight colour
- Mixture: dashed, in the colour of its method

Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Rows 'All levels': the mixture with one weight vector for all levels (the column's mixture, or its common-weight variant), learned from the mean quantile loss over the levels (equal weights: not learned); its weights and its forecasts at alpha = 0.5.

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights

flu | horizon 2 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run



Target date | Weight at issuance for each target | Vertical dotted lines: peaks


Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.

Weekly-start weights: slow + fast copies

flu | horizon 2 | Pennsylvania (42) | evaluation: Jun 2025 to Sep 2026 | raw-count updates | feedback re-run

Most recent starts, slow + fast: learned + sharing



Target date | Weight at issuance for each target | Vertical dotted lines: peaks

Rows alpha = 0.1-0.9: the weights of each level (one weight vector for all levels: the same at every level); below alpha = 0.2, 0.5 and 0.8 the forecasts at that level (after crossing repair, before any outer correction).

Lighter bars: rounds without a CMU forecast, filled with the latest earlier CMU forecast of the same target week.