
United States | Fixed-rate MultiQT: loss and calibration before and after the peak


Count tracking | eta = m * S0, S0 frozen after 20 released rows (in hindsight: warmup replayed) | Feedback delay 0 week(s), protocol latest-at-use-v2 | Scored against latest reported counts in counts per 100k residents





Loss: % change from m = 0 in the same phase (negative is better). Calibration: mean |coverage - alpha| over levels (lower is better); dashed: m = 0.


California | Fixed-rate MultiQT: loss and calibration before and after the peak

Count tracking | eta = m * S0, S0 frozen after 20 released rows (in hindsight: warmup replayed) | Feedback delay 0 week(s), protocol latest-at-use-v2 | Scored against latest reported counts in counts per 100k residents











Before peak (weeks -7 to 0) | After peak (weeks 1 to 8) | Overall (Jun 2025 to the end of season 2025/26)


Loss: % change from m = 0 in the same phase (negative is better). Calibration: mean |coverage - alpha| over levels (lower is better); dashed: m = 0.


Texas | Fixed-rate MultiQT: loss and calibration before and after the peak

Count tracking | eta = m * S0, S0 frozen after 20 released rows (in hindsight: warmup replayed) | Feedback delay 0 week(s), protocol latest-at-use-v2 | Scored against latest reported counts in counts per 100k residents











Before peak (weeks -7 to 0) | After peak (weeks 1 to 8) | Overall (Jun 2025 to the end of season 2025/26)


Loss: % change from m = 0 in the same phase (negative is better). Calibration: mean |coverage - alpha| over levels (lower is better); dashed: m = 0.


New York | Fixed-rate MultiQT: loss and calibration before and after the peak


Count tracking | eta = m * S0, S0 frozen after 20 released rows (in hindsight: warmup replayed) | Feedback delay 0 week(s), protocol latest-at-use-v2 | Scored against latest reported counts in counts per 100k residents

























































Before peak (weeks -7 to 0) | After peak (weeks 1 to 8) | Overall (Jun 2025 to the end of season 2025/26)

Loss: % change from m = 0 in the same phase (negative is better). Calibration: mean |coverage - alpha| over levels (lower is better); dashed: m = 0.


Pennsylvania | Fixed-rate MultiQT: loss and calibration before and after the peak

Count tracking | eta = m * S0, S0 frozen after 20 released rows (in hindsight: warmup replayed) | Feedback delay 0 week(s), protocol latest-at-use-v2 | Scored against latest reported counts in counts per 100k residents


COVID | horizon -1 | loss




COVID | horizon 0 | loss




COVID | horizon 1 | loss




COVID | horizon 2 | loss




COVID | horizon 3 | loss




COVID | horizon -1 | calibration




COVID | horizon 0 | calibration




COVID | horizon 1 | calibration




COVID | horizon 2 | calibration




COVID | horizon 3 | calibration




FLU | horizon -1 | loss




FLU | horizon 0 | loss




FLU | horizon 1 | loss




FLU | horizon 2 | loss




FLU | horizon 3 | loss




FLU | horizon -1 | calibration




FLU | horizon 0 | calibration




FLU | horizon 1 | calibration



FLU | horizon 2 | calibration



FLU | horizon 3 | calibration



Before peak (weeks -7 to 0) After peak (weeks 1 to 8) Overall (Jun 2025 to the end of season 2025/26)

Loss: % change from m = 0 in the same phase (negative is better). Calibration: mean |coverage - alpha| over levels (lower is better); dashed: m = 0.