

FIVE IN THE AIR, ONE IN HAND


One Ball at a Time

A personal focus system for the moment when choosing feels harder than doing.

CURRENT PROTOTYPE

Product deck · July 2026

Built by Srijā



The work felt impossible before it had even begun.

“I felt overwhelmed and procrastinated because I couldn’t decide what to start. Once I finally began, the task was rarely as hard as it had seemed in my head.”

- the experience behind One Ball at a Time

THE REAL BOTTLENECK

choose

compare

overthink


delay

feel worse

START

The first useful intervention is not more planning. It is a smaller decision.

Five visible slots make the next move finite.




What the prototype does now

- Keeps up to five active tasks visible.
- Marks one active task as today's Eat the Frog priority.
- Adds category, priority quadrant and points, then starts a timer.
- Edit or remove before finishing; completing opens a board slot.

The board reduces the universe of possible work to a small, concrete set.

Finishing converts effort into proof.




The history layer turns isolated wins into a pattern.

The product keeps completion from disappearing the moment the timer stops.

- | | | |
|----|--------------------|--|
| 01 | Today | Completed tasks, category mix and daily-target progress. |
| 02 | Dashboard | Day, week, weekend and month scores, with date navigation. |
| 03 | Analytics | Streaks, 30-day average, trends, category share, weekdays and heatmap. |
| 04 | Plan and reference | Eisenhower matrix, task log, points guide and editable targets. |

17 weeks

of consistency context



streaks · total points
30-day average · best days

FEEDBACK, NOT PRESSURE

The prototype is focused, but still incomplete.

Working now

- PIN-gated Express app with server sessions
- PostgreSQL persistence for active tasks, log, targets and frog choice
- Responsive vanilla HTML, CSS and JavaScript
- API-backed edits with basic save-error handling

Not yet guaranteed

- One active timer: multiple tasks can currently run
- Per-user data isolation: state is global to the app
- Urgency banner and daily muse are present in code, but not wired into the visible UI
- Automated tests for core state transitions

The idea says “one at a time.” Today’s code encourages that behavior; it does not enforce it.

Next, make focus a product rule.

01

One active timer

Starting a task should pause or block every other timer.

02

Intentional switching

A clear handoff flow should make changing focus a conscious choice.

03

Personal state

Accounts should scope boards, logs, targets and frog choice to each person.

04

Test the loop

Protect start, switch, finish and persistence behavior with tests.

Pick less. Start sooner. Let momentum prove the task was smaller than the fear.

github.com/Moningi-Srija/one-ball-at-a-time